

Appendix F: Patient Data Listings of Laboratory Values

	Page
329 DEP Appendix F.1 Listing of Laboratory Values by Treatment Group and Patient Intent-to-Treat Population	91
329 DEP Appendix F.2 Listing of Clinically Significant Abnormal Laboratory Values by Patient and Treatment Group Acute Phase	154

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00063

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	40.4 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	41.6 . . .		30 - 70	%
		Lymphocytes	42.3 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	9.7 H . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	294000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	216 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	3.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

91

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00063

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
14	F VISIT 1/SCREENING (WEEK -1)	-6	Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00065

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.1	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.4	. . .	30 - 70	%
		Lymphocytes	32.6	. . .	21 - 51	%
		Monocytes	7.4	. . .	0 - 10	%
		Eosinophils	4.2	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	259000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	209	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

93

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00065

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 1/SCREENING (WEEK -1)	-10	Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00068

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.4 . . .				12 - 15.6	G/DL
		Hematocrit	40 . . .				35 - 46	%
		Red Blood Cell Count	4.8 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.6 . . .				30 - 70	%
		Lymphocytes	39 . . .				21 - 51	%
		Monocytes	4 . . .				0 - 10	%
		Eosinophils	4.5 . . .				0 - 5	%
		Basophils	2 . . .				0 - 2	%
		Platelets	291000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9 . . .				25 - 35	PG
		Mean Corpuscle Volume	83 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.7 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	99 . . .				44 - 280	U/L
		Aspartate	20 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	6 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .				6.2 - 8.8	G/DL
		Albumin	4.7 . . .				3.1 - 5.3	G/DL
		Glucose - Random	82 . . .				70 - 115	MG/DL
		Globulin	3.1 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick		6				
		Urine Red Blood Cells/HPF		5		+		
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria		4				
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00068

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 8/ACUTE PHASE-WEEK 6	43	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.1	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.9	.	.	.	30 - 70	%
			Lymphocytes	31.2	.	.	.	21 - 51	%
			Monocytes	3.3	.	.	.	0 - 10	%
			Eosinophils	4.3	.	.	.	0 - 5	%
			Basophils	1.3	.	.	.	0 - 2	%
			Platelets	329000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.5	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	99	.	.	.	44 - 280	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

96

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00068

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
13 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Aspartate Aminotransferase	20	. . .	0 - 41	U/L
			Alanine Aminotransferase	14	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.8	. . .	6.2 - 8.8	G/DL
			Albumin	4.7	. . .	3.1 - 5.3	G/DL
			Glucose - Random	86	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Bacteria	5	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00072

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	15.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	46.6 . . .		41 - 50	%
		Red Blood Cell Count	5.4 H . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.1 . . .		30 - 70	%
		Lymphocytes	48.1 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	3.6 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	240000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	252 . . .		44 - 400	U/L
		Aspartate	27 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	29 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	2.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

98

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00072

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 1/SCREENING (WEEK -1)	-13	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00121

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	39.8	L . .	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.8	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.5	. . .	30 - 70	%
		Lymphocytes	43	. . .	21 - 51	%
		Monocytes	9.8	. . .	0 - 10	%
		Eosinophils	3.5	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	180000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	187	. . .	44 - 400	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	1.1	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

100

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00121

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 1/SCREENING (WEEK -1)	-13	Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	1	Hemoglobin	13.9	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	40.2	L	.	.	41 - 50	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	3.6	L	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.3	.	.	.	30 - 70	%
			Lymphocytes	36.5	.	.	.	21 - 51	%
			Monocytes	11.1	H	.	.	0 - 10	%
			Eosinophils	2.6	.	.	.	0 - 5	%
			Basophils	0.4	.	.	.	0 - 2	%
			Platelets	183000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
	VISIT 6/ACUTE PHASE-WEEK 4	29	White Blood Cell Count	4.6	.	.	.	4.5 - 13	THOU/MCL
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.5	L	.	.	13.8 - 17.2	G/DL
			Hematocrit	36.2	L	.	.	41 - 50	%
			Red Blood Cell Count	3.9	L	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.2	.	.	.	30 - 70	%
			Lymphocytes	40.4	.	.	.	21 - 51	%
			Monocytes	4.6	.	.	.	0 - 10	%
			Eosinophils	2.6	.	.	.	0 - 5	%
			Basophils	0.3	.	.	.	0 - 2	%
			Platelets	147000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	93	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	18	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.5	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	170	.	.	.	44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

101

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00121

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	57	Aspartate Aminotransferase	16 . . .		0 - 41	U/L
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	109 . . .		70 - 115	MG/DL
		Globulin	2.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
VISIT 13/CONTINUATION-WEEK 20	140	Hemoglobin	13.8 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.1 . . .		41 - 50	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.8 L . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.9 . . .		30 - 70	%
		Lymphocytes	42.8 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	170000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	93 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	157 . . .		44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

102

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00121

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 13/CONTINUATION-WEEK 20	140	Aspartate	21	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	12	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	6.8	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	87	. . .	70 - 115	MG/DL
			Globulin	2.6	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
	VISIT 17/DOWN TITRATION	155 (1)	Hemoglobin	13.2	L . .	13.8 - 17.2	G/DL
			Hematocrit	37.5	L . .	41 - 50	%
			Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.4	L . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	50.5	. . .	30 - 70	%
			Lymphocytes	41.3	. . .	21 - 51	%
			Monocytes	4.6	. . .	0 - 10	%
			Eosinophils	2	. . .	0 - 5	%
			Basophils	1.5	. . .	0 - 2	%
			Platelets	195000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	93	. . .	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

103

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00205

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	13.3	L . .	13.8 - 17.2	G/DL
		Hematocrit	38.8	L . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.3	. . .	30 - 70	%
		Lymphocytes	33.6	. . .	21 - 51	%
		Monocytes	9	. . .	0 - 10	%
		Eosinophils	7.7	H . .	0 - 5	%
		Basophils	1.5	. . .	0 - 2	%
		Platelets	306000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	8 - 21	MG/DL
		Creatinine	0.7	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.3	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	349	. . .	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	5.7 - 8.2	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	100	. . .	60 - 110	MG/DL
		Globulin	2.5	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

104

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00205

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
12 M	VISIT 1/SCREENING (WEEK -1)	-9	Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00206

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	15.2 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.1 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.1 . . .		30 - 70	%
		Lymphocytes	33.7 . . .		21 - 51	%
		Monocytes	6.4 . . .		0 - 10	%
		Eosinophils	3.1 . . .		0 - 5	%
		Basophils	1.7 . . .		0 - 2	%
		Platelets	187000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	129 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	25 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	116 H . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Urine Amphetamines	NEG . . .			
		Urine Barbiturates	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

106

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00206

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-9	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.9	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.5	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.7	. . .	30 - 70	%
		Lymphocytes	33.4	. . .	21 - 51	%
		Monocytes	6.6	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	179000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	130	. . .	22 - 180	U/L
		Aspartate	24	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	35	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	95	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.001.00206

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00055

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.6 . . .		12 - 16	G/DL
		Hematocrit	39.4 . . .		36 - 49	%
		Red Blood Cell Count	4.87 . . .		4 - 5.2	10 ¹² /L
		White Blood Cell Count	5.8 . . .		4.5 - 13	10 ⁹ /L
		Neutrophil Bands	56 . . . +		30 - 70	%
		Segmented Neutrophils	56 . . .		30 - 70	%
		Lymphocytes	31 . . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	6 H . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	3640000 H . . +		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9 . . .		25 - 33	PG
		Mean Corpuscle Volume	81 . . .		77 - 95	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	12 H . . +		0.7 - 1.4	MG/DL
		Uric Acid	6.6 . . .		4 - 8.5	MG/DL
		Alkaline Phosphatase	328 . . .		60 - 500	U/L
		Aspartate	19 . . .		0 - 42	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 45	U/L
		Total Bilirubin	1 . . .		0 - 1.3	MG/DL
		Total Protein	6.5 . . .		6 - 8.5	GM/DL
		Albumin	4.2 . . .		3.2 - 5	GM/DL
		Glucose - Random	108 . . .		70 - 113	MG/DL
		Globulin	2.3 . . .		2.2 - 4.2	CM/DL
		Urine Blood - Random	NEG	. . .		
		Urine Bilirubin	NEG	. . .		
		Urine Ketones (Acetone)	NEG	. . .		
		Urine PH	5.0	. . .		
		Total Protein in Urine	TRACE	. . .		
		Urine Specific Gravity	1.030	. . .		
		Urine Appearance	CLEAR	. . .		
		Urine Color	YELLOW	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

109

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00055

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	15.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.4	. . .	41 - 50	%
		Red Blood Cell Count	5.5	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.1	. . .	30 - 70	%
		Lymphocytes	33.3	. . .	21 - 51	%
		Monocytes	6.7	. . .	0 - 10	%
		Eosinophils	6.6	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	242000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	295	. . .	44 - 400	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	1.1	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	100	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

110

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00055

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	140	Hemoglobin	14.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.3	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.1	. . .	30 - 70	%
		Lymphocytes	27	. . .	21 - 51	%
		Monocytes	5.8	. . .	0 - 10	%
		Eosinophils	4.9	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	237000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	284	. . .	44 - 400	U/L
		Aspartate Aminotransferase	21	. . .	0 - 41	U/L
		Alanine Aminotransferase	19	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

111

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00058

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.4	. . .	12 - 15.6	G/DL
		Hematocrit	39.9	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.2	. . .	30 - 70	%
		Lymphocytes	25.7	. . .	21 - 51	%
		Monocytes	8.2	. . .	0 - 10	%
		Eosinophils	2.5	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	197000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	81	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	69	. . .	22 - 130	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	87	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00058

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	38.9	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	12.4	. . .	4.5 - 13	THOU/MCL
		Neutrophil Bands	4	. . .	4 - 12	%
		Segmented Neutrophils	85	H . .	30 - 70	%
		Lymphocytes	5	L . .	21 - 51	%
		Monocytes	5	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	183000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	68	. . .	22 - 130	U/L
		Aspartate	10	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

113

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00058

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	59	Urine White Blood Cells/HPF	5	.	.	+		
		Urine Bacteria	4	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	4	.	.	.		
VISIT 13/CONTINUATION-WEEK 20	130 (11)	Hemoglobin	13.9	.	.	.	12 - 15.6	G/DL
		Hematocrit	40.4	.	.	.	35 - 46	%
		Red Blood Cell Count	4.9	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.4	.	.	.	30 - 70	%
		Lymphocytes	26.4	.	.	.	21 - 51	%
		Monocytes	8.4	.	.	.	0 - 10	%
		Eosinophils	2.2	.	.	.	0 - 5	%
		Basophils	0.6	.	.	.	0 - 2	%
		Platelets	193000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	82	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	3.3	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	69	.	.	.	22 - 130	U/L
		Aspartate Aminotransferase	14	.	.	.	0 - 41	U/L
		Alanine Aminotransferase	28	.	.	.	0 - 48	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	89	.	.	.	70 - 115	MG/DL
		Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

114

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00058

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
16 F	VISIT 13/CONTINUATION-WEEK 20	130	(11)	Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00099

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	16.3 . . .		13.8 - 17.2	G/DL
		Hematocrit	48.6 . . .		41 - 50	%
		Red Blood Cell Count	5.8 H . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.5 . . .		30 - 70	%
		Lymphocytes	30.5 . . .		21 - 51	%
		Monocytes	10.6 H . . .		0 - 10	%
		Eosinophils	2.8 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	274000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	80 . . .		44 - 400	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19 . . .		0 - 48	U/L
		Total Bilirubin	1.4 H . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

116

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00099

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	15.5	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	46.3	.	.	.	41 - 50	%
			Red Blood Cell Count	5.6	H	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	50.1	.	.	.	30 - 70	%
			Lymphocytes	33.9	.	.	.	21 - 51	%
			Monocytes	9.9	.	.	.	0 - 10	%
			Eosinophils	5.5	H	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	295000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	83	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	17	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	6.6	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	76	.	.	.	44 - 400	U/L
			Aspartate	18	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	19	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	92	.	.	.	70 - 115	MG/DL
			Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

117

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00099

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	55	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	4	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	4	.	.	.		
VISIT 13/CONTINUATION-WEEK 20	153	Hemoglobin	16	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	46.4	.	.	.	41 - 50	%
		Red Blood Cell Count	5.5	H	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.9	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.6	.	.	.	30 - 70	%
		Lymphocytes	32.1	.	.	.	21 - 51	%
		Monocytes	8.4	.	.	.	0 - 10	%
		Eosinophils	6	H	.	.	0 - 5	%
		Basophils	2	.	.	.	0 - 2	%
		Platelets	295000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	84	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	15	.	.	.	7 - 25	MG/DL
		Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	6	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	77	.	.	.	22 - 180	U/L
		Aspartate Aminotransferase	21	.	.	.	0 - 41	U/L
		Alanine Aminotransferase	20	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.9	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.8	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	84	.	.	.	70 - 115	MG/DL
		Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

118

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00099

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 13/CONTINUATION-WEEK 20	153	Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	4	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	239	Hemoglobin	16.3	. . .	13.8 - 17.2	G/DL
			Hematocrit	47.2	. . .	41 - 50	%
			Red Blood Cell Count	5.6	H . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
			Neutrophil Bands	1	L . .	4 - 12	%
			Segmented Neutrophils	58	. . .	30 - 70	%
			Lymphocytes	22	. . .	21 - 51	%
			Monocytes	8	. . .	0 - 10	%
			Eosinophils	7	H . .	0 - 5	%
			Basophils	0	. . .	0 - 2	%
			Platelets	263000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	84	. . .	80 - 100	FL
			Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	6.4	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	69	. . .	22 - 180	U/L
			Aspartate	16	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	18	. . .	0 - 48	U/L
			Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.4	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	102	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

119

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00099

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 16/CONTINUATION-WEEK 32	239	Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00102

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.6 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.6 . . .		30 - 70	%
		Lymphocytes	35.2 . . .		21 - 51	%
		Monocytes	8.3 . . .		0 - 10	%
		Eosinophils	4.2 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	389000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	69 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous		4 . . .		
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

121

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00102

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-10	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	36.6	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	37.9	. . .	30 - 70	%
		Lymphocytes	44.1	. . .	21 - 51	%
		Monocytes	10.7	H . .	0 - 10	%
		Eosinophils	6.9	H . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	323000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	73	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	77	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

122

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00102

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	55	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	153	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
		Hematocrit	40.3	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.3	. . .	30 - 70	%
		Lymphocytes	31.7	. . .	21 - 51	%
		Monocytes	9.7	. . .	0 - 10	%
		Eosinophils	7.1	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	380000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	72	. . .	22 - 130	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	77	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

123

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00102

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 16/CONTINUATION-WEEK 32	237	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
			Hematocrit	39.6	. . .	35 - 46	%
			Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	57.5	. . .	30 - 70	%
			Lymphocytes	32.9	. . .	21 - 51	%
			Monocytes	5.6	. . .	0 - 10	%
			Eosinophils	3.3	. . .	0 - 5	%
			Basophils	0.7	. . .	0 - 2	%
			Platelets	361000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	87	. . .	80 - 100	FL
			Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.5	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	72	. . .	22 - 130	U/L
			Aspartate	12	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7	. . .	6.2 - 8.8	G/DL
			Albumin	4.1	. . .	3.1 - 5.3	G/DL
			Glucose - Random	110	. . .	70 - 115	MG/DL
			Globulin	2.9	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

124

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00105

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	16.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.3 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.9 . . .		30 - 70	%
		Lymphocytes	27.8 . . .		21 - 51	%
		Monocytes	8.3 . . .		0 - 10	%
		Eosinophils	6.5 H . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	189000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	19 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.1 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	93 . . .		22 - 180	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

125

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00106

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
		Hematocrit	40.2 . . .		35 - 46	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.4 . . .		30 - 70	%
		Lymphocytes	26.9 . . .		21 - 51	%
		Monocytes	4.8 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	246000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28 . . .		25 - 35	PG
		Mean Corpuscle Volume	80 . . .		80 - 100	FL
		Blood Urea Nitrogen	18 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	58 . . .		44 - 280	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00106

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00242

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	39.9 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.7 . . .		30 - 70	%
		Lymphocytes	31.2 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	4.5 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	389000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	116 . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	28 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	110 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

128

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00242

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-12	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14.2 . . .		12 - 15.6	G/DL
		Hematocrit	40.2 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.8 . . .		30 - 70	%
		Lymphocytes	29.6 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	5.5 H . . .		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	391000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	153 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	26 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	84 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
VISIT 17/DOWN TITRATION	155 (35)	Hemoglobin	14.6 . . .		12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

129

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00242

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 17/DOWN TITRATION	155 (35)	Hematocrit	42.8 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60 . . .		30 - 70	%
		Lymphocytes	26.6 . . .		21 - 51	%
		Monocytes	8.1 . . .		0 - 10	%
		Eosinophils	4.7 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	316000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	18 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	113 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	57 L . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

130

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00245

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	39.5 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.3 . . .		30 - 70	%
		Lymphocytes	36.5 . . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	220000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	159 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.6 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	118 H . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			
		Urine Barbiturates	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

131

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00245

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00319

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.8	. . .	12 - 15.6	G/DL
		Hematocrit	43.2	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	75.8	H . .	30 - 70	%
		Lymphocytes	19.5	L . .	21 - 51	%
		Monocytes	2.7	. . .	0 - 10	%
		Eosinophils	1.4	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	251000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	54	. . .	22 - 130	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	6	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	95	. . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

133

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00319

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.4	.	.	.	12 - 15.6	G/DL
			Hematocrit	39	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	65.4	.	.	.	30 - 70	%
			Lymphocytes	27.5	.	.	.	21 - 51	%
			Monocytes	5.2	.	.	.	0 - 10	%
			Eosinophils	1.8	.	.	.	0 - 5	%
			Basophils	0.1	.	.	.	0 - 2	%
			Platelets	184000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.2	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	65	.	.	.	22 - 130	U/L
			Aspartate	13	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	7	.	.	.	0 - 48	U/L
			Total Bilirubin	0.9	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

134

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00319

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
		Hematocrit	39	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.5	. . .	30 - 70	%
		Lymphocytes	26.8	. . .	21 - 51	%
		Monocytes	3.4	. . .	0 - 10	%
		Eosinophils	2.5	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	212000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	71	. . .	22 - 130	U/L
		Aspartate Aminotransferase	12	. . .	0 - 41	U/L
		Alanine Aminotransferase	6	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.002.00319

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	148	Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		3 . . .		
	VISIT 16/CONTINUATION-WEEK 32	232	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
			Hematocrit	39.4	. . .	35 - 46	%
			Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.5	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.3	. . .	30 - 70	%
			Lymphocytes	36.5	. . .	21 - 51	%
			Monocytes	5.5	. . .	0 - 10	%
			Eosinophils	1.3	. . .	0 - 5	%
			Basophils	0.4	. . .	0 - 2	%
			Platelets	171000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	88	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	67	. . .	22 - 130	U/L
			Aspartate	23	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	19	. . .	0 - 48	U/L
			Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.5	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	95	. . .	70 - 115	MG/DL
			Globulin	3.3	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

136

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00075

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Segmented Neutrophils	50 . . .				30 - 70	%
		Lymphocytes	37 . . .				21 - 51	%
		Monocytes	12 H . .				0 - 10	%
		Eosinophils	1 . . .				0 - 5	%
		Basophils	0 . . .				0 - 2	%
		Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	87 . . .				22 - 130	U/L
		Aspartate	16 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	91 . . .				70 - 115	MG/DL
		Globulin	3.4 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					
		Urine Opiates	NEG					
		Urine Phencyclidine	NEG					
		Urine Propoxyphene	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00075

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.8 . . .				12 - 15.6	G/DL
			Hematocrit	40.4 . . .				35 - 46	%
			Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.2 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	35.8 . . .				30 - 70	%
			Lymphocytes	54.7 H . . .				21 - 51	%
			Monocytes	7.9 . . .				0 - 10	%
			Eosinophils	1.3 . . .				0 - 5	%
			Basophils	0.4 . . .				0 - 2	%
			Platelets	304000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.4 . . .				25 - 35	PG
			Mean Corpuscle Volume	86 . . .				80 - 100	FL
			Blood Urea Nitrogen	8 . . .				7 - 25	MG/DL
			Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
			Uric Acid	4.9 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	92 . . .				22 - 130	U/L
			Aspartate	21 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	14 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.7 . . .				6.2 - 8.8	G/DL
			Albumin	4.4 . . .				3.1 - 5.3	G/DL
			Glucose - Random	75 . . .				70 - 115	MG/DL
			Globulin	3.3 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG . . .					
			Urine Blood - Dipstick	NEG . . .					
			Urine Red Blood Cells/HPF	NEG . . .					
			Urine White Blood Cells/HPF	3 . . .					
			Urine Bacteria	3 . . .					
			Urine Protein - Dipstick	NEG . . .					
			Urine Squamous Epithelial Cells	4 . . .					
	VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	13.5 . . .				12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

138

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00075

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 13/CONTINUATION-WEEK 20	141	Hematocrit	40.2	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.9	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.8	.	.	.	30 - 70	%
			Lymphocytes	40.4	.	.	.	21 - 51	%
			Monocytes	5.8	.	.	.	0 - 10	%
			Eosinophils	3.9	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Platelets	306000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	6	L	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.8	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	94	.	.	.	22 - 130	U/L
			Aspartate	12	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	232	Hemoglobin	13.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.9	.	.	.	4.5 - 13	THOU/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

139

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00075

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 16/CONTINUATION-WEEK 32	232	Segmented Neutrophils	49.6	. . .	30 - 70	%
		Lymphocytes	41.6	. . .	21 - 51	%
		Monocytes	7.5	. . .	0 - 10	%
		Eosinophils	0.9	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	335000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	86	. . .	22 - 130	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	140	H . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		NEG . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		2 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

140

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00081

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	11.6	L . .	12 - 15.6	G/DL
		Hematocrit	35.8	. . .	35 - 46	%
		Red Blood Cell Count	3.8	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8	. . .	30 - 70	%
		Lymphocytes	34.1	. . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	3.7	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	252000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	95	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	8 - 21	MG/DL
		Creatinine	0.7	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	188	. . .	44 - 280	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	5.7 - 8.2	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	60 - 110	MG/DL
		Globulin	3.3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

141

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00081

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59 (1)	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	35.2	. . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.6	. . .	30 - 70	%
		Lymphocytes	33.8	. . .	21 - 51	%
		Monocytes	7.9	. . .	0 - 10	%
		Eosinophils	3.4	. . .	0 - 5	%
		Basophils	1.3	. . .	0 - 2	%
		Platelets	229000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.6	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	156	. . .	44 - 280	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 39	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	113	H . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

142

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00081

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
12 F	VISIT 10/ACUTE PHASE-WEEK 8	59	(1)	Urine White Blood Cells/HPF	3	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00087

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-4	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
		Hematocrit	39.9	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57	. . .	30 - 70	%
		Lymphocytes	24.9	. . .	21 - 51	%
		Monocytes	6.4	. . .	0 - 10	%
		Eosinophils	10.8	H . +	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	213000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	184	. . .	44 - 280	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

144

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00087

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 1/SCREENING (WEEK -1)	-4	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00089

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F 1000.PRE	-63	Neutrophil Bands	0	L	.	.	4 - 12	%
		Segmented Neutrophils	51	.	.	.	30 - 70	%
		Lymphocytes	42	.	.	.	21 - 51	%
		Monocytes	5	.	.	.	0 - 10	%
		Eosinophils	1	.	.	.	0 - 5	%
		Basophils	1	.	.	.	0 - 2	%
		Blood Urea Nitrogen	18	.	.	.	7 - 25	MG/DL
		Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.9	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	188	.	.	.	44 - 280	U/L
		Aspartate	20	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	8.7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	96	.	.	.	70 - 115	MG/DL
		Globulin	4.1	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	2	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	4	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	4	.	.	.		
		Serum BHCG pregnancy test	NEGATIVE	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

146

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00089

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F 1000.PRE	-63	Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	38.7	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.3	. . .	30 - 70	%
		Lymphocytes	23.9	. . .	21 - 51	%
		Monocytes	5.5	. . .	0 - 10	%
		Eosinophils	2.2	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	319000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . . .	0.8 - 1.5	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	153	. . .	44 - 280	U/L
		Aspartate	26	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

147

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00089

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00091

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	39 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.2 . . .		30 - 70	%
		Lymphocytes	32.6 . . .		21 - 51	%
		Monocytes	6.6 . . .		0 - 10	%
		Eosinophils	7.8 H . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	225000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	103 . . .		22 - 130	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

149

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00091

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-10	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	54	Segmented Neutrophils	50	.	.	.	30 - 70	%
			Lymphocytes	35	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	7	H	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.1	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	79	.	.	.	22 - 130	U/L
			Aspartate	26	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16	.	.	.	0 - 48	U/L
			Total Bilirubin	0.4	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	87	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00091

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	140	Hemoglobin	13	. . .	12 - 15.6	G/DL
			Hematocrit	37.8	. . .	35 - 46	%
			Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.6	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	47.5	. . .	30 - 70	%
			Lymphocytes	32	. . .	21 - 51	%
			Monocytes	10	. . .	0 - 10	%
			Eosinophils	9.9	H . .	0 - 5	%
			Basophils	0.7	. . .	0 - 2	%
			Platelets	196000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31	. . .	25 - 35	PG
			Mean Corpuscle Volume	90	. . .	80 - 100	FL
			Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.1	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	76	. . .	22 - 130	U/L
			Aspartate	12	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	10	. . .	0 - 48	U/L
			Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
			Total Protein	6.8	. . .	6.2 - 8.8	G/DL
			Albumin	4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	88	. . .	70 - 115	MG/DL
			Globulin	2.8	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

151

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00091

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 16/CONTINUATION-WEEK 32	229	Hemoglobin	13.6	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.6	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.4	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	64.5	.	.	.	30 - 70	%
			Lymphocytes	20	L	.	.	21 - 51	%
			Monocytes	7.3	.	.	.	0 - 10	%
			Eosinophils	7.4	H	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	250000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	69	.	.	.	22 - 130	U/L
			Aspartate	19	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

152

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00248

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 1/SCREENING (WEEK -1)	-16	Hemoglobin	13.3 . . .				12 - 15.6	G/DL
			Hematocrit	38.5 . . .				35 - 46	%
			Red Blood Cell Count	4.4 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.4 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.5 . . .				30 - 70	%
			Lymphocytes	37.6 . . .				21 - 51	%
			Monocytes	5.7 . . .				0 - 10	%
			Eosinophils	6.1 H . . .				0 - 5	%
			Basophils	1.1 . . .				0 - 2	%
			Platelets	210000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6 . . .				25 - 35	PG
			Mean Corpuscle Volume	88 . . .				80 - 100	FL
			Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
			Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
			Uric Acid	3.1 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	156 . . .				44 - 280	U/L
			Aspartate	18 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	9 . . .				0 - 48	U/L
			Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.2 . . .				6.2 - 8.8	G/DL
			Albumin	4.3 . . .				3.1 - 5.3	G/DL
			Glucose - Random	88 . . .				70 - 115	MG/DL
			Globulin	2.9 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG . . .					
			Urine Blood - Dipstick	NEG . . .					
			Urine Red Blood Cells/HPF	NEG . . .					
			Urine White Blood Cells/HPF	NEG . . .					
			Urine Bacteria	3 . . .					
			Urine Protein - Dipstick	NEG . . .					
			Urine Squamous Epithelial Cells	3 . . .					
			Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

153

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00248

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 1/SCREENING (WEEK -1)	-16	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	54	Hemoglobin	11.9	L	.	.	12 - 15.6	G/DL
			Hematocrit	34.4	L	.	.	35 - 46	%
			Red Blood Cell Count	3.9	L	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	46.2	.	.	.	30 - 70	%
			Lymphocytes	39.9	.	.	.	21 - 51	%
			Monocytes	5.9	.	.	.	0 - 10	%
			Eosinophils	7.3	H	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	228000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	137	.	.	.	44 - 280	U/L
			Aspartate	15	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	6.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	97	.	.	.	70 - 115	MG/DL
			Globulin	2.6	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

154

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00250

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	12.1 . . .		12 - 15.6	G/DL
		Hematocrit	36.8 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.4 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	3 L . . .		4 - 12	%
		Segmented Neutrophils	58 . . .		30 - 70	%
		Lymphocytes	29 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	340000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	25.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	77 L . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	99 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	77 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

155

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00250

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 1/SCREENING (WEEK -1)	-9	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 3/ACUTE PHASE-WEEK 1	6	Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00292

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	16.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	47.7	. . .	41 - 50	%
		Red Blood Cell Count	5.4	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65	. . .	30 - 70	%
		Lymphocytes	27.8	. . .	21 - 51	%
		Monocytes	4.3	. . .	0 - 10	%
		Eosinophils	2.5	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	345000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	134	. . .	22 - 180	U/L
		Aspartate	9	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	92	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

157

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00292

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-5	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	70 (12)	Hemoglobin	15.4	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.2	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	76.1	H . .	30 - 70	%
		Lymphocytes	18.9	L . .	21 - 51	%
		Monocytes	2.4	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	325000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	101	. . .	22 - 180	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

158

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00292

S		RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
AGE X	OBSERVATION	DAYS	()			1	2	3		
16 M	VISIT 10/ACUTE PHASE-WEEK 8	70	(12)	Urine Bacteria	4	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00313

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	46.5 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	7.7 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	57.9 . . .		40 - 75	%
		Lymphocytes	32.5 . . .		16 - 46	%
		Monocytes	6.5 . . .		0 - 12	%
		Eosinophils	2.7 . . .		0 - 7	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	205000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		27 - 33	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	71 . . .		22 - 180	U/L
		Aspartate	34 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	69 H . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	108 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

160

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.003.00313

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
18 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	40.3 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.3 . . .		30 - 70	%
		Lymphocytes	27 . . .		21 - 51	%
		Monocytes	2.6 . . .		0 - 10	%
		Eosinophils	6.5 H . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	206000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	75 . . .		22 - 130	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	6 . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	-1	Hemoglobin	14.4	. . .	12 - 15.6	G/DL
		Hematocrit	42	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.4	. . .	30 - 70	%
		Lymphocytes	28.1	. . .	21 - 51	%
		Monocytes	4.4	. . .	0 - 10	%
		Eosinophils	6.4	H . .	0 - 5	%
		Basophils	1.7	. . .	0 - 2	%
		Platelets	239000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 2/ELIGIBILITY	-1	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	28	Hemoglobin	14.2	. . .	12 - 15.6	G/DL
		Hematocrit	40.8	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	70.2	H . .	30 - 70	%
		Lymphocytes	19.7	L . .	21 - 51	%
		Monocytes	3.2	. . .	0 - 10	%
		Eosinophils	6.5	H . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	258000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . +		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick		6 . . .		
VISIT 7/ACUTE PHASE-WEEK 5	35	Hemoglobin	14.1	. . .	12 - 15.6	G/DL
		Hematocrit	41.1	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.6	. . .	30 - 70	%
		Lymphocytes	23.8	. . .	21 - 51	%
		Monocytes	3.2	. . .	0 - 10	%
		Eosinophils	9	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	247000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 7/ACUTE PHASE-WEEK 5	35	Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	39.1 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.9 . . .		30 - 70	%
		Lymphocytes	21.8 . . .		21 - 51	%
		Monocytes	11.5 H . .		0 - 10	%
		Eosinophils	6.4 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	222000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	67 . . .		22 - 130	U/L
		Aspartate Aminotransferase	17 . . .		0 - 41	U/L
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

165

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	58	Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		
		Urine Red Blood Cells/HPF	5	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 11/CONTINUATION-WEEK 12	82	Hemoglobin	14.1	. . .	12 - 15.6	G/DL
		Hematocrit	41.9	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	16.8	H . +	4.5 - 13	THOU/MCL
		Segmented Neutrophils	78.9	H . .	30 - 70	%
		Lymphocytes	15.6	L . .	21 - 51	%
		Monocytes	3.7	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	344000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 13/CONTINUATION-WEEK 20	133	Hemoglobin	14.1	. . .	12 - 15.6	G/DL
		Hematocrit	41.1	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.4	. . .	4.5 - 13	THOU/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

166

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	133	Segmented Neutrophils	63.5	.	.	.	30 - 70	%
			Lymphocytes	25.5	.	.	.	21 - 51	%
			Monocytes	6.4	.	.	.	0 - 10	%
			Eosinophils	4.2	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	215000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	77	.	.	.	22 - 130	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	93	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	6	.	.	.		
			Urine Red Blood Cells/HPF	5	.	.	+		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 14/UNSCHEDULED LAB 1	182	Hemoglobin	13.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.3	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	10.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	65.6	.	.	.	30 - 70	%
			Lymphocytes	21	.	.	.	21 - 51	%
			Monocytes	9.2	.	.	.	0 - 10	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00015

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 14/UNSCHEDULED LAB 1	182	Eosinophils	3.5	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	212000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	74	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	87	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	41.1 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.4 . . .		30 - 70	%
		Lymphocytes	27.8 . . .		21 - 51	%
		Monocytes	6.2 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	292000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	83 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	25 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	91 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	37.1	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.7	. . .	30 - 70	%
		Lymphocytes	32	. . .	21 - 51	%
		Monocytes	7.5	. . .	0 - 10	%
		Eosinophils	1.4	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	262000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
VISIT 6/ACUTE PHASE-WEEK 4	30	Hemoglobin	12.5	. . .	12 - 15.6	G/DL
		Hematocrit	36.6	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57	. . .	30 - 70	%
		Lymphocytes	32.3	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	3.3	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	271000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	37.8	. . .	35 - 46	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

170

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	57	Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58 . . .		30 - 70	%
		Lymphocytes	31.5 . . .		21 - 51	%
		Monocytes	7.4 . . .		0 - 10	%
		Eosinophils	2.9 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	277000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	71 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	24 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 13/CONTINUATION-WEEK 20	142	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	39.9 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

171

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 13/CONTINUATION-WEEK 20	142	White Blood Cell Count	8.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.9 . . .		30 - 70	%
		Lymphocytes	33.8 . . .		21 - 51	%
		Monocytes	5.3 . . .		0 - 10	%
		Eosinophils	3.9 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	294000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .		22 - 130	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	42 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .	+		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 14/CONTINUATION-WEEK 24	169	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	38.5 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

172

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 14/CONTINUATION-WEEK 24	169	White Blood Cell Count	11.4 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	63.2 . . .		30 - 70	%
			Lymphocytes	25.8 . . .		21 - 51	%
			Monocytes	7.3 . . .		0 - 10	%
			Eosinophils	3.5 . . .		0 - 5	%
			Basophils	0.2 . . .		0 - 2	%
			Platelets	313000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
			Mean Corpuscle Volume	87 . . .		80 - 100	FL
	VISIT 16/CONTINUATION-WEEK 32	225	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
			Hematocrit	37.6 . . .		35 - 46	%
			Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	9.3 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.2 . . .		30 - 70	%
			Lymphocytes	28.3 . . .		21 - 51	%
			Monocytes	6 . . .		0 - 10	%
			Eosinophils	3.2 . . .		0 - 5	%
			Basophils	0.3 . . .		0 - 2	%
			Platelets	290000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
			Mean Corpuscle Volume	85 . . .		80 - 100	FL
			Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
			Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
			Uric Acid	4.1 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	77 . . .		22 - 130	U/L
			Aspartate	15 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	30 . . .		0 - 48	U/L
			Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.5 . . .		6.2 - 8.8	G/DL
			Albumin	4.3 . . .		3.1 - 5.3	G/DL
			Glucose - Random	92 . . .		70 - 115	MG/DL
			Globulin	3.2 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

173

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00017

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	225	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

174

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00019

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.2 . . .				12 - 15.6	G/DL
		Hematocrit	40.7 . . .				35 - 46	%
		Red Blood Cell Count	4.4 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.1 . . .				30 - 70	%
		Lymphocytes	29.5 . . .				21 - 51	%
		Monocytes	4.7 . . .				0 - 10	%
		Eosinophils	5.9 H . . .				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%
		Platelets	209000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9 . . .				25 - 35	PG
		Mean Corpuscle Volume	91 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .				22 - 130	U/L
		Aspartate	16 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.4 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	98 . . .				70 - 115	MG/DL
		Globulin	2.2 L . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Urine Amphetamines	NEG . . .					
		Urine Barbiturates	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

175

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00019

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00212

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
		Hematocrit	41.7	. . .	35 - 46	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.3	. . .	30 - 70	%
		Lymphocytes	31.2	. . .	21 - 51	%
		Monocytes	6.8	. . .	0 - 10	%
		Eosinophils	4.7	. . .	0 - 5	%
		Basophils	1.1	. . .	0 - 2	%
		Platelets	207000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	55	. . .	22 - 130	U/L
		Aspartate	10	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	81	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

177

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00212

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 1/SCREENING (WEEK -1)	-10	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 5/ACUTE PHASE-WEEK 3	26 (3)	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
			Hematocrit	41.2 . . .		35 - 46	%
			Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.5 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	46.1 . . .		30 - 70	%
			Lymphocytes	43.1 . . .		21 - 51	%
			Monocytes	6.6 . . .		0 - 10	%
			Eosinophils	3.9 . . .		0 - 5	%
			Basophils	0.4 . . .		0 - 2	%
			Platelets	211000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.6 . . .		25 - 35	PG
			Mean Corpuscle Volume	88 . . .		80 - 100	FL
			Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
			Creatinine	1.3 . . .		0.8 - 1.5	MG/DL
			Uric Acid	3.6 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	52 . . .		22 - 130	U/L
			Aspartate	15 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	14 . . .		0 - 48	U/L
			Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.8 . . .		6.2 - 8.8	G/DL
			Albumin	4.3 . . .		3.1 - 5.3	G/DL
			Glucose - Random	19 L . . .		70 - 115	MG/DL
			Globulin	3.5 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

178

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00212

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
17 F	VISIT 5/ACUTE PHASE-WEEK 3	26	(3)	Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF		3	.	.		
				Urine Bacteria		3	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells		4	.	.		
				Serum BHCG pregnancy test	NEGATIVE	.	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	NEG	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00214

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-4	Hemoglobin	13.3	. . .	12 - 15.6	G/DL
		Hematocrit	39.2	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.2	. . .	30 - 70	%
		Lymphocytes	31.2	. . .	21 - 51	%
		Monocytes	4.5	. . .	0 - 10	%
		Eosinophils	2.3	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	318000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	75	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	97	. . .	70 - 115	MG/DL
		Globulin	4.3	H . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00214

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-4	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	37.3	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.8	. . .	30 - 70	%
		Lymphocytes	23.8	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	259000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	86	. . .	22 - 130	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	80	. . .	70 - 115	MG/DL
		Globulin	3.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

181

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00214

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 10/ACUTE PHASE-WEEK 8	61	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 11/CONTINUATION-WEEK 12	88	Hemoglobin	13	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.4	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.7	.	.	.	30 - 70	%
			Lymphocytes	27.4	.	.	.	21 - 51	%
			Monocytes	11.3	H	.	.	0 - 10	%
			Eosinophils	7.4	H	.	.	0 - 5	%
			Basophils	1.2	.	.	.	0 - 2	%
			Platelets	266000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	84	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	14	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.2	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	78	.	.	.	22 - 130	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

182

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.004.00214

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 11/CONTINUATION-WEEK 12	88	Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	100	.	.	.	70 - 115	MG/DL
			Globulin	3.7	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
			Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

183

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00002

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	41.7 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.4 . . .		30 - 70	%
		Lymphocytes	29.7 . . .		21 - 51	%
		Monocytes	6.4 . . .		0 - 10	%
		Eosinophils	1.1 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	237000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	POS	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 3/ACUTE PHASE-WEEK 1	8	Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

184

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00002

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 3/ACUTE PHASE-WEEK 1	8	Uric Acid	4.7 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	93 . . .				44 - 280	U/L
			Aspartate	14 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	4 . . .				0 - 48	U/L
			Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.7 . . .				6.2 - 8.8	G/DL
			Albumin	4.4 . . .				3.1 - 5.3	G/DL
			Glucose - Random	31 L . .				70 - 115	MG/DL
			Globulin	3.3 . . .				2.3 - 4.1	G/DL
			Urine Amphetamines	NEG	. . .				
			Urine Barbiturates	NEG	. . .				
			Urine Benzodiazepines	NEG	. . .				
			Urine Cannabinoids	POS	. . .				
			Urine Cocaine	NEG	. . .				
			Urine Methadone	NEG	. . .				
			Urine Methaqualone	NEG	. . .				
			Urine Opiates	NEG	. . .				
			Urine Phencyclidine	NEG	. . .				
			Urine Propoxyphene	NEG	. . .				
	VISIT 5/ACUTE PHASE-WEEK 3	22	Glucose - Random	87 . . .				70 - 115	MG/DL
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.1 . . .				12 - 15.6	G/DL
			Hematocrit	39.5 . . .				35 - 46	%
			Red Blood Cell Count	4.3 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	12.9 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	75.3 H . .				30 - 70	%
			Lymphocytes	13.4 L . .				21 - 51	%
			Monocytes	5.8 . . .				0 - 10	%
			Eosinophils	5.3 H . .				0 - 5	%
			Basophils	0.2 . . .				0 - 2	%
			Platelets	245000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3 . . .				25 - 35	PG
			Mean Corpuscle Volume	91 . . .				80 - 100	FL
			Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

185

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00002

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Creatinine	1 . . .				0.8 - 1.5	MG/DL
			Uric Acid	4.9 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	88 . . .				44 - 280	U/L
			Aspartate	16 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	8 . . .				0 - 48	U/L
			Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
			Total Protein	8 . . .				6.2 - 8.8	G/DL
			Albumin	4.5 . . .				3.1 - 5.3	G/DL
			Glucose - Random	109 . . .				70 - 115	MG/DL
			Globulin	3.5 . . .				2.3 - 4.1	G/DL
	VISIT 13/CONTINUATION-WEEK 20	147 (1)	Hemoglobin	13.4 . . .				12 - 15.6	G/DL
			Hematocrit	38.9 . . .				35 - 46	%
			Red Blood Cell Count	4.3 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.1 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	58.2 . . .				30 - 70	%
			Lymphocytes	33.2 . . .				21 - 51	%
			Monocytes	6.2 . . .				0 - 10	%
			Eosinophils	1.9 . . .				0 - 5	%
			Basophils	0.5 . . .				0 - 2	%
			Platelets	271000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.4 . . .				25 - 35	PG
			Mean Corpuscle Volume	91 . . .				80 - 100	FL
			Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
			Creatinine	1.2 . . .				0.8 - 1.5	MG/DL
			Uric Acid	5.8 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	96 . . .				44 - 280	U/L
			Aspartate	12 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	5 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.5 . . .				6.2 - 8.8	G/DL
			Albumin	4.3 . . .				3.1 - 5.3	G/DL
			Glucose - Random	86 . . .				70 - 115	MG/DL
			Globulin	3.2 . . .				2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

186

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00002

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
14 F	VISIT 13/CONTINUATION-WEEK 20	147	(1)	Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF		4	.	.		
				Urine Bacteria		4	.	.		
				Urine Protein - Dipstick		2	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	POS	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		
				Urine Squamous Epithelial Cells		4	.	.		
				Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00004

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-4	Hemoglobin	15 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.2 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.5 . . .		30 - 70	%
		Lymphocytes	24.1 . . .		21 - 51	%
		Monocytes	10.5 H . .		0 - 10	%
		Eosinophils	3.4 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	265000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	153 . . .		22 - 180	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	4 . . .		0 - 48	U/L
		Total Bilirubin	2.1 H . . +		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	69 L . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00004

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-4	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	15.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.9	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.2	. . .	30 - 70	%
		Lymphocytes	22.3	. . .	21 - 51	%
		Monocytes	8.8	. . .	0 - 10	%
		Eosinophils	2.3	. . .	0 - 5	%
		Basophils	1.4	. . .	0 - 2	%
		Platelets	262000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	148	. . .	22 - 180	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	4	. . .	0 - 48	U/L
		Total Bilirubin	1.5	H . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
VISIT 10/ACUTE PHASE-WEEK 8	60	Hemoglobin	15.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.7	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48	. . .	30 - 70	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00004

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 10/ACUTE PHASE-WEEK 8	60	Lymphocytes	37.5 . . .		21 - 51	%
		Monocytes	11.1 H . .		0 - 10	%
		Eosinophils	2.7 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	264000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.9 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	122 . . .		22 - 180	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	104 . . .		70 - 115	MG/DL
		Globulin	3.9 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00008

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.2	L . .	13.8 - 17.2	G/DL
		Hematocrit	37.4	L . .	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47	. . .	30 - 70	%
		Lymphocytes	38.6	. . .	21 - 51	%
		Monocytes	8.8	. . .	0 - 10	%
		Eosinophils	5.3	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	222000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.6	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	281	. . .	44 - 400	U/L
		Aspartate	32	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	22	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	5.7 - 8.2	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	102	. . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00008

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.3	L . .	13.8 - 17.2	G/DL
		Hematocrit	37.9	L . .	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.4	. . .	30 - 70	%
		Lymphocytes	41.8	. . .	21 - 51	%
		Monocytes	10.3	H . .	0 - 10	%
		Eosinophils	2.8	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	207000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	16	. . .	8 - 21	MG/DL
		Creatinine	1.1	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.4	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	244	. . .	44 - 400	U/L
		Aspartate	27	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	5.7 - 8.2	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	103	. . .	60 - 110	MG/DL
		Globulin	2.7	. . .	2.1 - 3.8	G/DL
VISIT 13/CONTINUATION-WEEK 20	176 (34)	Hemoglobin	13.1	L . .	13.8 - 17.2	G/DL
		Hematocrit	37.4	L . .	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.2	. . .	30 - 70	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00008

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M	VISIT 13/CONTINUATION-WEEK 20	176 (34)	Lymphocytes	44.4	.	.	.	21 - 51	%
			Monocytes	7.8	.	.	.	0 - 10	%
			Eosinophils	3.2	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	211000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.1	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	19	.	.	.	8 - 21	MG/DL
			Creatinine	1	.	.	.	0.4 - 1.1	MG/DL
			Uric Acid	3.6	.	.	.	2.6 - 7	MG/DL
			Alkaline Phosphatase	320	.	.	.	44 - 400	U/L
			Aspartate	30	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	16	.	.	.	0 - 39	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	6.8	.	.	.	5.7 - 8.2	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	103	.	.	.	60 - 110	MG/DL
			Globulin	2.4	.	.	.	2.1 - 3.8	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00011

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 2/ELIGIBILITY	1	Hemoglobin	12.2 . . .		12 - 15.6	G/DL
		Hematocrit	37.1 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.8 . . .		30 - 70	%
		Lymphocytes	24.7 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	235000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	60 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	4 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00011

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.1 . . .		12 - 15.6	G/DL
		Hematocrit	35 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	56.6 . . .		30 - 70	%
		Lymphocytes	34.1 . . .		21 - 51	%
		Monocytes	7.2 . . .		0 - 10	%
		Eosinophils	1.3 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	51000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	58 . . .		22 - 130	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

195

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00011

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 13/CONTINUATION-WEEK 20	142	Segmented Neutrophils		64 . . .	30 - 70	%
		Lymphocytes		26 . . .	21 - 51	%
		Monocytes		9 . . .	0 - 10	%
		Eosinophils		0 . . .	0 - 5	%
		Basophils		1 . . .	0 - 2	%
		Blood Urea Nitrogen		7 . . .	7 - 25	MG/DL
		Creatinine		0.6 L . . .	0.8 - 1.5	MG/DL
		Uric Acid		2.8 . . .	2.3 - 7	MG/DL
		Alkaline Phosphatase		55 . . .	22 - 130	U/L
		Aspartate Aminotransferase		19 . . .	0 - 41	U/L
		Alanine Aminotransferase		7 . . .	0 - 48	U/L
		Total Bilirubin		0.5 . . .	0.3 - 1.3	MG/DL
		Total Protein		7.6 . . .	6.2 - 8.8	G/DL
		Albumin		4.5 . . .	3.1 - 5.3	G/DL
		Glucose - Random		85 . . .	70 - 115	MG/DL
		Globulin		3.1 . . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00109

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.6 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.6 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.5 . . .		30 - 70	%
		Lymphocytes	47.5 . . .		21 - 51	%
		Monocytes	8.6 . . .		0 - 10	%
		Eosinophils	1.2 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	304000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.5 L . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	23 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.2 L . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	76 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
VISIT 10/ACUTE PHASE-WEEK 8	54	Neutrophil Bands	0 L . .		4 - 12	%
		Segmented Neutrophils	41 . . .		30 - 70	%
		Lymphocytes	48 . . .		21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00109

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	54	Monocytes	7 . . .				0 - 10	%
			Eosinophils	3 . . .				0 - 5	%
			Basophils	1 . . .				0 - 2	%
			Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
			Creatinine	1 . . .				0.8 - 1.5	MG/DL
			Uric Acid	2.2 L . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	39 . . .				22 - 130	U/L
			Aspartate	16 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	12 . . .				0 - 48	U/L
			Total Bilirubin	0.4 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.6 . . .				6.2 - 8.8	G/DL
			Albumin	4.2 . . .				3.1 - 5.3	G/DL
			Glucose - Random	100 . . .				70 - 115	MG/DL
			Globulin	3.4 . . .				2.3 - 4.1	G/DL
	VISIT 13/CONTINUATION-WEEK 20	147 (9)	Hemoglobin	13.4 . . .				12 - 15.6	G/DL
			Hematocrit	38.8 . . .				35 - 46	%
			Red Blood Cell Count	4.1 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.8 . . .				30 - 70	%
			Lymphocytes	38.3 . . .				21 - 51	%
			Monocytes	7.1 . . .				0 - 10	%
			Eosinophils	1.1 . . .				0 - 5	%
			Basophils	0.8 . . .				0 - 2	%
			Platelets	319000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32.3 . . .				25 - 35	PG
			Mean Corpuscle Volume	94 . . .				80 - 100	FL
			Blood Urea Nitrogen	15 . . .				7 - 25	MG/DL
			Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
			Uric Acid	3.3 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	32 . . .				22 - 130	U/L
			Aspartate	20 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16 . . .				0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

198

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00109

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
17	F VISIT 13/CONTINUATION-WEEK 20	147	(9)	Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
				Albumin	4	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	79	.	.	.	70 - 115	MG/DL
				Globulin	3.4	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	3	.	.	.		
				Urine Bacteria	4	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	POS	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00112

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	14.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.3 . . .		41 - 50	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	32 . . .		30 - 70	%
		Lymphocytes	60 H . . .		21 - 51	%
		Monocytes	3 . . .		0 - 10	%
		Eosinophils	5 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	245000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	300 . . .		44 - 400	U/L
		Aspartate	32 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	31 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

200

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00112

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-9	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.3	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	34.3	. . .	30 - 70	%
		Lymphocytes	55.2	H . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	1.5	. . .	0 - 2	%
		Platelets	10000	L . -	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.7	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	280	. . .	44 - 400	U/L
		Aspartate	37	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	40	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	104	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

201

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00112

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 10/ACUTE PHASE-WEEK 8	56	Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 17/DOWN TITRATION	147 (54)	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.2	. . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	30.5	. . .	30 - 70	%
		Lymphocytes	58.7	H . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	4.3	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	270000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31	. . .	25 - 35	PG
		Mean Corpuscle Volume	94	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	326	. . .	44 - 400	U/L
		Aspartate	32	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	27	. . .	0 - 48	U/L
		Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.7	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	130	H . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

202

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00116

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	12.5	. . .	12 - 15.6	G/DL
		Hematocrit	37	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.5	. . .	30 - 70	%
		Lymphocytes	34.9	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	284000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	78	. . .	22 - 130	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	76	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

203

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00116

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-8	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 9/ACUTE PHASE-WEEK 7	52	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	13.1	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.9	.	.	.	35 - 46	%
			Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.3	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	57.4	.	.	.	30 - 70	%
			Lymphocytes	33.7	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	3.5	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	71000	L	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	83	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	15	.	.	.	7 - 25	MG/DL
			Creatinine	0.7	L	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.8	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	78	.	.	.	22 - 130	U/L
			Aspartate	10	.	.	.	0 - 41	U/L
			Aminotransferase						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

204

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00116

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 10/ACUTE PHASE-WEEK 8	59	Alanine Aminotransferase	5 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .				6.2 - 8.8	G/DL
		Albumin	4.3 . . .				3.1 - 5.3	G/DL
		Glucose - Random	93 . . .				70 - 115	MG/DL
		Globulin	3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .				
		Urine Blood - Dipstick	NEG	. . .				
		Urine Red Blood Cells/HPF	NEG	. . .				
		Urine White Blood Cells/HPF	NEG	. . .				
		Urine Protein - Dipstick	NEG	. . .				
VISIT 17/DOWN TITRATION	170 (15)	Hemoglobin	13.5 . . .				12 - 15.6	G/DL
		Hematocrit	39.6 . . .				35 - 46	%
		Red Blood Cell Count	4.8 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.6 . . .				30 - 70	%
		Lymphocytes	32.1 . . .				21 - 51	%
		Monocytes	6.9 . . .				0 - 10	%
		Eosinophils	2.5 . . .				0 - 5	%
		Basophils	0.8 . . .				0 - 2	%
		Platelets	218000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .				25 - 35	PG
		Mean Corpuscle Volume	83 . . .				80 - 100	FL
		Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .				22 - 130	U/L
		Aspartate Aminotransferase	7 . . .				0 - 41	U/L
		Alanine Aminotransferase	5 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	95 . . .				70 - 115	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

205

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00116

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 17/DOWN TITRATION	170 (15)	Globulin	2.7	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00119

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	37.1 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.5 . . .		30 - 70	%
		Lymphocytes	38.3 . . .		21 - 51	%
		Monocytes	11 H . . .		0 - 10	%
		Eosinophils	5.2 H . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	249000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	94 . . .		44 - 280	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

207

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00119

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	60	Hemoglobin	12.4	. . .	12 - 15.6	G/DL
		Hematocrit	35.1	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.8	. . .	30 - 70	%
		Lymphocytes	39.7	. . .	21 - 51	%
		Monocytes	8.5	. . .	0 - 10	%
		Eosinophils	4.2	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	295000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.4	. . .	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

208

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00119

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	60	Alkaline Phosphatase	99 . . .				44 - 280	U/L
			Aspartate	24 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16 . . .				0 - 48	U/L
			Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.1 . . .				6.2 - 8.8	G/DL
			Albumin	4.2 . . .				3.1 - 5.3	G/DL
			Glucose - Random	80 . . .				70 - 115	MG/DL
			Globulin	2.9 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .				
			Urine Blood - Dipstick	NEG	. . .				
			Urine Red Blood Cells/HPF	NEG	. . .				
			Urine White Blood Cells/HPF		3 . . .				
			Urine Bacteria		3 . . .				
			Urine Protein - Dipstick	NEG	. . .				
			Urine Squamous Epithelial Cells		4 . . .				
	VISIT 13/CONTINUATION-WEEK 20	141 (1)	Hemoglobin	12.8 . . .				12 - 15.6	G/DL
			Hematocrit	37.4 . . .				35 - 46	%
			Red Blood Cell Count	4.4 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	46.9 . . .				30 - 70	%
			Lymphocytes	38.4 . . .				21 - 51	%
			Monocytes	9.1 . . .				0 - 10	%
			Eosinophils	4.7 . . .				0 - 5	%
			Basophils	0.8 . . .				0 - 2	%
			Platelets	300000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.3 . . .				25 - 35	PG
			Mean Corpuscle Volume	85 . . .				80 - 100	FL
			Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
			Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
			Uric Acid	3.5 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	106 . . .				44 - 280	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

209

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00119

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
14	F VISIT 13/CONTINUATION-WEEK 20	141	(1)	Aspartate	26	.	.	.	0 - 41	U/L
				Aminotransferase						
				Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
				Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	7.9	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	93	.	.	.	70 - 115	MG/DL
				Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	NEG	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		
				Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00151

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	39.2 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.4 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.9 . . .		30 - 70	%
		Lymphocytes	36.5 . . .		21 - 51	%
		Monocytes	8 . . .		0 - 10	%
		Eosinophils	11.5 H . +		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	131000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	93 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . .		0.8 - 1.5	MG/DL
		Uric Acid	2.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	89 . . .		44 - 280	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

211

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00151

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	14.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.3	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.4	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	45.3	.	.	.	30 - 70	%
			Lymphocytes	44.3	.	.	.	21 - 51	%
			Monocytes	7.9	.	.	.	0 - 10	%
			Eosinophils	1.5	.	.	.	0 - 5	%
			Basophils	1	.	.	.	0 - 2	%
			Platelets	284000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.7	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	93	.	.	.	44 - 280	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	99	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

212

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00151

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 10/ACUTE PHASE-WEEK 8	58	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
		Hematocrit	39.5	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.6	. . .	30 - 70	%
		Lymphocytes	41.2	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	229000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	77	. . .	44 - 280	U/L
		Aspartate Aminotransferase	16	. . .	0 - 41	U/L
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

213

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00151

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 13/CONTINUATION-WEEK 20	148	Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		4 . . .		
			Urine Protein - Dipstick		6 . . .		
	VISIT 14/CONTINUATION-WEEK 24	175	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick		6 . . .		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 16/CONTINUATION-WEEK 32	239 (1)	Hemoglobin		14.4 . . .	12 - 15.6	G/DL
			Hematocrit		42 . . .	35 - 46	%
			Red Blood Cell Count		4.6 . . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count		6 . . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils		40.1 . . .	30 - 70	%
			Lymphocytes		46.6 . . .	21 - 51	%
			Monocytes		8.4 . . .	0 - 10	%
			Eosinophils		4.1 . . .	0 - 5	%
			Basophils		0.8 . . .	0 - 2	%
			Platelets		252000 . . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin		31.6 . . .	25 - 35	PG
			Mean Corpuscle Volume		92 . . .	80 - 100	FL
			Blood Urea Nitrogen		14 . . .	7 - 25	MG/DL
			Creatinine		0.8 . . .	0.8 - 1.5	MG/DL
			Uric Acid		3.4 . . .	2.3 - 7	MG/DL
			Alkaline Phosphatase		76 . . .	44 - 280	U/L
			Aspartate		20 . . .	0 - 41	U/L
			Aminotransferase				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

214

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00151

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
14	F VISIT 16/CONTINUATION-WEEK 32	239	(1)	Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
				Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	8.2	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	85	.	.	.	70 - 115	MG/DL
				Globulin	3.7	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	3	.	.	.		
				Urine Bacteria	3	.	.	.		
				Urine Protein - Dipstick	6	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00152

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	14.3	. . .	12 - 15.6	G/DL
		Hematocrit	42	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.8	. . .	30 - 70	%
		Lymphocytes	33.8	. . .	21 - 51	%
		Monocytes	6.6	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	308000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.4	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	116	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 2/ELIGIBILITY	-3	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

216

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00152

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 2/ELIGIBILITY	-3	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00257

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.1 . . .				12 - 15.6	G/DL
		Hematocrit	37.5 . . .				35 - 46	%
		Red Blood Cell Count	4.6 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.8 . . .				30 - 70	%
		Lymphocytes	22.3 . . .				21 - 51	%
		Monocytes	9.5 . . .				0 - 10	%
		Eosinophils	4.4 . . .				0 - 5	%
		Basophils	0.9 . . .				0 - 2	%
		Platelets	136000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .				25 - 35	PG
		Mean Corpuscle Volume	81 . . .				80 - 100	FL
		Blood Urea Nitrogen	12 . . .				8 - 21	MG/DL
		Creatinine	0.9 . . .				0.4 - 1.1	MG/DL
		Uric Acid	2.7 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	131 . . .				44 - 280	U/L
		Aspartate	19 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12 . . .				0 - 39	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .				5.7 - 8.2	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	101 . . .				60 - 110	MG/DL
		Globulin	2.7 . . .				2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	4 . . .					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	4 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

218

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00257

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 3/ACUTE PHASE-WEEK 1	8	Serum BHCG pregnancy test	NEGATIVE	. . .		
	VISIT 6/ACUTE PHASE-WEEK 4	29	Hemoglobin	24.7	H . .	12 - 15.6	G/DL
			Hematocrit	72.4	H . .	35 - 46	%
			Red Blood Cell Count	8.6	H . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	19.1	H . +	4.5 - 13	THOU/MCL
			Segmented Neutrophils	51.7	. . .	30 - 70	%
			Lymphocytes	41.1	. . .	21 - 51	%
			Monocytes	4.5	. . .	0 - 10	%
			Eosinophils	2	. . .	0 - 5	%
			Basophils	0.7	. . .	0 - 2	%
			Platelets	17000	L . -	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	84	. . .	80 - 100	FL
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.5	. . .	12 - 15.6	G/DL
			Hematocrit	35.7	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	11.4	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	58.6	. . .	30 - 70	%
			Lymphocytes	34.4	. . .	21 - 51	%
			Monocytes	3.3	. . .	0 - 10	%
			Eosinophils	3.5	. . .	0 - 5	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	214000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	82	. . .	80 - 100	FL
			Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

219

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00257

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 10/ACUTE PHASE-WEEK 8	57	Creatinine	0.7 . . .		0.4 - 1.1	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	143 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 39	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		5.7 - 8.2	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	129 H . .		60 - 110	MG/DL
		Globulin	3.1 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 13/CONTINUATION-WEEK 20	150	Hemoglobin	12.6 . . .		12 - 15.6	G/DL
		Hematocrit	38.2 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.1 . . .		30 - 70	%
		Lymphocytes	40.4 . . .		21 - 51	%
		Monocytes	4.9 . . .		0 - 10	%
		Eosinophils	4.7 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	193000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		8 - 21	MG/DL
		Creatinine	0.9 . . .		0.4 - 1.1	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

220

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00257

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 13/CONTINUATION-WEEK 20	150	Uric Acid	3.3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	111	. . .	44 - 280	U/L
			Aspartate Aminotransferase	18	. . .	0 - 41	U/L
			Alanine Aminotransferase	12	. . .	0 - 39	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.1	. . .	5.7 - 8.2	G/DL
			Albumin	4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	87	. . .	60 - 110	MG/DL
			Globulin	3.1	. . .	2.1 - 3.8	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	4	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	225	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
			Hematocrit	37.5	. . .	35 - 46	%
			Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.6	. . .	30 - 70	%
			Lymphocytes	30.4	. . .	21 - 51	%
			Monocytes	3.6	. . .	0 - 10	%
			Eosinophils	2.8	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	162000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.9	. . .	25 - 35	PG
			Mean Corpuscle Volume	81	. . .	80 - 100	FL
			Blood Urea Nitrogen	9	. . .	8 - 21	MG/DL
			Creatinine	0.8	. . .	0.4 - 1.1	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

221

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00257

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 16/CONTINUATION-WEEK 32	225	Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	121	. . .	44 - 280	U/L
		Aspartate Aminotransferase	17	. . .	0 - 41	U/L
		Alanine Aminotransferase	12	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	5.7 - 8.2	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	60 - 110	MG/DL
		Globulin	3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		
		Urine Red Blood Cells/HPF	5	. . . +		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

222

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00258

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-21	Hemoglobin	12.8	. . .	12 - 15.6	G/DL
		Hematocrit	37.3	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.2	. . .	30 - 70	%
		Lymphocytes	35.8	. . .	21 - 51	%
		Monocytes	6.4	. . .	0 - 10	%
		Eosinophils	1.4	. . .	0 - 5	%
		Basophils	1.2	. . .	0 - 2	%
		Platelets	263000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	153	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	99	. . .	70 - 115	MG/DL
		Globulin	4.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		
		Urine Red Blood Cells/HPF	5	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	6	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

223

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00258

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 2/ELIGIBILITY	-21	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/UNSCHEDULED LAB 1	-14	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick		6	.	.		
			Urine Red Blood Cells/HPF		5	.	.		
			Urine White Blood Cells/HPF		4	.	.		
			Urine Bacteria		4	.	.		
			Urine Protein - Dipstick		2	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Hemoglobin	12.2	.	.	.	12 - 15.6	G/DL
			Hematocrit	35.9	.	.	.	35 - 46	%
			Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.1	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	47.6	.	.	.	30 - 70	%
			Lymphocytes	37.2	.	.	.	21 - 51	%
			Monocytes	7.7	.	.	.	0 - 10	%
			Eosinophils	6.6	H	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	275000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	143	.	.	.	44 - 280	U/L
			Aspartate	20	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	19	.	.	.	0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

224

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00258

S E		RELATIVE *	LAB TEST	LAB VALUE	F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS			1 2 3	REFERENCE RANGE	UNITS
14	F VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.7	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	95	. . .	70 - 115	MG/DL
			Globulin	3.4	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick		6 . . .		
			Urine Red Blood Cells/HPF		5 . . +		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		4 . . .		
			Urine Protein - Dipstick		6 . . .		
			Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

225

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00299

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-11	Hemoglobin	22.7	H . .	12 - 15.6	G/DL
		Hematocrit	67.3	H . .	35 - 46	%
		Red Blood Cell Count	7.9	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	14	H . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.5	. . .	30 - 70	%
		Lymphocytes	25.1	. . .	21 - 51	%
		Monocytes	6.3	. . .	0 - 10	%
		Eosinophils	4.4	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	10000	L . -	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	266	. . .	44 - 280	U/L
		Aspartate	13	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	5.7 - 8.2	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	108	. . .	60 - 110	MG/DL
		Globulin	3.4	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

226

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00299

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-11	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	-4	Hemoglobin	13.9	. . .	12 - 15.6	G/DL
		Hematocrit	41.3	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	70	. . .	30 - 70	%
		Lymphocytes	18.5	L . . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	3.2	. . .	0 - 5	%
		Basophils	1.5	. . .	0 - 2	%
		Platelets	232000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	13.3	. . .	12 - 15.6	G/DL
		Hematocrit	40.5	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.4	. . .	30 - 70	%
		Lymphocytes	23.4	. . .	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

227

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00299

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 F VISIT 10/ACUTE PHASE-WEEK 8	61	Monocytes	7.2 . . .				0 - 10	%
		Eosinophils	6.1 H . .				0 - 5	%
		Basophils	0.9 . . .				0 - 2	%
		Platelets	246000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28 . . .				25 - 35	PG
		Mean Corpuscle Volume	85 . . .				80 - 100	FL
		Blood Urea Nitrogen	10 . . .				8 - 21	MG/DL
		Creatinine	0.8 . . .				0.4 - 1.1	MG/DL
		Uric Acid	4 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	226 . . .				44 - 280	U/L
		Aspartate	19 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	8 . . .				0 - 39	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .				5.7 - 8.2	G/DL
		Albumin	4.1 . . .				3.1 - 5.3	G/DL
		Glucose - Random	80 . . .				60 - 110	MG/DL
		Globulin	3.2 . . .				2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	4 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
VISIT 13/CONTINUATION-WEEK 20	144	Hemoglobin	13.4 . . .				12 - 15.6	G/DL
		Hematocrit	38.7 . . .				35 - 46	%
		Red Blood Cell Count	4.5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.9 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.5 H . .				30 - 70	%
		Lymphocytes	15.1 L . .				21 - 51	%
		Monocytes	6.7 . . .				0 - 10	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

228

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00299

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 13/CONTINUATION-WEEK 20	144	Eosinophils	3.8	.	.	.	0 - 5	%
			Basophils	1	.	.	.	0 - 2	%
			Platelets	248000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	211	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	131	H	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

229

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00299

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12	F VISIT 13/CONTINUATION-WEEK 20	144	Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00300

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	40.4	L . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.8	. . .	30 - 70	%
		Lymphocytes	46.1	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	3.6	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	327000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.3	L . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	306	. . .	44 - 400	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 39	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	5.7 - 8.2	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	60 - 110	MG/DL
		Globulin	3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

231

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00300

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Hemoglobin	13.1	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	38	L	.	.	41 - 50	%
		Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.4	.	.	.	30 - 70	%
		Lymphocytes	43.1	.	.	.	21 - 51	%
		Monocytes	8.9	.	.	.	0 - 10	%
		Eosinophils	3.1	.	.	.	0 - 5	%
		Basophils	0.4	.	.	.	0 - 2	%
		Platelets	290000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	81	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	8 - 21	MG/DL
		Creatinine	0.8	.	.	.	0.4 - 1.1	MG/DL
		Uric Acid	2	L	.	.	2.6 - 7	MG/DL
		Alkaline Phosphatase	259	.	.	.	44 - 400	U/L
		Aspartate	22	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	14	.	.	.	0 - 39	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.4	.	.	.	5.7 - 8.2	G/DL
		Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	102	.	.	.	60 - 110	MG/DL
		Globulin	3.1	.	.	.	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

232

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00300

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 M VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00333

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.9 . . .				12 - 15.6	G/DL
		Hematocrit	40.5 . . .				35 - 46	%
		Red Blood Cell Count	4.4 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.9 . . .				30 - 70	%
		Lymphocytes	33.8 . . .				21 - 51	%
		Monocytes	6.5 . . .				0 - 10	%
		Eosinophils	2 . . .				0 - 5	%
		Basophils	0.8 . . .				0 - 2	%
		Platelets	384000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7 . . .				25 - 35	PG
		Mean Corpuscle Volume	92 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.5 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	62 . . .				22 - 130	U/L
		Aspartate	19 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	15 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	95 . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

234

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00333

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00336

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.6 . . .		12 - 15.6	G/DL
		Hematocrit	39.6 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.5 . . .		30 - 70	%
		Lymphocytes	27.8 . . .		21 - 51	%
		Monocytes	7.5 . . .		0 - 10	%
		Eosinophils	7.9 H . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	238000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	18 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	111 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE . . .			
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	39.7 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.8 L . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	41.5 . . .		30 - 70	%
		Lymphocytes	46.4 . . .		21 - 51	%
		Monocytes	8.8 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	252000 . . .		130000 - 400000	PER CUMM

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

236

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.005.00336

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 F VISIT 10/ACUTE PHASE-WEEK 8	58	Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	4.4	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	101	.	.	.	44 - 280	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	15	.	.	.	0 - 48	U/L
		Total Bilirubin	1	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	80	.	.	.	70 - 115	MG/DL
		Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

237

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00038

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	13.3 . . .				12 - 15.6	G/DL
		Hematocrit	38.4 . . .				35 - 46	%
		Red Blood Cell Count	4.2 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	49 . . .				30 - 70	%
		Lymphocytes	40.8 . . .				21 - 51	%
		Monocytes	6.8 . . .				0 - 10	%
		Eosinophils	3.1 . . .				0 - 5	%
		Basophils	0.3 . . .				0 - 2	%
		Platelets	286000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .				25 - 35	PG
		Mean Corpuscle Volume	90 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	63 . . .				44 - 280	U/L
		Aspartate	19 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	15 . . .				0 - 48	U/L
		Total Bilirubin	0.9 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	97 . . .				70 - 115	MG/DL
		Globulin	2.9 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	2 . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	NEG . . .					
		Urine Bacteria	4 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous	4 . . .					
		Epithelial Cells						
		Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

238

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00038

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00039

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	37.7 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.6 . . .		30 - 70	%
		Lymphocytes	29.5 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	1.7 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	234000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	99 . . .		44 - 280	U/L
		Aspartate	10 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	98 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	3 . . .			
		Urine White Blood Cells/HPF	5 . . .	+		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

240

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00039

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	36	.	.	.	35 - 46	%
			Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	10.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	78.3	H	.	.	30 - 70	%
			Lymphocytes	13.2	L	.	.	21 - 51	%
			Monocytes	5.5	.	.	.	0 - 10	%
			Eosinophils	2.8	.	.	.	0 - 5	%
			Basophils	0.3	.	.	.	0 - 2	%
			Platelets	200000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.1	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	83	.	.	.	22 - 130	U/L
			Aspartate	12	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	7	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	80	.	.	.	70 - 115	MG/DL
			Globulin	2.6	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

241

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00260

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.8 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.2 . . .		30 - 70	%
		Lymphocytes	25 . . .		21 - 51	%
		Monocytes	5.7 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	255000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	70 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	100 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	28	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

242

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00260

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 6/ACUTE PHASE-WEEK 4	28	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	63	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	42.5 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4 L . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	81.8 H . . .		30 - 70	%
		Lymphocytes	9.8 L . . .		21 - 51	%
		Monocytes	0.4 . . .		0 - 10	%
		Eosinophils	8 H . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	103000 L . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	99 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		22 - 130	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	66 L . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	3 . . .			
		Urine White Blood Cells/HPF	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

243

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00260

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17	F VISIT 11/UNSCHEDULED LAB 1	98	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
			Hematocrit	37.6	. . .	35 - 46	%
			Red Blood Cell Count	4.2	. . .	3.9 - 5.2	MILL/MCL
			White Blood Cell Count	4.5	. . .	3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	54.9	. . .	40 - 75	%
			Lymphocytes	38.3	. . .	16 - 46	%
			Monocytes	3.3	. . .	0 - 12	%
			Eosinophils	3.3	. . .	0 - 7	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	226000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.4	. . .	27 - 33	PG
			Mean Corpuscle Volume	89	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.4	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	62	. . .	22 - 130	U/L
			Aspartate	16	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	10	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.2	. . .	6.2 - 8.8	G/DL
			Albumin	4.1	. . .	3.1 - 5.3	G/DL
			Glucose - Random	111	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 12/CONTINUATION-WEEK 16	112	Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

244

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00260

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 12/CONTINUATION-WEEK 16	112	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	12.6	.	.	.	12 - 15.6	G/DL
			Hematocrit	37	.	.	.	35 - 46	%
			Red Blood Cell Count	4.1	.	.	.	3.9 - 5.2	MILL/MCL
			White Blood Cell Count	6.4	.	.	.	3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	60.4	.	.	.	40 - 75	%
			Lymphocytes	28.4	.	.	.	16 - 46	%
			Monocytes	3.6	.	.	.	0 - 12	%
			Eosinophils	6.5	.	.	.	0 - 7	%
			Basophils	1.2	.	.	.	0 - 2	%
			Platelets	242000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6	.	.	.	27 - 33	PG
			Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	14	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	72	.	.	.	22 - 130	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

245

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00260

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 13/CONTINUATION-WEEK 20	141	Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	76	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00261

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	-4	Hemoglobin	14.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.7 L . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.1 . . .		30 - 70	%
		Lymphocytes	24.8 . . .		21 - 51	%
		Monocytes	7.9 . . .		0 - 10	%
		Eosinophils	6.8 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	278000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	79 . . .		22 - 180	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	20 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

247

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00261

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.7	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.3	. . .	30 - 70	%
		Lymphocytes	26	. . .	21 - 51	%
		Monocytes	8.1	. . .	0 - 10	%
		Eosinophils	6.5	H . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	263000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	89	. . .	22 - 180	U/L
		Aspartate	31	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	74	H . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	97	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

248

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.006.00261

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 10/ACUTE PHASE-WEEK 8	59	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	2	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00140

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
11 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13	L . .	13.8 - 17.2	G/DL
		Hematocrit	37.5	L . .	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4 - 5.2	10 ¹² /L
		White Blood Cell Count	8.6	. . .	4.5 - 13.5	10 ⁹ /L
		Segmented Neutrophils	48.9	. . .	30 - 60	%
		Lymphocytes	36.1	. . .	25 - 55	%
		Monocytes	6.5	. . .	0 - 10	%
		Eosinophils	7.7	H . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	222000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 33	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.3	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	226	. . .	44 - 330	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.3	. . .	5.7 - 8.2	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	60 - 110	MG/DL
		Globulin	2.1	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

250

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00140

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
11 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.1	L . .	13.8 - 17.2	G/DL
		Hematocrit	36.7	L . -	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.3	. . .	30 - 70	%
		Lymphocytes	33.2	. . .	21 - 51	%
		Monocytes	6.6	. . .	0 - 10	%
		Eosinophils	6.7	H . .	0 - 5	%
		Basophils	1.1	. . .	0 - 2	%
		Platelets	246000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	18	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.7	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	175	. . .	44 - 400	U/L
		Aspartate	27	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 39	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.2	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	122	H . .	60 - 110	MG/DL
		Globulin	2.1	. . .	2.1 - 3.8	G/DL
VISIT 11/CONTINUATION-WEEK 12	69 (1)	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	38.3	L . .	41 - 50	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.9	. . .	4.5 - 13	THOU/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

251

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00140

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
11 M	VISIT 11/CONTINUATION-WEEK 12	69	(1)	Segmented Neutrophils	63.9	.	.	.	30 - 70	%
				Lymphocytes	24	.	.	.	21 - 51	%
				Monocytes	7.1	.	.	.	0 - 10	%
				Eosinophils	3.9	.	.	.	0 - 5	%
				Basophils	1.2	.	.	.	0 - 2	%
				Platelets	249000	.	.	.	130000 - 400000	PER CUMM
				Mean Corpuscle Hemoglobin	30.4	.	.	.	25 - 35	PG
				Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	3	.	.	.		
				Urine Bacteria	3	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	NEG	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		
				Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

252

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00142

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	15.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	44 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.9 . . .		30 - 70	%
		Lymphocytes	41.6 . . .		21 - 51	%
		Monocytes	9.3 . . .		0 - 10	%
		Eosinophils	2.9 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	247000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	179 . . .		44 - 400	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	28 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	123 H . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

253

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00142

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 9/ACUTE PHASE-WEEK 7	65 (17)	Hemoglobin	15.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.6	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	46	. . .	30 - 70	%
		Lymphocytes	45	. . .	21 - 51	%
		Monocytes	4	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	2	. . .	0 - 2	%
		Platelets	239000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	159	. . .	44 - 400	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	35	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	97	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

254

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00142

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 9/ACUTE PHASE-WEEK 7	65 (17)	Urine Bacteria Urine Protein - Dipstick	NEG	3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00145

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.2 L . .				13.8 - 17.2	G/DL
		Hematocrit	38.9 L . .				41 - 50	%
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.5 L . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.5 . . .				30 - 70	%
		Lymphocytes	22.5 . . .				21 - 51	%
		Monocytes	16.5 H . +				0 - 10	%
		Eosinophils	5.1 H . .				0 - 5	%
		Basophils	0.4 . . .				0 - 2	%
		Platelets	274000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	82 . . .				80 - 100	FL
		Blood Urea Nitrogen	7 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	5.2 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	115 . . .				22 - 180	U/L
		Aspartate	14 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	76 . . .				70 - 115	MG/DL
		Globulin	2.5 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	2 . . .					
		Urine Squamous	3 . . .					
		Epithelial Cells						
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

256

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00145

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	12.2	L . .	13.8 - 17.2	G/DL
		Hematocrit	36.4	L . -	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.9	. . .	30 - 70	%
		Lymphocytes	28.7	. . .	21 - 51	%
		Monocytes	5	. . .	0 - 10	%
		Eosinophils	1.1	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	280000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 4/ACUTE PHASE-WEEK 2	15	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

257

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00145

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 4/ACUTE PHASE-WEEK 2	15	Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.7	L	.	.	13.8 - 17.2	G/DL
			Hematocrit	40.4	L	.	.	41 - 50	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.3	L	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	45.1	.	.	.	30 - 70	%
			Lymphocytes	42.1	.	.	.	21 - 51	%
			Monocytes	9.1	.	.	.	0 - 10	%
			Eosinophils	3.3	.	.	.	0 - 5	%
			Basophils	0.3	.	.	.	0 - 2	%
			Platelets	244000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.4	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	84	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	1.2	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.6	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	111	.	.	.	22 - 180	U/L
			Aspartate	20	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	88	.	.	.	70 - 115	MG/DL
			Globulin	3.7	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

258

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00145

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	14.1	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	41.6	.	.	.	41 - 50	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.9	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	47	.	.	.	30 - 70	%
			Lymphocytes	47	.	.	.	21 - 51	%
			Monocytes	1	.	.	.	0 - 10	%
			Eosinophils	5	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Platelets	107000	L	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.4	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	102	.	.	.	22 - 180	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	98	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

259

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00145

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 14/CONTINUATION-WEEK 24	169	Platelets	235000	. . .	130000 - 400000	PER CUMM
	VISIT 16/CONTINUATION-WEEK 32	226 (1)	Hemoglobin	14.1	. . .	13.8 - 17.2	G/DL
			Hematocrit	41.9	. . .	41 - 50	%
			Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	48.5	. . .	30 - 70	%
			Lymphocytes	37.3	. . .	21 - 51	%
			Monocytes	9.3	. . .	0 - 10	%
			Eosinophils	4	. . .	0 - 5	%
			Basophils	0.9	. . .	0 - 2	%
			Platelets	239000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
			Mean Corpuscle Volume	83	. . .	80 - 100	FL
			Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.5	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	106	. . .	22 - 180	U/L
			Aspartate	38	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	59	H . .	0 - 48	U/L
			Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.7	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	93	. . .	70 - 115	MG/DL
			Globulin	3.5	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

260

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00265

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	10.5	L . .	12 - 15.6	G/DL
		Hematocrit	32.7	L . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Neutrophil Bands	0	L . .	4 - 12	%
		Segmented Neutrophils	65.8	. . .	30 - 70	%
		Lymphocytes	27.3	. . .	21 - 51	%
		Monocytes	4.9	. . .	0 - 10	%
		Eosinophils	1.5	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	221000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	21.7	L . .	25 - 35	PG
		Mean Corpuscle Volume	67	L . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	51	. . .	22 - 130	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	70 - 115	MG/DL
		Globulin	2.4	. . .	2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

261

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00265

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	10 L . .		12 - 15.6	G/DL
		Hematocrit	30.9 L . -		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . .		4 - 12	%
		Segmented Neutrophils	68.5 . . .		30 - 70	%
		Lymphocytes	21.9 . . .		21 - 51	%
		Monocytes	5.3 . . .		0 - 10	%
		Eosinophils	3.7 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	284000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	21.4 L . .		25 - 35	PG
		Mean Corpuscle Volume	66 L . .		80 - 100	FL
VISIT 3/ACUTE PHASE-WEEK 1	15 (1)	Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

262

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00268

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-11	Hemoglobin	12.6 . . .		12 - 15.6	G/DL
		Hematocrit	37 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.1 . . .		30 - 70	%
		Lymphocytes	37.4 . . .		21 - 51	%
		Monocytes	8.1 . . .		0 - 10	%
		Eosinophils	5 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	351000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	186 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	3.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

263

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00268

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-11	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	60	Hemoglobin	11.6	L . .	12 - 15.6	G/DL
		Hematocrit	34.6	L . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.2	. . .	30 - 70	%
		Lymphocytes	39.1	. . .	21 - 51	%
		Monocytes	7.5	. . .	0 - 10	%
		Eosinophils	5	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	285000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	165	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.5	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	111	. . .	70 - 115	MG/DL
		Globulin	2.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00268

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 10/ACUTE PHASE-WEEK 8	60	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	152	Segmented Neutrophils	51	.	.	.	30 - 70	%
			Lymphocytes	38	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	6 H	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	150	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase Alanine Aminotransferase	15	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	3.9	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	116 H	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

265

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00268

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 14/CONTINUATION-WEEK 24	183	Hemoglobin	12 . . .		12 - 15.6	G/DL
			Hematocrit	35.5 . . .		35 - 46	%
			Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	13 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	53.3 . . .		30 - 70	%
			Lymphocytes	38.4 . . .		21 - 51	%
			Monocytes	4.8 . . .		0 - 10	%
			Eosinophils	3.3 . . .		0 - 5	%
			Basophils	0.2 . . .		0 - 2	%
			Platelets	382000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.2 . . .		25 - 35	PG
			Mean Corpuscle Volume	83 . . .		80 - 100	FL
	VISIT 17/DOWN TITRATION	277 (15)	Hemoglobin	11.6 L . .		12 - 15.6	G/DL
			Hematocrit	34.9 L . .		35 - 46	%
			Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	12 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	51.2 . . .		30 - 70	%
			Lymphocytes	37 . . .		21 - 51	%
			Monocytes	6.8 . . .		0 - 10	%
			Eosinophils	5 . . .		0 - 5	%
			Basophils	0 . . .		0 - 2	%
			Platelets	324000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.5 . . .		25 - 35	PG
			Mean Corpuscle Volume	83 . . .		80 - 100	FL
			Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
			Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
			Uric Acid	4 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	123 . . .		44 - 280	U/L
			Aspartate	15 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	15 . . .		0 - 48	U/L
			Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
			Total Protein	6.9 . . .		6.2 - 8.8	G/DL
			Albumin	3.8 . . .		3.1 - 5.3	G/DL
			Glucose - Random	80 . . .		70 - 115	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

266

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00268

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS				1	2	3		
13 F	VISIT 17/DOWN TITRATION	277	(15)	Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF		3	.	.		
				Urine Bacteria		3	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00294

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-8	Segmented Neutrophils	65 . . .				30 - 70	%
		Lymphocytes	29 . . .				21 - 51	%
		Monocytes	4 . . .				0 - 10	%
		Eosinophils	2 . . .				0 - 5	%
		Basophils	0 . . .				0 - 2	%
		Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	90 . . .				44 - 280	U/L
		Aspartate	14 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	11 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .				6.2 - 8.8	G/DL
		Albumin	3.4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	79 . . .				70 - 115	MG/DL
		Globulin	4 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					
		Urine Opiates	NEG					
		Urine Phencyclidine	NEG					
		Urine Propoxyphene	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

268

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00309

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-4	Segmented Neutrophils	57 . . .				40 - 75	%
		Lymphocytes	33 . . .				16 - 46	%
		Monocytes	9 . . .				0 - 12	%
		Eosinophils	1 . . .				0 - 7	%
		Basophils	0 . . .				0 - 2	%
		Blood Urea Nitrogen	7 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	69 . . .				22 - 130	U/L
		Aspartate	16 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	28 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .				6.2 - 8.8	G/DL
		Albumin	4.1 . . .				3.1 - 5.3	G/DL
		Glucose - Random	92 . . .				70 - 115	MG/DL
		Globulin	2.7 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF		3				
		Urine Bacteria		4				
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells		4				
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

269

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00309

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-4	Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
		Hematocrit	40.1	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	10.2	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	65.4	. . .	40 - 75	%
		Lymphocytes	23.9	. . .	16 - 46	%
		Monocytes	5.5	. . .	0 - 12	%
		Eosinophils	4.5	. . .	0 - 7	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	289000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	27 - 33	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	53	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
		Hematocrit	39.8	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.6	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	59.6	. . .	40 - 75	%
		Lymphocytes	25.8	. . .	16 - 46	%
		Monocytes	9	. . .	0 - 12	%
		Eosinophils	4.4	. . .	0 - 7	%
		Basophils	1.3	. . .	0 - 2	%
		Platelets	256000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	27 - 33	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	6	L . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.7	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	67	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

270

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00309

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
18 F	VISIT 10/ACUTE PHASE-WEEK 8	53	Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	2.6	L	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	4.7	H	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	152	Hemoglobin	13.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.7	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	3.9 - 5.2	MILL/MCL
			White Blood Cell Count	7.4	.	.	.	3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	55.1	.	.	.	40 - 75	%
			Lymphocytes	28.8	.	.	.	16 - 46	%
			Monocytes	7.6	.	.	.	0 - 12	%
			Eosinophils	7.4	H	.	.	0 - 7	%
			Basophils	1	.	.	.	0 - 2	%
			Platelets	236000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31	.	.	.	27 - 33	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	64	L	.	.	110 - 15	U/L
			Aspartate Aminotransferase	14	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7	.	.	.	6.2 - 8.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

271

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00309

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F	VISIT 13/CONTINUATION-WEEK 20	152	Albumin	4.2 . . .		3.1 - 5.3	G/DL
			Glucose - Random	73 . . .		70 - 115	MG/DL
			Globulin	2.8 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3 . . .			
			Urine Bacteria	3 . . .			
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4 . . .			
	VISIT 16/CONTINUATION-WEEK 32	242	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
			Hematocrit	41.6 . . .		35 - 46	%
			Red Blood Cell Count	4.6 . . .		3.9 - 5.2	MILL/MCL
			White Blood Cell Count	6.1 . . .		3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	50.7 . . .		40 - 75	%
			Lymphocytes	32.8 . . .		16 - 46	%
			Monocytes	6.1 . . .		0 - 12	%
			Eosinophils	9.8 H . . .		0 - 7	%
			Basophils	0.6 . . .		0 - 2	%
			Platelets	216000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6 . . .		27 - 33	PG
			Mean Corpuscle Volume	90 . . .		80 - 100	FL
			Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
			Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
			Uric Acid	2.8 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	69 L . . .		110 - 15	U/L
			Aspartate Aminotransferase	16 . . .		0 - 41	U/L
			Alanine Aminotransferase	17 . . .		0 - 48	U/L
			Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.6 . . .		6.2 - 8.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

272

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00309

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
18 F	VISIT 16/CONTINUATION-WEEK 32	242	Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	75	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick					NEG	
			Urine Blood - Dipstick						
			Urine Red Blood Cells/HPF						
			Urine White Blood Cells/HPF						
			Urine Bacteria						
			Urine Protein - Dipstick					NEG	
			Urine Squamous Epithelial Cells						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00310

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.8 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	70.5 H . .		30 - 70	%
		Lymphocytes	20.3 L . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	3.8 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	254000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.2 L . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	111 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		6 . . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

274

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00310

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	14 . . .		12 - 15.6	G/DL
			Hematocrit	41.5 . . .		35 - 46	%
			Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.7 . . .		30 - 70	%
			Lymphocytes	32.2 . . .		21 - 51	%
			Monocytes	4.9 . . .		0 - 10	%
			Eosinophils	5.5 H . . .		0 - 5	%
			Basophils	0.7 . . .		0 - 2	%
			Platelets	286000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.1 . . .		25 - 35	PG
			Mean Corpuscle Volume	86 . . .		80 - 100	FL
			Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
			Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
			Uric Acid	2.8 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	102 . . .		22 - 130	U/L
			Aspartate	16 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7 . . .		0 - 48	U/L
			Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.6 . . .		6.2 - 8.8	G/DL
			Albumin	4.3 . . .		3.1 - 5.3	G/DL
			Glucose - Random	85 . . .		70 - 115	MG/DL
			Globulin	3.3 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

275

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00310

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	61	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 13/CONTINUATION-WEEK 20	169	Hemoglobin	13.4	. . .	12 - 15.6	G/DL
		Hematocrit	38.9	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.9	. . .	30 - 70	%
		Lymphocytes	29.6	. . .	21 - 51	%
		Monocytes	5.6	. . .	0 - 10	%
		Eosinophils	2.7	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	298000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	97	. . .	22 - 130	U/L
		Aspartate Aminotransferase	19	. . .	0 - 41	U/L
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	90	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

276

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00310

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	169	Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 16/CONTINUATION-WEEK 32	260	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
			Hematocrit	37.2	. . .	35 - 46	%
			Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.9	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.9	. . .	30 - 70	%
			Lymphocytes	33	. . .	21 - 51	%
			Monocytes	5.8	. . .	0 - 10	%
			Eosinophils	3.4	. . .	0 - 5	%
			Basophils	0.9	. . .	0 - 2	%
			Platelets	268000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29	. . .	25 - 35	PG
			Mean Corpuscle Volume	85	. . .	80 - 100	FL
			Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	95	. . .	22 - 130	U/L
			Aspartate	17	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	13	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.3	. . .	6.2 - 8.8	G/DL
			Albumin	4.1	. . .	3.1 - 5.3	G/DL
			Glucose - Random	99	. . .	70 - 115	MG/DL
			Globulin	3.2	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick		6 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

277

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00310

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	260	Urine Red Blood Cells/HPF	5	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick NEG		.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00318

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)		Hemoglobin	13.9 . . .				13.8 - 17.2	G/DL
		Hematocrit	40.2 L . .				41 - 50	%
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.3 . . .				30 - 70	%
		Lymphocytes	31.7 . . .				21 - 51	%
		Monocytes	6				0 - 10	%
		Eosinophils	3				0 - 5	%
		Basophils	0.9				0 - 2	%
		Platelets	254000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6				25 - 35	PG
		Mean Corpuscle Volume	85				80 - 100	FL
		Blood Urea Nitrogen	15				7 - 25	MG/DL
		Creatinine	0.9				0.8 - 1.5	MG/DL
		Uric Acid	3.5 L . . .				4 - 8	MG/DL
		Alkaline Phosphatase	231				44 - 400	U/L
		Aspartate	18				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12				0 - 48	U/L
		Total Bilirubin	0.7				0.3 - 1.3	MG/DL
		Total Protein	7.1				6.2 - 8.8	G/DL
		Albumin	4.6				3.1 - 5.3	G/DL
		Glucose - Random	90				70 - 115	MG/DL
		Globulin	2.5				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

279

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.007.00318

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 1/SCREENING (WEEK -1)		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00157

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	15.6 . . .				13.8 - 17.2	G/DL
		Hematocrit	43.9 . . .				41 - 50	%
		Red Blood Cell Count	4.9 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.7 . . .				30 - 70	%
		Lymphocytes	41 . . .				21 - 51	%
		Monocytes	6.9 . . .				0 - 10	%
		Eosinophils	7.9 H . . .				0 - 5	%
		Basophils	0.6 . . .				0 - 2	%
		Platelets	348000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.6 . . .				25 - 35	PG
		Mean Corpuscle Volume	89 . . .				80 - 100	FL
		Blood Urea Nitrogen	8 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	6.7 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	173 . . .				44 - 400	U/L
		Aspartate	17 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	14 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .				6.2 - 8.8	G/DL
		Albumin	4.4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	96 . . .				70 - 115	MG/DL
		Globulin	3.1 . . .				2.3 - 4.1	G/DL
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					
		Urine Opiates	NEG					
		Urine Phencyclidine	NEG					
		Urine Propoxyphene	NEG					
VISIT 2/ELIGIBILITY	-1	Urine Glucose - Dipstick	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

281

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00157

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 2/ELIGIBILITY	-1	Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	15.7	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	45.1	.	.	.	41 - 50	%
		Red Blood Cell Count	5.1	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.9	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.4	.	.	.	30 - 70	%
		Lymphocytes	41.1	.	.	.	21 - 51	%
		Monocytes	4.4	.	.	.	0 - 10	%
		Eosinophils	4.8	.	.	.	0 - 5	%
		Basophils	0.3	.	.	.	0 - 2	%
		Platelets	338000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	6.3	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	162	.	.	.	22 - 180	U/L
		Aspartate Aminotransferase	19	.	.	.	0 - 41	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

282

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00157

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	56	Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	88 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
VISIT 12/CONTINUATION-WEEK 16	108	Hemoglobin	15.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.3 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.6 . . .		30 - 70	%
		Lymphocytes	36.7 . . .		21 - 51	%
		Monocytes	7.5 . . .		0 - 10	%
		Eosinophils	5.5 H . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	388000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.1 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	128 . . .		22 - 180	U/L
		Aspartate Aminotransferase	16 . . .		0 - 41	U/L
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

283

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00157

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 12/CONTINUATION-WEEK 16	108	Total Protein	7.7	. . .	6.2 - 8.8	G/DL
			Albumin	4.5	. . .	3.1 - 5.3	G/DL
			Glucose - Random	92	. . .	70 - 115	MG/DL
			Globulin	3.2	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	3	. . .		
	VISIT 13/CONTINUATION-WEEK 20	147	Hemoglobin	15.2	. . .	13.8 - 17.2	G/DL
			Hematocrit	43.2	. . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	11	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	60.3	. . .	30 - 70	%
			Lymphocytes	31.7	. . .	21 - 51	%
			Monocytes	5.1	. . .	0 - 10	%
			Eosinophils	2.3	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	345000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31	. . .	25 - 35	PG
			Mean Corpuscle Volume	88	. . .	80 - 100	FL
			Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	6	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	130	. . .	22 - 180	U/L
			Aspartate	18	. . .	0 - 41	U/L
			Aminotransferase		. . .		
			Alanine Aminotransferase	12	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

284

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00157

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 13/CONTINUATION-WEEK 20	147	Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.8	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	88	.	.	.	70 - 115	MG/DL
			Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00160

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	40 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.2 . . .		30 - 70	%
		Lymphocytes	34.5 . . .		21 - 51	%
		Monocytes	9.6 . . .		0 - 10	%
		Eosinophils	9.4 H . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	202000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	110 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	2.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous		4 . . .		
		Epithelial Cells				
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

286

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00160

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	66	Hemoglobin	12.8	. . .	12 - 15.6	G/DL
		Hematocrit	37.2	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8	. . .	30 - 70	%
		Lymphocytes	28.7	. . .	21 - 51	%
		Monocytes	6.4	. . .	0 - 10	%
		Eosinophils	9.5	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	205000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	107	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	113	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00160

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 10/ACUTE PHASE-WEEK 8	66	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	161	Hemoglobin	13.2	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.8	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.2	.	.	.	30 - 70	%
			Lymphocytes	30.8	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	12.4	H	.	+	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	217000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	99	.	.	.	44 - 280	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	83	.	.	.	70 - 115	MG/DL
			Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

288

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00160

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 13/CONTINUATION-WEEK 20	161	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	266	Hemoglobin	13.4	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.1	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	72.8	H	.	.	30 - 70	%
			Lymphocytes	16.8	L	.	.	21 - 51	%
			Monocytes	1.2	.	.	.	0 - 10	%
			Eosinophils	8.1	H	.	.	0 - 5	%
			Basophils	1.1	.	.	.	0 - 2	%
			Platelets	241000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	93	.	.	.	44 - 280	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	73	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00160

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 16/CONTINUATION-WEEK 32	266	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00188

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-21	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	39.9 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.5 . . .		30 - 70	%
		Lymphocytes	39 . . .		21 - 51	%
		Monocytes	10.1 H . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	302000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .		22 - 130	U/L
		Aspartate	11 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

291

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00188

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 1/SCREENING (WEEK -1)	-21	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
			Hematocrit	40.3 . . .		35 - 46	%
			Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	60.1 . . .		30 - 70	%
			Lymphocytes	28.8 . . .		21 - 51	%
			Monocytes	3.4 . . .		0 - 10	%
			Eosinophils	7 H . . .		0 - 5	%
			Basophils	0.7 . . .		0 - 2	%
			Platelets	238000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
			Mean Corpuscle Volume	88 . . .		80 - 100	FL
			Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
			Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
			Uric Acid	2.9 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	69 . . .		22 - 130	U/L
			Aspartate	13 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	9 . . .		0 - 48	U/L
			Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.9 . . .		6.2 - 8.8	G/DL
			Albumin	4.6 . . .		3.1 - 5.3	G/DL
			Glucose - Random	78 . . .		70 - 115	MG/DL
			Globulin	3.3 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

292

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00188

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	55	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00271

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-46	Hemoglobin	11.7	L . .	12 - 15.6	G/DL
		Hematocrit	33.5	L . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.9	. . .	30 - 70	%
		Lymphocytes	35.3	. . .	21 - 51	%
		Monocytes	3.8	. . .	0 - 10	%
		Eosinophils	4.6	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	292000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.1	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	151	. . .	44 - 280	U/L
		Aspartate	23	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	100	. . .	70 - 115	MG/DL
		Globulin	2.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

294

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00271

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	65	Hemoglobin	12	.	.	.	12 - 15.6	G/DL
			Hematocrit	34.5	L	.	.	35 - 46	%
			Red Blood Cell Count	4	L	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.2	L	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	37	.	.	.	30 - 70	%
			Lymphocytes	49	.	.	.	21 - 51	%
			Monocytes	6	.	.	.	0 - 10	%
			Eosinophils	7	H	.	.	0 - 5	%
			Basophils	1	.	.	.	0 - 2	%
			Platelets	225000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.1	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.7	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	106	.	.	.	44 - 280	U/L
			Aspartate	15	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	85	.	.	.	70 - 115	MG/DL
			Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

295

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00271

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 10/ACUTE PHASE-WEEK 8	65	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 14/CONTINUATION-WEEK 24	180	Hemoglobin		13 . . .	12 - 15.6	G/DL
		Hematocrit	37.9	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.8	. . .	30 - 70	%
		Lymphocytes	37.8	. . .	21 - 51	%
		Monocytes	3.8	. . .	0 - 10	%
		Eosinophils	6.3	H . . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	263000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	101	. . .	44 - 280	U/L
		Aspartate Aminotransferase	21	. . .	0 - 41	U/L
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

296

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00271

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 14/CONTINUATION-WEEK 24	180	Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 16/CONTINUATION-WEEK 32	240	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
			Hematocrit	40	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	69.8	. . .	30 - 70	%
			Lymphocytes	21	. . .	21 - 51	%
			Monocytes	2.6	. . .	0 - 10	%
			Eosinophils	6.1	H . .	0 - 5	%
			Basophils	0.5	. . .	0 - 2	%
			Platelets	239000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	92	. . .	80 - 100	FL
			Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.2	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	110	. . .	44 - 280	U/L
			Aspartate Aminotransferase	19	. . .	0 - 41	U/L
			Alanine Aminotransferase	17	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.1	. . .	6.2 - 8.8	G/DL
			Albumin	4.6	. . .	3.1 - 5.3	G/DL
			Glucose - Random	75	. . .	70 - 115	MG/DL
			Globulin	3.5	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

297

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00271

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 16/CONTINUATION-WEEK 32	240	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00275

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.6	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.8	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.6	. . .	30 - 70	%
		Lymphocytes	31.8	. . .	21 - 51	%
		Monocytes	9	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	284000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.7	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	231	. . .	44 - 400	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	110	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

299

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00275

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.1	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.1	. . .	30 - 70	%
		Lymphocytes	22.1	. . .	21 - 51	%
		Monocytes	12.4	H . .	0 - 10	%
		Eosinophils	8.3	H . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	266000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	216	. . .	44 - 400	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.7	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

300

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00275

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 10/ACUTE PHASE-WEEK 8	56	Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	132	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.3	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	67	. . .	30 - 70	%
		Lymphocytes	23.1	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	2.5	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	247000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	L . . .	4 - 8	MG/DL
		Alkaline Phosphatase	219	. . .	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	53	L . . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

301

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.008.00275

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M	VISIT 16/CONTINUATION-WEEK 32	223	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
			Hematocrit	41.9	. . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.4	. . .	30 - 70	%
			Lymphocytes	35.9	. . .	21 - 51	%
			Monocytes	12	H . .	0 - 10	%
			Eosinophils	1.9	. . .	0 - 5	%
			Basophils	0.9	. . .	0 - 2	%
			Platelets	236000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	85	. . .	80 - 100	FL
			Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.1	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	240	. . .	44 - 400	U/L
			Aspartate	15	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	13	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.5	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	81	. . .	70 - 115	MG/DL
			Globulin	3.3	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

302

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00130

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	15.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.7	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.1	. . .	30 - 70	%
		Lymphocytes	40	. . .	21 - 51	%
		Monocytes	6.5	. . .	0 - 10	%
		Eosinophils	4.3	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	224000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	223	. . .	44 - 400	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

303

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00130

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 5/ACUTE PHASE-WEEK 3	22	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.2	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	45	.	.	.	41 - 50	%
			Red Blood Cell Count	5.1	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	61.8	.	.	.	30 - 70	%
			Lymphocytes	27.9	.	.	.	21 - 51	%
			Monocytes	6.4	.	.	.	0 - 10	%
			Eosinophils	3.1	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	260000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.8	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	184	.	.	.	44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

304

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00130

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	57	Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	155	Hemoglobin	15.9 . . .		13.8 - 17.2	G/DL
		Hematocrit	46.6 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48 . . .		30 - 70	%
		Lymphocytes	48 . . .		21 - 51	%
		Monocytes	3 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	28000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	207 . . .		44 - 400	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

305

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00130

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 13/CONTINUATION-WEEK 20	155	Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	95	.	.	.	70 - 115	MG/DL
			Globulin	3.8	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00131

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.4 . . .		30 - 70	%
		Lymphocytes	40.8 . . .		21 - 51	%
		Monocytes	6.7 . . .		0 - 10	%
		Eosinophils	3.8 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	374000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	103 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	120 H . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

307

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00131

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
			Hematocrit	39.7	. . .	35 - 46	%
			Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	39.4	. . .	30 - 70	%
			Lymphocytes	46.2	. . .	21 - 51	%
			Monocytes	9.7	. . .	0 - 10	%
			Eosinophils	3.5	. . .	0 - 5	%
			Basophils	1.2	. . .	0 - 2	%
			Platelets	410000	H . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	89	. . .	80 - 100	FL
			Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.6	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	100	. . .	22 - 130	U/L
			Aspartate	19	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.4	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	100	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

308

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00131

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 11/CONTINUATION-WEEK 12	85	Hemoglobin	13.3	. . .	12 - 15.6	G/DL
		Hematocrit	39.6	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.9	. . .	30 - 70	%
		Lymphocytes	41.1	. . .	21 - 51	%
		Monocytes	8.2	. . .	0 - 10	%
		Eosinophils	2.9	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	381000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
VISIT 13/CONTINUATION-WEEK 20	148 (30)	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	36.9	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	33.8	. . .	30 - 70	%
		Lymphocytes	54.5	H . . .	21 - 51	%
		Monocytes	7.4	. . .	0 - 10	%
		Eosinophils	3.9	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	315000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

309

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00131

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
16 F	VISIT 13/CONTINUATION-WEEK 20	148	(30)	Alkaline Phosphatase	102	.	.	.	22 - 130	U/L
				Aspartate	15	.	.	.	0 - 41	U/L
				Aminotransferase						
				Alanine Aminotransferase	4	.	.	.	0 - 48	U/L
				Total Bilirubin	0.9	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	94	.	.	.	70 - 115	MG/DL
				Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	3	.	.	.		
				Urine Bacteria	3	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00133

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	39.9 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	12.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.4 . . .		30 - 70	%
		Lymphocytes	33.3 . . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	233000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	109 . . .		22 - 130	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	30 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	112 . . .		70 - 115	MG/DL
		Globulin	3.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

311

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00133

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00138

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	12.4 . . .		12 - 15.6	G/DL
		Hematocrit	37.2 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62 . . .		30 - 70	%
		Lymphocytes	27.3 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	4.8 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	296000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	149 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

313

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00170

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
		Hematocrit	41.2 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.2 . . .		30 - 70	%
		Lymphocytes	31.8 . . .		21 - 51	%
		Monocytes	4.6 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	301000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	141 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	114 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
	-5	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

314

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00170

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-5	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
		Hematocrit	38	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.5	. . .	30 - 70	%
		Lymphocytes	26.4	. . .	21 - 51	%
		Monocytes	6.2	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	2.9	H . .	0 - 2	%
		Platelets	240000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	117	. . .	44 - 280	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	101	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	6	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

315

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00170

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	147	Hemoglobin	13.8	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.9	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	72.4	H	.	.	30 - 70	%
			Lymphocytes	18.7	L	.	.	21 - 51	%
			Monocytes	4	.	.	.	0 - 10	%
			Eosinophils	4	.	.	.	0 - 5	%
			Basophils	0.9	.	.	.	0 - 2	%
			Platelets	271000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.7	L	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	122	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	91	.	.	.	70 - 115	MG/DL
			Globulin	3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

316

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00170

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 13/CONTINUATION-WEEK 20	147	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	231	Hemoglobin	12.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	35.3	.	.	.	35 - 46	%
			Red Blood Cell Count	4.1	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.8	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	43.9	.	.	.	30 - 70	%
			Lymphocytes	48.3	.	.	.	21 - 51	%
			Monocytes	5.1	.	.	.	0 - 10	%
			Eosinophils	1.8	.	.	.	0 - 5	%
			Basophils	0.9	.	.	.	0 - 2	%
			Platelets	236000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	7	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.7	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	125	.	.	.	44 - 280	U/L
			Aspartate	45 H	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	61 H	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	89	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

317

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00170

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 16/CONTINUATION-WEEK 32	231	Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 17/DOWN TITRATION	247 (2)	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
			Hematocrit	39.4 . . .		35 - 46	%
			Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.3 . . .		30 - 70	%
			Lymphocytes	38.6 . . .		21 - 51	%
			Monocytes	3.5 . . .		0 - 10	%
			Eosinophils	1.7 . . .		0 - 5	%
			Basophils	0.9 . . .		0 - 2	%
			Platelets	216000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
			Mean Corpuscle Volume	88 . . .		80 - 100	FL
			Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
			Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
			Uric Acid	3 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	115 . . .		44 - 280	U/L
			Aspartate	17 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	16 . . .		0 - 48	U/L
			Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.8 . . .		6.2 - 8.8	G/DL
			Albumin	4.2 . . .		3.1 - 5.3	G/DL
			Glucose - Random	62 L . . .		70 - 115	MG/DL
			Globulin	3.6 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

318

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00173

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-12	Neutrophil Bands	0	L . .	4 - 12	%
		Segmented Neutrophils	33	. . .	30 - 70	%
		Lymphocytes	46	. . .	21 - 51	%
		Monocytes	9	. . .	0 - 10	%
		Eosinophils	8	H . .	0 - 5	%
		Basophils	2	. . .	0 - 2	%
		Blood Urea Nitrogen	6	L . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	382	H . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	5.7 - 8.2	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	88	. . .	60 - 110	MG/DL
		Globulin	3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

319

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00173

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/SCREENING (WEEK -1)	-12	Urine Phencyclidine Urine Propoxyphene	NEG NEG		
	VISIT 2/ELIGIBILITY	1	Hemoglobin Hematocrit Red Blood Cell Count White Blood Cell Count Segmented Neutrophils Lymphocytes Monocytes Eosinophils Basophils Platelets Mean Corpuscle Hemoglobin Mean Corpuscle Volume	12.8 36.3 4.3 3.8 L 48 43 5.4 1.9 1.6 309000 29.7 84 L .	12 - 15.6 35 - 46 4.1 - 5.3 4.5 - 13 30 - 70 21 - 51 0 - 10 0 - 5 0 - 2 130000 - 400000 25 - 35 80 - 100	G/DL % MILL/MCL THOU/MCL % % % % % PER CUMM PG FL
	VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin Hematocrit Red Blood Cell Count White Blood Cell Count Segmented Neutrophils Lymphocytes Monocytes Eosinophils Basophils Platelets Mean Corpuscle Hemoglobin Mean Corpuscle Volume Blood Urea Nitrogen Creatinine Uric Acid Alkaline Phosphatase Aspartate Aminotransferase Alanine Aminotransferase Total Bilirubin Total Protein	13.2 38 4.5 3.6 L 36 57 H 0 7 H 0 293000 29.6 85 7 L 0.8 4 289 H 14 9 0.7 7.9 L H H L H	12 - 15.6 35 - 46 4.1 - 5.3 4.5 - 13 30 - 70 21 - 51 0 - 10 0 - 5 0 - 2 130000 - 400000 25 - 35 80 - 100 8 - 21 0.4 - 1.1 2.3 - 7 44 - 280 0 - 41 0 - 39 0.3 - 1.3 5.7 - 8.2	G/DL % MILL/MCL THOU/MCL % % % % PER CUMM PG FL MG/DL MG/DL MG/DL U/L U/L U/L MG/DL G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

320

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00173

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
12 F	VISIT 10/ACUTE PHASE-WEEK 8	64	Albumin	4.7	. . .	3.1 - 5.3	G/DL
			Glucose - Random	83	. . .	60 - 110	MG/DL
			Globulin	3.2	. . .	2.1 - 3.8	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

321

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00193

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.2 . . .		12 - 15.6	G/DL
		Hematocrit	41.6 . . .		35 - 46	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	14 H . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.6 H . . .		30 - 70	%
		Lymphocytes	16.7 L . . .		21 - 51	%
		Monocytes	5.1 . . .		0 - 10	%
		Eosinophils	4.6 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	324000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	81 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		8 - 21	MG/DL
		Creatinine	0.8 . . .		0.4 - 1.1	MG/DL
		Uric Acid	4.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	173 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 39	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		5.7 - 8.2	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	84 . . .		60 - 110	MG/DL
		Globulin	2.9 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3		
		Urine Bacteria	4		
		Urine Protein - Dipstick	6		
		Urine Squamous	4		
		Epithelial Cells				
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

322

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00193

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	12.6	. . .	12 - 15.6	G/DL
		Hematocrit	37.8	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.5	. . .	30 - 70	%
		Lymphocytes	25.5	. . .	21 - 51	%
		Monocytes	7.7	. . .	0 - 10	%
		Eosinophils	2.7	. . .	0 - 5	%
		Basophils	1.6	. . .	0 - 2	%
		Platelets	295000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	80	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	162	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 39	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	5.7 - 8.2	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	60 - 110	MG/DL
		Globulin	3.3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

323

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00193

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 F	VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00196

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	10.9	L . .	12 - 15.6	G/DL
		Hematocrit	33.1	L . .	35 - 46	%
		Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.1	. . .	30 - 70	%
		Lymphocytes	22.9	. . .	21 - 51	%
		Monocytes	5.4	. . .	0 - 10	%
		Eosinophils	2.2	. . .	0 - 5	%
		Basophils	1.4	. . .	0 - 2	%
		Platelets	386000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	104	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	130	H . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		2 . . .		
		Urine Red Blood Cells/HPF		3 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick		NEG . . .		
		Urine Squamous		4 . . .		
		Epithelial Cells				
		Urine Amphetamines		NEG . . .		
		Urine Barbiturates		NEG . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

325

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00196

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	11.5	L	.	.	12 - 15.6	G/DL
		Hematocrit	34.1	L	.	.	35 - 46	%
		Red Blood Cell Count	4.2	.	.	.	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	16.7	H	.	+	3.8 - 10.8	THOU/MCL
		Neutrophil Bands	5	.	.	.	0 - 8	%
		Segmented Neutrophils	89	H	.	.	40 - 75	%
		Lymphocytes	5	L	.	.	16 - 46	%
		Monocytes	1	.	.	.	0 - 12	%
		Eosinophils	0	.	.	.	0 - 7	%
		Basophils	0	.	.	.	0 - 2	%
		Platelets	417000	H	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.1	.	.	.	27 - 33	PG
		Mean Corpuscle Volume	81	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	13	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.1	L	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	102	.	.	.	22 - 130	U/L
		Aspartate	19	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	25	.	.	.	0 - 48	U/L
		Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	9.1	H	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	123	H	.	.	70 - 115	MG/DL
		Globulin	4.9	H	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	6	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

326

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00196

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Red Blood Cells/HPF	5	.	.	+		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00201

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14.2 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.9 L . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.1 . . .		30 - 70	%
		Lymphocytes	41.5 . . .		21 - 51	%
		Monocytes	9.9 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	1.3 . . .		0 - 2	%
		Platelets	180000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.8 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	208 . . .		44 - 400	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

328

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00201

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.2	. . .	41 - 50	%
		Red Blood Cell Count	5.4	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.2	. . .	30 - 70	%
		Lymphocytes	27.3	. . .	21 - 51	%
		Monocytes	10.2	H . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	1.6	. . .	0 - 2	%
		Platelets	163000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	18	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	214	. . .	44 - 400	U/L
		Aspartate	26	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	29	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.9	H . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	100	. . .	70 - 115	MG/DL
		Globulin	4.3	H . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

329

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00201

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00204

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	15.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.2 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	31 . . .		30 - 70	%
		Lymphocytes	53 H . . .		21 - 51	%
		Monocytes	10 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	261000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		8 - 21	MG/DL
		Creatinine	0.9 . . .		0.4 - 1.1	MG/DL
		Uric Acid	4 . . .		2.6 - 7	MG/DL
		Alkaline Phosphatase	339 . . .		44 - 400	U/L
		Aspartate	27 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 39	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		5.7 - 8.2	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	85 . . .		60 - 110	MG/DL
		Globulin	3.2 . . .		2.1 - 3.8	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

331

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00204

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.3	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	36.4	. . .	30 - 70	%
		Lymphocytes	51.7	H . .	21 - 51	%
		Monocytes	6.1	. . .	0 - 10	%
		Eosinophils	5	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	293000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.1	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	319	. . .	44 - 400	U/L
		Aspartate	26	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	5.7 - 8.2	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	122	H . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

332

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00204

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	41	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5	. . .	4.5 - 13	THOU/MCL
		Neutrophil Bands	0	L . .	4 - 12	%
		Segmented Neutrophils	34	. . .	30 - 70	%
		Lymphocytes	51	. . .	21 - 51	%
		Monocytes	11	H . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	255000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	8 - 21	MG/DL
		Creatinine	1	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.5	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	329	. . .	44 - 400	U/L
		Aspartate Aminotransferase	25	. . .	0 - 41	U/L
		Alanine Aminotransferase	18	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	5.7 - 8.2	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	74	. . .	60 - 110	MG/DL
		Globulin	3.3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

333

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00204

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 M	VISIT 13/CONTINUATION-WEEK 20	148	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00235

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	41 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.2 . . .		30 - 70	%
		Lymphocytes	33.9 . . .		21 - 51	%
		Monocytes	9.9 . . .		0 - 10	%
		Eosinophils	4.1 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	224000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		8 - 21	MG/DL
		Creatinine	0.8 . . .		0.4 - 1.1	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	103 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 39	U/L
		Total Bilirubin	1.9 H . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		5.7 - 8.2	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	59 L . . .		60 - 110	MG/DL
		Globulin	3 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

335

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00235

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	-1	Glucose - Random	83	.	.	.	60 - 110	MG/DL
	VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	12.8	.	.	.	12 - 15.6	G/DL
			Hematocrit	38	.	.	.	35 - 46	%
			Red Blood Cell Count	4.3	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.4	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	73.2	H	.	.	30 - 70	%
			Lymphocytes	14.6	L	.	.	21 - 51	%
			Monocytes	7.6	.	.	.	0 - 10	%
			Eosinophils	4.6	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Platelets	196000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

336

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00235

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 F VISIT 10/ACUTE PHASE-WEEK 8	55	Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	76 . . .				44 - 280	U/L
		Aspartate	15 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	8 . . .				0 - 48	U/L
		Total Bilirubin	0.9 . . .				0.3 - 1.3	MG/DL
		Total Protein	7 . . .				6.2 - 8.8	G/DL
		Albumin	4.1 . . .				3.1 - 5.3	G/DL
		Glucose - Random	101 . . .				70 - 115	MG/DL
		Globulin	2.9 . . .				2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00240

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-11	Hemoglobin	15.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.3 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.9 . . .		30 - 70	%
		Lymphocytes	29.5 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	7 H . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	298000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	93 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	193 . . .		44 - 400	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	112 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

338

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00240

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 1/SCREENING (WEEK -1)	-11	Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00303

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	42.9 . . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.3 . . .		30 - 70	%
		Lymphocytes	38.1 . . .		21 - 51	%
		Monocytes	11.8 H . .		0 - 10	%
		Eosinophils	6.9 H . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	167000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	64 . . .		22 - 180	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	69 L . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

340

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00303

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.4	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.6	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.1	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.7	. . .	30 - 70	%
		Lymphocytes	35.5	. . .	21 - 51	%
		Monocytes	10.1	H . .	0 - 10	%
		Eosinophils	5.1	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	177000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	71	. . .	22 - 180	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

341

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00303

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	14.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.3	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.6	. . .	30 - 70	%
		Lymphocytes	40.6	. . .	21 - 51	%
		Monocytes	10.7	H . .	0 - 10	%
		Eosinophils	5.6	H . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	177000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	61	. . .	22 - 180	U/L
		Aspartate Aminotransferase	20	. . .	0 - 41	U/L
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		6 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

342

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00303

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 13/CONTINUATION-WEEK 20	148	Urine Squamous Epithelial Cells	3	. . .		
	VISIT 16/CONTINUATION-WEEK 32	253	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
			Hematocrit	42	. . .	41 - 50	%
			Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	54.9	. . .	30 - 70	%
			Lymphocytes	31.4	. . .	21 - 51	%
			Monocytes	7.5	. . .	0 - 10	%
			Eosinophils	5.4	H . .	0 - 5	%
			Basophils	0.8	. . .	0 - 2	%
			Platelets	30000	L . -	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	93	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	5.5	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	56	. . .	22 - 180	U/L
			Aspartate	20	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	10	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.2	. . .	6.2 - 8.8	G/DL
			Albumin	4.4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	19	L . .	70 - 115	MG/DL
			Globulin	3.8	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

343

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00303

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 M	VISIT 16/UNSCHEDULED LAB 1	256	Hemoglobin	14.2	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	41.9	.	.	.	41 - 50	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	50.7	.	.	.	30 - 70	%
			Lymphocytes	32.6	.	.	.	21 - 51	%
			Monocytes	9	.	.	.	0 - 10	%
			Eosinophils	6.9	H	.	.	0 - 5	%
			Basophils	0.9	.	.	.	0 - 2	%
			Platelets	189000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	94	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	59	.	.	.	22 - 180	U/L
			Aspartate	18	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	93	.	.	.	70 - 115	MG/DL
			Globulin	3.4	.	.	.	2.3 - 4.1	C/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

344

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00304

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	16.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.8 . . .		41 - 50	%
		Red Blood Cell Count	5.4 H . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5		4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.8 . . .		30 - 70	%
		Lymphocytes	39.8 . . .		21 - 51	%
		Monocytes	5.8		0 - 10	%
		Eosinophils	6.2 H . . .		0 - 5	%
		Basophils	0.5		0 - 2	%
		Platelets	217000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	88		80 - 100	FL
		Blood Urea Nitrogen	13		7 - 25	MG/DL
		Creatinine	0.9		0.8 - 1.5	MG/DL
		Uric Acid	5.5		4 - 8	MG/DL
		Alkaline Phosphatase	143		22 - 180	U/L
		Aspartate	20		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	24		0 - 48	U/L
		Total Bilirubin	0.5		0.3 - 1.3	MG/DL
		Total Protein	6.9		6.2 - 8.8	G/DL
		Albumin	4.2		3.1 - 5.3	G/DL
		Glucose - Random	86		70 - 115	MG/DL
		Globulin	2.7		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG		
		Urine Blood - Dipstick	NEG		
		Urine Red Blood Cells/HPF	NEG		
		Urine White Blood Cells/HPF	NEG		
		Urine Bacteria	3			
		Urine Protein - Dipstick	NEG		
		Urine Amphetamines	NEG		
		Urine Barbiturates	NEG		
		Urine Benzodiazepines	NEG		
		Urine Cannabinoids	NEG		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

345

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00304

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	17.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	49.9	. . .	41 - 50	%
		Red Blood Cell Count	5.6	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.6	. . .	30 - 70	%
		Lymphocytes	31	. . .	21 - 51	%
		Monocytes	6.2	. . .	0 - 10	%
		Eosinophils	7.7	H . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	230000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	165	. . .	22 - 180	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	30	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	110	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

346

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00304

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	16.6	. . .	13.8 - 17.2	G/DL
		Hematocrit	47.9	. . .	41 - 50	%
		Red Blood Cell Count	5.5	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68	. . .	30 - 70	%
		Lymphocytes	23.8	. . .	21 - 51	%
		Monocytes	4.1	. . .	0 - 10	%
		Eosinophils	3.6	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	270000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	153	. . .	22 - 180	U/L
		Aspartate Aminotransferase	25	. . .	0 - 41	U/L
		Alanine Aminotransferase	30	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	88	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

347

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00304

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				F 1	F 2	F 3		
16 M	VISIT 13/CONTINUATION-WEEK 20	141	Urine Squamous Epithelial Cells	3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00324

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.3	. . .	12 - 15.6	G/DL
		Hematocrit	44.7	. . .	35 - 46	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.9	. . .	30 - 70	%
		Lymphocytes	29.1	. . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	2.4	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	328000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	91	. . .	44 - 280	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	79	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

349

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00324

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	14.2	. . .	12 - 15.6	G/DL
			Hematocrit	41.8	. . .	35 - 46	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.2	. . .	30 - 70	%
			Lymphocytes	33.8	. . .	21 - 51	%
			Monocytes	9.6	. . .	0 - 10	%
			Eosinophils	3.8	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	305000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29	. . .	25 - 35	PG
			Mean Corpuscle Volume	86	. . .	80 - 100	FL
			Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	2.6	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	75	. . .	44 - 280	U/L
			Aspartate	15	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	10	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.3	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	65	L . . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

350

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00324

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 10/ACUTE PHASE-WEEK 8	61	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00328

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)		Hemoglobin	13.9	. . .	13.8 - 17.2	G/DL
		Hematocrit	40.9	L . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	35	. . .	30 - 70	%
		Lymphocytes	56	H . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	197000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.3	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	398	. . +	44 - 400	U/L
		Aspartate	27	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	101	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		6 . . .		
		Urine Squamous		3 . . .		
		Epithelial Cells				
		Urine Amphetamines		NEG . . .		
		Urine Barbiturates		NEG . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

352

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00328

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 1/SCREENING (WEEK -1)		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00329

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	16.7 . . .				13.8 - 17.2	G/DL
		Hematocrit	49.1 . . .				41 - 50	%
		Red Blood Cell Count	5.4 H . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.2 . . .				30 - 70	%
		Lymphocytes	34.5 . . .				21 - 51	%
		Monocytes	3.5 . . .				0 - 10	%
		Eosinophils	6.4 H . . .				0 - 5	%
		Basophils	0.4 . . .				0 - 2	%
		Platelets	207000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .				25 - 35	PG
		Mean Corpuscle Volume	91 . . .				80 - 100	FL
		Blood Urea Nitrogen	15 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	346 . . .				44 - 400	U/L
		Aspartate	16 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	7 . . .				0 - 48	U/L
		Total Bilirubin	0.9 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	118 H . . .				70 - 115	MG/DL
		Globulin	3.3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

354

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00329

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	14.7	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	42.3	.	.	.	41 - 50	%
		Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.8	.	.	.	30 - 70	%
		Lymphocytes	32.6	.	.	.	21 - 51	%
		Monocytes	4.6	.	.	.	0 - 10	%
		Eosinophils	2.1	.	.	.	0 - 5	%
		Basophils	0.9	.	.	.	0 - 2	%
		Platelets	213000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	4.8	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	298	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	76	.	.	.	70 - 115	MG/DL
		Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

355

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.009.00329

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
14 M	VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

356

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00182

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	15.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.2 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	9.7 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	73.5 . . .		40 - 75	%
		Lymphocytes	16 . . .		16 - 46	%
		Monocytes	6.7 . . .		0 - 12	%
		Eosinophils	2.7 . . .		0 - 7	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	270000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		27 - 33	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	71 . . .		22 - 180	U/L
		Aspartate	9 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

357

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00182

AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-14	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 5/ACUTE PHASE-WEEK 3	25	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

358

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00278

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.7 . . .		12 - 15.6	G/DL
		Hematocrit	37.3 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.2 . . .		30 - 70	%
		Lymphocytes	33.4 . . .		21 - 51	%
		Monocytes	9.7 . . .		0 - 10	%
		Eosinophils	3.4 . . .		0 - 5	%
		Basophils	1.4 . . .		0 - 2	%
		Platelets	257000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	69 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	31 L . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			
		Urine Barbiturates	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

359

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00278

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	58	. . .	22 - 130	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	19	L . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	36.4	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.3	. . .	30 - 70	%
		Lymphocytes	22.3	. . .	21 - 51	%
		Monocytes	7.4	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	306000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

360

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00278

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 10/ACUTE PHASE-WEEK 8	57	Alkaline Phosphatase	73 . . .		22 - 130	U/L
		Aspartate	9 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
VISIT 13/CONTINUATION-WEEK 20	140	Hemoglobin	12.3 . . .		12 - 15.6	G/DL
		Hematocrit	36.8 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.2 . . .		30 - 70	%
		Lymphocytes	24.6 . . .		21 - 51	%
		Monocytes	7.9 . . .		0 - 10	%
		Eosinophils	4.6 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	303000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	74 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	73 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

361

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00278

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 13/CONTINUATION-WEEK 20	140	Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		3 . . .		
	VISIT 16/CONTINUATION-WEEK 32	224	Hemoglobin	12.3	. . .	12 - 15.6	G/DL
			Hematocrit	35	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.1	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	48.6	. . .	30 - 70	%
			Lymphocytes	38.1	. . .	21 - 51	%
			Monocytes	11.5	H . .	0 - 10	%
			Eosinophils	1	. . .	0 - 5	%
			Basophils	0.9	. . .	0 - 2	%
			Platelets	252000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.7	. . .	25 - 35	PG
			Mean Corpuscle Volume	82	. . .	80 - 100	FL
			Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.6	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	82	. . .	22 - 130	U/L
			Aspartate	21	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	48	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.1	. . .	6.2 - 8.8	G/DL
			Albumin	4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	91	. . .	70 - 115	MG/DL
			Globulin	4.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

362

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00278

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 16/CONTINUATION-WEEK 32	224	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00280

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	38.3 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	52 . . .		30 - 70	%
		Lymphocytes	35 . . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	6 H . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	314000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	102 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	85 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

364

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00280

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 9/ACUTE PHASE-WEEK 7	48	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	39.3	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47	. . .	30 - 70	%
		Lymphocytes	40	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	6 H	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	281000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.9	. . .	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

365

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00280

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 10/ACUTE PHASE-WEEK 8	56	Alkaline Phosphatase	102 . . .				44 - 280	U/L
			Aspartate	15 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	9 . . .				0 - 48	U/L
			Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
			Total Protein	6.9 . . .				6.2 - 8.8	G/DL
			Albumin	4.2 . . .				3.1 - 5.3	G/DL
			Glucose - Random	80 . . .				70 - 115	MG/DL
			Globulin	2.7 . . .				2.3 - 4.1	G/DL
	VISIT 10/UNSCHEDULED LAB 1	61	Urine Glucose - Dipstick	NEG	. . .				
			Urine Blood - Dipstick		2 . . .				
			Urine Red Blood Cells/HPF		5 . . .				
			Urine White Blood Cells/HPF		4 . . .				
			Urine Bacteria		4 . . .				
			Urine Protein - Dipstick	NEG	. . .				
			Urine Squamous Epithelial Cells		4 . . .				
	3100.ZZ2	71	Urine Glucose - Dipstick	NEG	. . .				
			Urine Blood - Dipstick		6 . . .				
			Urine Red Blood Cells/HPF		5 . . .				
			Urine White Blood Cells/HPF		3 . . .				
			Urine Bacteria		3 . . .				
			Urine Protein - Dipstick	NEG	. . .				
			Urine Squamous Epithelial Cells		4 . . .				
	VISIT 11/CONTINUATION-WEEK 12	97 (23)	Hemoglobin	12.9 . . .				12 - 15.6	G/DL
			Hematocrit	37.9 . . .				35 - 46	%
			Red Blood Cell Count	4.3 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	10.4 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	73 H . . .				30 - 70	%
			Lymphocytes	20 L . . .				21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

366

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.010.00280

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS				1	2	3		
13	F VISIT 11/CONTINUATION-WEEK 12	97	(23)	Monocytes	3.8	.	.	.	0 - 10	%
				Eosinophils	3	.	.	.	0 - 5	%
				Basophils	0.9	.	.	.	0 - 2	%
				Platelets	298000	.	.	.	130000 - 400000	PER CUMM
				Mean Corpuscle Hemoglobin	30	.	.	.	25 - 35	PG
				Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
				Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
				Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
				Uric Acid	4	.	.	.	2.3 - 7	MG/DL
				Alkaline Phosphatase	109	.	.	.	44 - 280	U/L
				Aspartate	9	.	.	.	0 - 41	U/L
				Aminotransferase						
				Alanine Aminotransferase	8	.	.	.	0 - 48	U/L
				Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	6.8	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	76	.	.	.	70 - 115	MG/DL
				Globulin	2.7	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	2	.	.	.		
				Urine Red Blood Cells/HPF	5	.	.	.		
				Urine White Blood Cells/HPF	5	.	.	+		
				Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.011.00283

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	44	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.7	. . .	30 - 70	%
		Lymphocytes	24.9	. . .	21 - 51	%
		Monocytes	5.4	. . .	0 - 10	%
		Eosinophils	3.9	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	228000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	150	. . .	22 - 180	U/L
		Aspartate	34	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.9	H . .	6.2 - 8.8	G/DL
		Albumin	5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	19	L . .	70 - 115	MG/DL
		Globulin	3.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

368

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.011.00283

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 2/ELIGIBILITY	-1	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.6	. . .	13.8 - 17.2	G/DL
		Hematocrit	44	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	72.6	H . .	30 - 70	%
		Lymphocytes	17.9	L . .	21 - 51	%
		Monocytes	4.2	. . .	0 - 10	%
		Eosinophils	5.1	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	264000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	127	. . .	22 - 180	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	19	L . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

369

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.011.00283

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.011.00288

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 2/ELIGIBILITY	-7	Hemoglobin	13.9 . . .		13.8 - 17.2	G/DL
		Hematocrit	42.2 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.7 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.1 . . .		30 - 70	%
		Lymphocytes	37.4 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	0.6 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	240000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	230 . . .		44 - 400	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	67 L . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	2 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

371

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.011.00288

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 2/ELIGIBILITY	-7	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00025

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.2 . . .		12 - 15.6	G/DL
		Hematocrit	36.1 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.9 . . .		30 - 70	%
		Lymphocytes	34.7 . . .		21 - 51	%
		Monocytes	9.4 . . .		0 - 10	%
		Eosinophils	3.5 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	287000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	97 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	71 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

373

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00025

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	37.2	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.3	. . .	30 - 70	%
		Lymphocytes	40.3	. . .	21 - 51	%
		Monocytes	12	H . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	279000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	106	. . .	44 - 280	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	66	L . .	70 - 115	MG/DL
		Globulin	2.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

374

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00025

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick		6	.	.	.	
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		3	.	.	.	
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 10/UNSCHEDULED LAB 1	65	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00220

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	15.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.8	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8	. . .	30 - 70	%
		Lymphocytes	31.5	. . .	21 - 51	%
		Monocytes	8.2	. . .	0 - 10	%
		Eosinophils	5.3	H . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	194000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.9	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	168	. . .	44 - 400	U/L
		Aspartate	26	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	30	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	112	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

376

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00220

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-13	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	14.4	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.1	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.7	. . .	30 - 70	%
		Lymphocytes	36.3	. . .	21 - 51	%
		Monocytes	8.2	. . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	236000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	159	. . .	44 - 400	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	134	H . . .	70 - 115	MG/DL
		Globulin	2.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

377

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00220

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	61	Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 11/CONTINUATION-WEEK 12	89	Blood Urea Nitrogen		9 . . .	7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.9 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	151 . . .		44 - 400	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	27 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
VISIT 13/CONTINUATION-WEEK 20	145	Hemoglobin	16.2 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.4 . . .		41 - 50	%
		Red Blood Cell Count	5.4 H . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	39.4 . . .		30 - 70	%
		Lymphocytes	44.4 . . .		21 - 51	%
		Monocytes	9.5 . . .		0 - 10	%
		Eosinophils	5.8 H . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	216000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	135 . . .		44 - 400	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

378

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00220

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 13/CONTINUATION-WEEK 20	145	Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.2 . . .		6.2 - 8.8	G/DL
			Albumin	4.3 . . .		3.1 - 5.3	G/DL
			Glucose - Random	110 . . .		70 - 115	MG/DL
			Globulin	2.9 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3 . . .			
			Urine Bacteria	4 . . .			
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4 . . .			
	VISIT 14/CONTINUATION-WEEK 24	173 (15)	Hemoglobin	15.1 . . .		13.8 - 17.2	G/DL
			Hematocrit	44.5 . . .		41 - 50	%
			Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	40.1 . . .		30 - 70	%
			Lymphocytes	42.4 . . .		21 - 51	%
			Monocytes	6.7 . . .		0 - 10	%
			Eosinophils	9.1 H . . .		0 - 5	%
			Basophils	1.8 . . .		0 - 2	%
			Platelets	202000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
			Mean Corpuscle Volume	87 . . .		80 - 100	FL
			Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
			Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
			Uric Acid	4.5 . . .		4 - 8	MG/DL
			Alkaline Phosphatase	123 . . .		44 - 400	U/L
			Aspartate	19 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	23 . . .		0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

379

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00220

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS				1	2	3		
15 M	VISIT 14/CONTINUATION-WEEK 24	173	(15)	Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
				Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	99	.	.	.	70 - 115	MG/DL
				Globulin	3	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00222

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.2 . . .				12 - 15.6	G/DL
			Hematocrit	39.6 . . .				35 - 46	%
			Red Blood Cell Count	4.5 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.5 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.6 . . .				30 - 70	%
			Lymphocytes	27.1 . . .				21 - 51	%
			Monocytes	6.5 . . .				0 - 10	%
			Eosinophils	6.2 H . . .				0 - 5	%
			Basophils	0.6 . . .				0 - 2	%
			Platelets	296000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.5 . . .				25 - 35	PG
			Mean Corpuscle Volume	88 . . .				80 - 100	FL
			Blood Urea Nitrogen	7 . . .				7 - 25	MG/DL
			Creatinine	1.5 . . .				0.8 - 1.5	MG/DL
			Uric Acid	3.8 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	63 . . .				44 - 280	U/L
			Aspartate	13 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	8 . . .				0 - 48	U/L
			Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.5 . . .				6.2 - 8.8	G/DL
			Albumin	4 . . .				3.1 - 5.3	G/DL
			Glucose - Random	87 . . .				70 - 115	MG/DL
			Globulin	3.5 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG . . .					
			Urine Blood - Dipstick	6 . . .					
			Urine Red Blood Cells/HPF	5 . . .					
			Urine White Blood Cells/HPF	NEG . . .					
			Urine Bacteria	3 . . .					
			Urine Protein - Dipstick	NEG . . .					
			Urine Squamous Epithelial Cells	4 . . .					
			Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

381

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00222

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 1/SCREENING (WEEK -1)	-10	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	1	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	64	Segmented Neutrophils	72	H	.	.	30 - 70	%
			Lymphocytes	21	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	2	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	54	.	.	.	44 - 280	U/L
			Aspartate Aminotransferase	17	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	70	.	.	.	70 - 115	MG/DL
			Globulin	3.8	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

382

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00222

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 10/ACUTE PHASE-WEEK 8	64	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick		2 . . .		
			Urine Red Blood Cells/HPF		5 . . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		4 . . .		
			Serum BHCG pregnancy test	NEGATIVE	. . .		
	VISIT 10/UNSCHEDULED LAB 1	76	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
			Hematocrit	36.9	. . .	35 - 46	%
			Red Blood Cell Count	4	L . . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	48	. . .	30 - 70	%
			Lymphocytes	37	. . .	21 - 51	%
			Monocytes	5	. . .	0 - 10	%
			Eosinophils	9	H . . .	0 - 5	%
			Basophils	1	. . .	0 - 2	%
			Platelets	274000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
			Mean Corpuscle Volume	91	. . .	80 - 100	FL
			Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

383

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00222

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 11/CONTINUATION-WEEK 12	92 (6)	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
			Hematocrit	38.2	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.6	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	54.6	. . .	30 - 70	%
			Lymphocytes	34.6	. . .	21 - 51	%
			Monocytes	5.2	. . .	0 - 10	%
			Eosinophils	4.4	. . .	0 - 5	%
			Basophils	1.1	. . .	0 - 2	%
			Platelets	365000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	89	. . .	80 - 100	FL
			Blood Urea Nitrogen	6	L . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	64	. . .	44 - 280	U/L
			Aspartate	17	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.7	. . .	6.2 - 8.8	G/DL
			Albumin	4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	83	. . .	70 - 115	MG/DL
			Globulin	3.7	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

384

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00226

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.2 . . .		13.8 - 17.2	G/DL
		Hematocrit	44.2 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.1 . . .		30 - 70	%
		Lymphocytes	34.8 . . .		21 - 51	%
		Monocytes	8.2 . . .		0 - 10	%
		Eosinophils	5.1 H . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	203000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	136 . . .		44 - 400	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	101 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

385

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00226

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00228

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 1/SCREENING (WEEK -1)	-15	Hemoglobin	12.8 . . .				12 - 15.6	G/DL
		Hematocrit	37.2 . . .				35 - 46	%
		Red Blood Cell Count	4.2 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.5 . . .				30 - 70	%
		Lymphocytes	27.3 . . .				21 - 51	%
		Monocytes	6.9 . . .				0 - 10	%
		Eosinophils	5.1 H . . .				0 - 5	%
		Basophils	0.2 . . .				0 - 2	%
		Platelets	260000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .				25 - 35	PG
		Mean Corpuscle Volume	89 . . .				80 - 100	FL
		Blood Urea Nitrogen	14 . . .				7 - 25	MG/DL
		Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	67 . . .				44 - 280	U/L
		Aspartate	13 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	5 . . .				0 - 48	U/L
		Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .				6.2 - 8.8	G/DL
		Albumin	4.3 . . .				3.1 - 5.3	G/DL
		Glucose - Random	88 . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	3 . . .					
		Serum BHCG pregnancy test	NEGATIVE . . .					
		Urine Amphetamines	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

387

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00228

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
15	F VISIT 1/SCREENING (WEEK -1)	-15	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00231

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	15 . . .		12 - 15.6	G/DL
		Hematocrit	45.1 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.7 . . .		30 - 70	%
		Lymphocytes	35.4 . . .		21 - 51	%
		Monocytes	4.5 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	243000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	98 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	65 . . .		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 2/ELIGIBILITY	1	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

389

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00231

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	42.3 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49 . . .		30 - 70	%
		Lymphocytes	41.5 . . .		21 - 51	%
		Monocytes	7.2 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	211000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	98 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	52 . . .		22 - 130	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	79 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

390

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00231

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	62	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 13/CONTINUATION-WEEK 20	152	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
		Hematocrit	44.5	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.9	. . .	30 - 70	%
		Lymphocytes	29.9	. . .	21 - 51	%
		Monocytes	4.3	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	223000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31	. . .	25 - 35	PG
		Mean Corpuscle Volume	100	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	54	. . .	22 - 130	U/L
		Aspartate Aminotransferase	17	. . .	0 - 41	U/L
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	116	H . . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 17/DOWN TITRATION	166 (1)	Hemoglobin	14.2	. . .	12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

391

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PAROXETINE PID: 329.012.00231

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 17/DOWN TITRATION	166 (1)	Hematocrit	43.5 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63 . . .		30 - 70	%
		Lymphocytes	29.1 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	232000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	98 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	49 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	3.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

392

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00061

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	41.2 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	47 . . .		30 - 70	%
		Lymphocytes	37.2 . . .		21 - 51	%
		Monocytes	9.8 . . .		0 - 10	%
		Eosinophils	5.7 H . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	240000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	90 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	73 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

393

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00061

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 1/SCREENING (WEEK -1)	-10	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00066

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	41.6 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	39 . . .		30 - 70	%
		Lymphocytes	48.2 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	6.1 H . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	311000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	52 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

395

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00066

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 1/SCREENING (WEEK -1)	-8	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00067

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.9	L . .	13.8 - 17.2	G/DL
		Hematocrit	36.7	L . -	41 - 50	%
		Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.9	. . .	30 - 70	%
		Lymphocytes	38.2	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	190000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	229	. . .	44 - 400	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	76	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Protein - Dipstick	6	. . +		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

397

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00067

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00070

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	12.2	L . .	13.8 - 17.2	G/DL
		Hematocrit	35.5	L . -	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.3	. . .	30 - 70	%
		Lymphocytes	48.2	. . .	21 - 51	%
		Monocytes	4.1	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	1.3	. . .	0 - 2	%
		Platelets	331000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	81	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.3	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	245	. . .	44 - 400	U/L
		Aspartate	25	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	5.7 - 8.2	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	60 - 110	MG/DL
		Globulin	3.1	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

399

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00070

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
12 M	VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

400

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00122

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.3 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.1 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.8 . . .		30 - 70	%
		Lymphocytes	43.2 . . .		21 - 51	%
		Monocytes	8		0 - 10	%
		Eosinophils	4.4 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	188000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	89		80 - 100	FL
		Blood Urea Nitrogen	12		7 - 25	MG/DL
		Creatinine	1.1		0.8 - 1.5	MG/DL
		Uric Acid	3.7 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	106		44 - 400	U/L
		Aspartate	23		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16		0 - 48	U/L
		Total Bilirubin	1.6 H . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7		6.2 - 8.8	G/DL
		Albumin	4.9		3.1 - 5.3	G/DL
		Glucose - Random	79		70 - 115	MG/DL
		Globulin	2.8		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG		
		Urine Blood - Dipstick	NEG		
		Urine Red Blood Cells/HPF	NEG		
		Urine White Blood Cells/HPF	NEG		
		Urine Protein - Dipstick	NEG		
		Urine Squamous Epithelial Cells	3			
		Urine Amphetamines	NEG		
		Urine Barbiturates	NEG		
		Urine Benzodiazepines	NEG		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

401

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00122

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.6 L	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	40.1 L	.	.	.	41 - 50	%
		Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.8	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.4	.	.	.	30 - 70	%
		Lymphocytes	46.8	.	.	.	21 - 51	%
		Monocytes	6.6	.	.	.	0 - 10	%
		Eosinophils	4	.	.	.	0 - 5	%
		Basophils	0.2	.	.	.	0 - 2	%
		Platelets	207000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	16	.	.	.	7 - 25	MG/DL
		Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.4 L	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	106	.	.	.	44 - 400	U/L
		Aspartate	22	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	19	.	.	.	0 - 48	U/L
		Total Bilirubin	1	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	87	.	.	.	70 - 115	MG/DL
		Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

402

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00122

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	13.4	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	40.5	L	.	.	41 - 50	%
		Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.3	L	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49	.	.	.	30 - 70	%
		Lymphocytes	45	.	.	.	21 - 51	%
		Monocytes	3	.	.	.	0 - 10	%
		Eosinophils	0	.	.	.	0 - 5	%
		Basophils	0	.	.	.	0 - 2	%
		Platelets	200000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	3.2	L	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	104	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	19	.	.	.	0 - 48	U/L
		Total Bilirubin	0.1	L	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	95	.	.	.	70 - 115	MG/DL
		Globulin	3	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

403

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.001.00122

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 13/CONTINUATION-WEEK 20	141	Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.	.	

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00050

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	14.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.7 L . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.4 . . .		30 - 70	%
		Lymphocytes	25.3 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	3.4 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	275000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	80 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	186 H . .		22 - 180	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	46 L . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

405

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00050

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 1/SCREENING (WEEK -1)	-13	Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 1/UNSCHEDULED LAB 1	-6	Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.6	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	203	H . .	22 - 180	U/L
			Aspartate	16	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	8	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	8	. . .	6.2 - 8.8	G/DL
			Albumin	4.7	. . .	3.1 - 5.3	G/DL
			Glucose - Random	80	. . .	70 - 115	MG/DL
			Globulin	3.3	. . .	2.3 - 4.1	G/DL
	VISIT 6/ACUTE PHASE-WEEK 4	37 (2)	Hemoglobin	13.4	L . .	13.8 - 17.2	G/DL
			Hematocrit	39	L . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.8	. . .	30 - 70	%
			Lymphocytes	35.3	. . .	21 - 51	%
			Monocytes	5.9	. . .	0 - 10	%
			Eosinophils	2	. . .	0 - 5	%
			Basophils	0	. . .	0 - 2	%
			Platelets	244000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	80	. . .	80 - 100	FL
			Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4	. . .	4 - 8	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

406

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00050

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 6/ACUTE PHASE-WEEK 4	37 (2)	Alkaline Phosphatase	199	H	.	.	22 - 180	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	41	L	.	.	70 - 115	MG/DL
		Globulin	2.9	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00056

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	11.8	L . .	12 - 15.6	G/DL
		Hematocrit	35.5	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	10.5	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	62	. . .	40 - 75	%
		Lymphocytes	27.9	. . .	16 - 46	%
		Monocytes	7.2	. . .	0 - 12	%
		Eosinophils	2.2	. . .	0 - 7	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	406000	H . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	25.6	L . .	27 - 33	PG
		Mean Corpuscle Volume	77	L . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	41	. . .	22 - 130	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	77	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

408

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00056

S		RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
AGE	X OBSERVATION				1	2	3		
18	F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-28	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	41.7 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.4 . . .		30 - 70	%
		Lymphocytes	28.8 . . .		21 - 51	%
		Monocytes	6.3 . . .		0 - 10	%
		Eosinophils	5.2 H . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	321000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	85 . . .		44 - 280	U/L
		Aspartate	11 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

410

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 1/SCREENING (WEEK -1)	-28	Urine Cannabinoids	POS	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 1/UNSCHEDULED LAB 1	-21	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	1010.ZZ2	-14	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

411

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 8/ACUTE PHASE-WEEK 6	48	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15	.	.	.	12 - 15.6	G/DL
			Hematocrit	44.4	.	.	.	35 - 46	%
			Red Blood Cell Count	4.9	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	12.9	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	63.8	.	.	.	30 - 70	%
			Lymphocytes	23.6	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	5.4	H	.	.	0 - 5	%
			Basophils	0.2	.	.	.	0 - 2	%
			Platelets	347000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

412

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 10/ACUTE PHASE-WEEK 8	57	Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	100 . . .				44 - 280	U/L
		Aspartate	28 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	28 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	9 H . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	90 . . .				70 - 115	MG/DL
		Globulin	4.4 H . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	POS					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					
		Urine Opiates	NEG					
		Urine Phencyclidine	NEG					
		Urine Propoxyphene	NEG					
VISIT 11/CONTINUATION-WEEK 12	85	Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

413

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 11/CONTINUATION-WEEK 12	85	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 12/CONTINUATION-WEEK 16	113	Hemoglobin	13.6	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	10.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.2	.	.	.	30 - 70	%
			Lymphocytes	29.2	.	.	.	21 - 51	%
			Monocytes	4.6	.	.	.	0 - 10	%
			Eosinophils	3.7	.	.	.	0 - 5	%
			Basophils	0.4	.	.	.	0 - 2	%
			Platelets	375000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	76	.	.	.	44 - 280	U/L
			Aspartate	38	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	75	H	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	80	.	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

414

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00057

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 12/CONTINUATION-WEEK 16	113	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		4	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00098

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	40.3 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.9 . . .		30 - 70	%
		Lymphocytes	27.9 . . .		21 - 51	%
		Monocytes	4.1 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	281000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	55 . . .		22 - 130	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	25 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

416

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00098

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.2 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.2 . . .		30 - 70	%
		Lymphocytes	23.8 . . .		21 - 51	%
		Monocytes	5.8 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	237000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		22 - 130	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	27 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	72 . . .		70 - 115	MG/DL
		Globulin	2.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

417

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00098

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
16	F VISIT 10/ACUTE PHASE-WEEK 8	59	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00100

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	16.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	49.1 . . .		41 - 50	%
		Red Blood Cell Count	5.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.5 . . .		30 - 70	%
		Lymphocytes	23.3 . . .		21 - 51	%
		Monocytes	8.6		0 - 10	%
		Eosinophils	3.2		0 - 5	%
		Basophils	0.4		0 - 2	%
		Platelets	156000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2		25 - 35	PG
		Mean Corpuscle Volume	92		80 - 100	FL
		Blood Urea Nitrogen	16		7 - 25	MG/DL
		Creatinine	1.1		0.8 - 1.5	MG/DL
		Uric Acid	3.9 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	115		44 - 400	U/L
		Aspartate	16		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13		0 - 48	U/L
		Total Bilirubin	0.6		0.3 - 1.3	MG/DL
		Total Protein	7.4		6.2 - 8.8	G/DL
		Albumin	4.8		3.1 - 5.3	G/DL
		Glucose - Random	76		70 - 115	MG/DL
		Globulin	2.6		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG		
		Urine Blood - Dipstick	NEG		
		Urine Red Blood Cells/HPF	NEG		
		Urine White Blood Cells/HPF	NEG		
		Urine Protein - Dipstick	NEG		
		Urine Amphetamines	NEG		
		Urine Barbiturates	NEG		
		Urine Benzodiazepines	NEG		
		Urine Cannabinoids	NEG		
		Urine Cocaine	NEG		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00100

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-12	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	16.2	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	48.7	.	.	.	41 - 50	%
		Red Blood Cell Count	5.3	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.1	.	.	.	30 - 70	%
		Lymphocytes	23.9	.	.	.	21 - 51	%
		Monocytes	8.9	.	.	.	0 - 10	%
		Eosinophils	3.8	.	.	.	0 - 5	%
		Basophils	0.3	.	.	.	0 - 2	%
		Platelets	175000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	5	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	120	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	18	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	91	.	.	.	70 - 115	MG/DL
		Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

420

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00100

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 10/ACUTE PHASE-WEEK 8	59	Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00103

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	12.7 . . .		12 - 15.6	G/DL
		Hematocrit	35.9 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.6 . . .		30 - 70	%
		Lymphocytes	22.2 . . .		21 - 51	%
		Monocytes	8.1 . . .		0 - 10	%
		Eosinophils	2.3 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	319000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	106 . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	77 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	6 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

422

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00103

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-9	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	37.4	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	82	H . .	30 - 70	%
		Lymphocytes	15	L . .	21 - 51	%
		Monocytes	3	. . .	0 - 10	%
		Eosinophils	0	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	331000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	93	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	110	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

423

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00103

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00104

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14.5 . . .		13.8 - 17.2	G/DL
		Hematocrit	42.8 . . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.3 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58 . . .		30 - 70	%
		Lymphocytes	29.4 . . .		21 - 51	%
		Monocytes	9.4 . . .		0 - 10	%
		Eosinophils	2.7 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	329000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	401 H . . +		44 - 400	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	101 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

425

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00104

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.7	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.3	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.6	. . .	30 - 70	%
		Lymphocytes	35.1	. . .	21 - 51	%
		Monocytes	9.7	. . .	0 - 10	%
		Eosinophils	2.6	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	302000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	348	. . .	44 - 400	U/L
		Aspartate	24	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	71	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
VISIT 13/CONTINUATION-WEEK 20	153	Hemoglobin	14	. . .	13.8 - 17.2	G/DL
		Hematocrit	40.6	L . .	41 - 50	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

426

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00104

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 13/CONTINUATION-WEEK 20	153	White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.5 . . .		30 - 70	%
		Lymphocytes	29.7 . . .		21 - 51	%
		Monocytes	8.6 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	334000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	272 . . .		44 - 400	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	104 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 16/CONTINUATION-WEEK 32	244	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.3 . . .		41 - 50	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	15.1 H . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	82.2 H . . .		30 - 70	%
		Lymphocytes	10.8 L . . .		21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

427

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00104

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 16/CONTINUATION-WEEK 32	244	Monocytes	3.6	.	.	.	0 - 10	%
		Eosinophils	3	.	.	.	0 - 5	%
		Basophils	0.4	.	.	.	0 - 2	%
		Platelets	476000	H	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	15	.	.	.	7 - 25	MG/DL
		Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	4	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	153	.	.	.	44 - 400	U/L
		Aspartate	20	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	24	.	.	.	0 - 48	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	101	.	.	.	70 - 115	MG/DL
		Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	2	.	.	.		
		Urine Red Blood Cells/HPF	5	.	.	.		
		Urine White Blood Cells/HPF	5	.	.	+		
		Urine Bacteria	4	.	.	.		
		Urine Protein - Dipstick	6	.	.	.		
		Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

428

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00243

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-16	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
		Hematocrit	39.3	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.5	. . .	30 - 70	%
		Lymphocytes	36.1	. . .	21 - 51	%
		Monocytes	4.4	. . .	0 - 10	%
		Eosinophils	3.2	. . .	0 - 5	%
		Basophils	1.7	. . .	0 - 2	%
		Platelets	161000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . . .	0.8 - 1.5	MG/DL
		Uric Acid	3.1	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	79	. . .	44 - 280	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

429

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00243

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 1/SCREENING (WEEK -1)	-16	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00244

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
		Hematocrit	41.2	. . .	35 - 46	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.2	. . .	30 - 70	%
		Lymphocytes	32.8	. . .	21 - 51	%
		Monocytes	6.7	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	1.2	. . .	0 - 2	%
		Platelets	268000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.2	L . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	71	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

431

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00244

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
		Hematocrit	40.9	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65	. . .	30 - 70	%
		Lymphocytes	26.8	. . .	21 - 51	%
		Monocytes	5.4	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	292000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	1.8	L . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	70	. . .	22 - 130	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

432

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00244

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00321

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.8 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.6 . . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.2 . . .		30 - 70	%
		Lymphocytes	39.6 . . .		21 - 51	%
		Monocytes	8.1 . . .		0 - 10	%
		Eosinophils	4.1 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	249000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	100 . . .		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	1.2 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

434

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00321

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00322

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-3	Hemoglobin	14.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.9 . . .		41 - 50	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.4 . . .		30 - 70	%
		Lymphocytes	36.7 . . .		21 - 51	%
		Monocytes	9.2 . . .		0 - 10	%
		Eosinophils	1.7 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	225000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	294 . . .		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	95 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

436

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.002.00322

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 1/SCREENING (WEEK -1)	-3	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00073

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	12.4 . . .		12 - 15.6	G/DL
		Hematocrit	36.7 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.2 . . .		30 - 70	%
		Lymphocytes	31.6 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	303000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	58 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	88 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

438

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00073

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16	F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00076

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.9 . . .		12 - 15.6	G/DL
		Hematocrit	43.5 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.9 . . .		30 - 70	%
		Lymphocytes	31.4 . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	317000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	94 . . .		22 - 130	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	3.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

440

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00076

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	14.9	. . .	12 - 15.6	G/DL
		Hematocrit	44	. . .	35 - 46	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54	. . .	30 - 70	%
		Lymphocytes	37.2	. . .	21 - 51	%
		Monocytes	7.4	. . .	0 - 10	%
		Eosinophils	0.5	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	309000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.4	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	93	. . .	22 - 130	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	26	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

441

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00076

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 13/CONTINUATION-WEEK 20	149	Hemoglobin	15.5	. . .	12 - 15.6	G/DL
		Hematocrit	44.1	. . .	35 - 46	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.7	. . .	30 - 70	%
		Lymphocytes	38	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	286000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	93	. . .	22 - 130	U/L
		Aspartate Aminotransferase	38	. . .	0 - 41	U/L
		Alanine Aminotransferase	51	H . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	19	L . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

442

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00076

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	149	Urine Bacteria	4 . . .			
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4 . . .			
	VISIT 16/CONTINUATION-WEEK 32	254 (14)	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
			Hematocrit	42.1 . . .		35 - 46	%
			Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
			Segmented Neutrophils	54.5 . . .		30 - 70	%
			Lymphocytes	37.3 . . .		21 - 51	%
			Monocytes	6 . . .		0 - 10	%
			Eosinophils	1.8 . . .		0 - 5	%
			Basophils	0.4 . . .		0 - 2	%
			Platelets	300000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.4 . . .		25 - 35	PG
			Mean Corpuscle Volume	94 . . .		80 - 100	FL
			Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
			Creatinine	1 . . .		0.8 - 1.5	MG/DL
			Uric Acid	4.2 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	97 . . .		22 - 130	U/L
			Aspartate	27 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	67 H . .		0 - 48	U/L
			Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.2 . . .		6.2 - 8.8	G/DL
			Albumin	4.2 . . .		3.1 - 5.3	G/DL
			Glucose - Random	119 H . .		70 - 115	MG/DL
			Globulin	3 . . .		2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	6 . . .			
			Urine Red Blood Cells/HPF	5 . . .			
			Urine White Blood Cells/HPF	3 . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

443

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00076

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS				1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	254	(14)	Urine Bacteria	4	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00079

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12 . . .		12 - 15.6	G/DL
		Hematocrit	35.4 . . .		35 - 46	%
		Red Blood Cell Count	4 L . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	38.2 . . .		30 - 70	%
		Lymphocytes	49 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	4.5 . . .		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	279000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	78 . . .		44 - 280	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	76 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

445

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00079

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00082

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	41 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.3 . . .		30 - 70	%
		Lymphocytes	31.2 . . .		21 - 51	%
		Monocytes	7.6 . . .		0 - 10	%
		Eosinophils	10.5 H . +		0 - 5	%
		Basophils	1.3 . . .		0 - 2	%
		Platelets	191000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	94 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.2 L . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	59 . . .		22 - 130	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	78 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	2 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	3 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

447

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00082

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 F VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00088

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-22	Hemoglobin	14.7 . . .		12 - 15.6	G/DL
		Hematocrit	42.3 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	58.5 . . .		30 - 70	%
		Lymphocytes	29.2 . . .		21 - 51	%
		Monocytes	11.2 H . . .		0 - 10	%
		Eosinophils	0.4 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	45000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	106 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	91 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	5 . . .	+		
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

449

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00088

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-22	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	14.1	. . .	12 - 15.6	G/DL
		Hematocrit	40.6	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8	. . .	30 - 70	%
		Lymphocytes	32.6	. . .	21 - 51	%
		Monocytes	10	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	202000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL

450

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00090

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.5 . . .		12 - 15.6	G/DL
		Hematocrit	37.1 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.9 . . .		30 - 70	%
		Lymphocytes	42.3 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	1.8 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	275000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	128 . . .		44 - 280	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

451

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00090

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	64	Segmented Neutrophils	45	.	.	.	30 - 70	%
			Lymphocytes	40	.	.	.	21 - 51	%
			Monocytes	8	.	.	.	0 - 10	%
			Eosinophils	2	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	131	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	20	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	86	.	.	.	70 - 115	MG/DL
			Globulin	3	.	.	.	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

452

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00090

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 10/UNSCHEDULED LAB 1	78 (9)	Hemoglobin	13.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.1	.	.	.	35 - 46	%
			Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.9	.	.	.	30 - 70	%
			Lymphocytes	39.7	.	.	.	21 - 51	%
			Monocytes	6	.	.	.	0 - 10	%
			Eosinophils	0.8	.	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	310000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.4	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

453

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00092

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-20	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	39.3 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.2 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.3 . . .		30 - 70	%
		Lymphocytes	46.2 . . .		21 - 51	%
		Monocytes	8		0 - 10	%
		Eosinophils	1.1 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	192000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	83		80 - 100	FL
		Blood Urea Nitrogen	15		8 - 21	MG/DL
		Creatinine	0.8		0.4 - 1.1	MG/DL
		Uric Acid	4		2.3 - 7	MG/DL
		Alkaline Phosphatase	320 H . . .		44 - 280	U/L
		Aspartate	28		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14		0 - 39	U/L
		Total Bilirubin	0.8		0.3 - 1.3	MG/DL
		Total Protein	7.2		5.7 - 8.2	G/DL
		Albumin	4.4		3.1 - 5.3	G/DL
		Glucose - Random	90		60 - 110	MG/DL
		Globulin	2.8		2.1 - 3.8	G/DL
		Serum BHCG pregnancy test	NEGATIVE		
VISIT 1/UNSCHEDULED LAB 1	-5	Urine Glucose - Dipstick	NEG		
		Urine Blood - Dipstick	NEG		
		Urine Red Blood Cells/HPF	NEG		
		Urine White Blood Cells/HPF	NEG		
		Urine Protein - Dipstick	NEG		
		Urine Squamous Epithelial Cells		3		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

454

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00092

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/UNSCHEDULED LAB 1	-5	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	65	Neutrophil Bands	0 L	.	.	.	4 - 12	%
			Segmented Neutrophils	40	.	.	.	30 - 70	%
			Lymphocytes	52 H	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	1	.	.	.	0 - 5	%
			Blood Urea Nitrogen	11	.	.	.	8 - 21	MG/DL
			Creatinine	0.9	.	.	.	0.4 - 1.1	MG/DL
			Uric Acid	3.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	245	.	.	.	44 - 280	U/L
			Aspartate	31	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	15	.	.	.	0 - 39	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	5.7 - 8.2	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	101	.	.	.	60 - 110	MG/DL
			Globulin	3	.	.	.	2.1 - 3.8	G/DL
	VISIT 13/CONTINUATION-WEEK 20	147	Hemoglobin	14	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.6	.	.	.	35 - 46	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.4	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	48.7	.	.	.	30 - 70	%
			Lymphocytes	42.4	.	.	.	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

455

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00092

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 13/CONTINUATION-WEEK 20	147	Monocytes	6.7	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	193000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	223	. . .	44 - 280	U/L
		Aspartate	31	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	5.7 - 8.2	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	60	. . .	60 - 110	MG/DL
		Globulin	3.6	. . .	2.1 - 3.8	G/DL
VISIT 16/CONTINUATION-WEEK 32	245	Hemoglobin	15	. . .	12 - 15.6	G/DL
		Hematocrit	43.9	. . .	35 - 46	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50	. . .	30 - 70	%
		Lymphocytes	40	. . .	21 - 51	%
		Monocytes	10	. . .	0 - 10	%
		Eosinophils	0	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	7000	L . -	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

456

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00092

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 16/CONTINUATION-WEEK 32	245	Alkaline Phosphatase	225	.	.	.	44 - 280	U/L
			Aspartate	26	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	17	.	.	.	0 - 39	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	5.7 - 8.2	G/DL
			Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	99	.	.	.	60 - 110	MG/DL
			Globulin	2.8	.	.	.	2.1 - 3.8	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 16/UNSCHEDULED LAB 1	259	Hemoglobin	14.3	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.2	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.3	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	65	.	.	.	30 - 70	%
			Lymphocytes	27.6	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	1.7	.	.	.	0 - 5	%
			Basophils	0.7	.	.	.	0 - 2	%
			Platelets	187000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	84	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

457

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00093

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-14	Segmented Neutrophils	63 . . .		30 - 70	%
		Lymphocytes	27 . . .		21 - 51	%
		Monocytes	4 . . .		0 - 10	%
		Eosinophils	5 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	80 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	74 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 1/UNSCHEDULED LAB 1	-8	Hemoglobin	14.3 . . .		12 - 15.6	G/DL
		Hematocrit	42.2 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.5 . . .		30 - 70	%
		Lymphocytes	36.2 . . .		21 - 51	%
		Monocytes	4.7 . . .		0 - 10	%
		Eosinophils	6.2 H . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	361000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

458

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00093

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 1/UNSCHEDULED LAB 1	-8	Urine White Blood Cells/HPF	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	63	Segmented Neutrophils	57	.	.	.	30 - 70	%
			Lymphocytes	30	.	.	.	21 - 51	%
			Monocytes	4	.	.	.	0 - 10	%
			Eosinophils	9 H	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.5	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	108	.	.	.	22 - 130	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	77	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

459

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00093

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	63	Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
	VISIT 10/UNSCHEDULED LAB 1	72	Hemoglobin	13.1	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.7	.	.	.	35 - 46	%
			Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.2	.	.	.	4.5 - 13	THOU/MCL
			Platelets	344000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	98	.	.	.	80 - 100	FL
	VISIT 11/CONTINUATION-WEEK 12	105 (25)	Hemoglobin	14.2	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.4	.	.	.	35 - 46	%
			Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.3	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.6	.	.	.	30 - 70	%
			Lymphocytes	29.7	.	.	.	21 - 51	%
			Monocytes	5	.	.	.	0 - 10	%
			Eosinophils	5.3	H	.	.	0 - 5	%
			Basophils	0.4	.	.	.	0 - 2	%
			Platelets	370000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.1	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	109	.	.	.	22 - 130	U/L
			Aspartate	14	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.5	.	.	.	3.1 - 5.3	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

460

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00093

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
17	F VISIT 11/CONTINUATION-WEEK 12	105 (25)	Glucose - Random	102	. . .	70 - 115	MG/DL
			Globulin	3.7	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick		6 . . .		
			Urine Red Blood Cells/HPF		5 . . +		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick		2 . . .		
			Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00247

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	15.3 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.8 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.2 . . .		30 - 70	%
		Lymphocytes	27.3 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	6 H . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	231000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	139 . . .		22 - 180	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.4 . . .		6.2 - 8.8	G/DL
		Albumin	5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		2 . . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

462

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00247

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-10	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	14.6	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.8	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59	. . .	30 - 70	%
		Lymphocytes	30.2	. . .	21 - 51	%
		Monocytes	5.8	. . .	0 - 10	%
		Eosinophils	4.2	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	238000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	117	. . .	22 - 180	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	102	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

463

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00247

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 10/ACUTE PHASE-WEEK 8	55	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00249

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	12.4 . . .		12 - 15.6	G/DL
		Hematocrit	36.8 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	50 . . .		30 - 70	%
		Lymphocytes	40 . . .		21 - 51	%
		Monocytes	9 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	320000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	87 . . .		22 - 130	U/L
		Aspartate	11 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

465

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00249

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	36.8	. . .	35 - 46	%
		Red Blood Cell Count	4 L	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.3	. . .	30 - 70	%
		Lymphocytes	37.5	. . .	21 - 51	%
		Monocytes	5.5	. . .	0 - 10	%
		Eosinophils	2.4	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	376000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	81	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

466

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00249

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	55	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00289

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-16	Hemoglobin	12.3 . . .		12 - 15.6	G/DL
		Hematocrit	35.3 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	72.9 H . .		30 - 70	%
		Lymphocytes	17.8 L . .		21 - 51	%
		Monocytes	2.6 . . .		0 - 10	%
		Eosinophils	5.4 H . .		0 - 5	%
		Basophils	1.3 . . .		0 - 2	%
		Platelets	281000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	60 . . .		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	6 . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

468

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00289

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-16	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	10.3 L . .		12 - 15.6	G/DL
		Hematocrit	30.4 L . -		35 - 46	%
		Red Blood Cell Count	3.4 L . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.4 . . .		30 - 70	%
		Lymphocytes	33.1 . . .		21 - 51	%
		Monocytes	6.5 . . .		0 - 10	%
		Eosinophils	5.2 H . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	268000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	1.6 L . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	51 . . .		22 - 130	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

469

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00289

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	143	Hemoglobin	12 . . .		12 - 15.6	G/DL
		Hematocrit	36 . . .		35 - 46	%
		Red Blood Cell Count	4 L . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	50 . . .		30 - 70	%
		Lymphocytes	40.6 . . .		21 - 51	%
		Monocytes	6.5 . . .		0 - 10	%
		Eosinophils	2.3 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	260000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	54 . . .		22 - 130	U/L
		Aspartate Aminotransferase	19 . . .		0 - 41	U/L
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

470

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00289

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	143	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	227	Hemoglobin	10.5	L	.	.	12 - 15.6	G/DL
			Hematocrit	30.5	L	.	-	35 - 46	%
			Red Blood Cell Count	3.4	L	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	57.4	.	.	.	30 - 70	%
			Lymphocytes	37.1	.	.	.	21 - 51	%
			Monocytes	3.2	.	.	.	0 - 10	%
			Eosinophils	2.2	.	.	.	0 - 5	%
			Basophils	0.1	.	.	.	0 - 2	%
			Platelets	225000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	19	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2	L	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	47	.	.	.	22 - 130	U/L
			Aspartate	22	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	84	.	.	.	70 - 115	MG/DL
			Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

471

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00289

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	227	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	2	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

472

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00290

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	15.3 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.4 . . .		41 - 50	%
		Red Blood Cell Count	5.6 H . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6		4.5 - 13	THOU/MCL
		Segmented Neutrophils	38.9 . . .		30 - 70	%
		Lymphocytes	44.3 . . .		21 - 51	%
		Monocytes	8.5 . . .		0 - 10	%
		Eosinophils	8.1 H . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	179000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	82		80 - 100	FL
		Blood Urea Nitrogen	10		7 - 25	MG/DL
		Creatinine	1.1		0.8 - 1.5	MG/DL
		Uric Acid	5		4 - 8	MG/DL
		Alkaline Phosphatase	68		22 - 180	U/L
		Aspartate	16		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17		0 - 48	U/L
		Total Bilirubin	0.9		0.3 - 1.3	MG/DL
		Total Protein	8.1		6.2 - 8.8	G/DL
		Albumin	4.8		3.1 - 5.3	G/DL
		Glucose - Random	97		70 - 115	MG/DL
		Globulin	3.3		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG			
		Urine Blood - Dipstick	NEG			
		Urine Red Blood Cells/HPF	NEG			
		Urine White Blood Cells/HPF	3			
		Urine Bacteria	3			
		Urine Protein - Dipstick	NEG			
		Urine Squamous Epithelial Cells	3			
		Urine Amphetamines	NEG			
		Urine Barbiturates	NEG			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

473

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00290

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 1/SCREENING (WEEK -1)	-5	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00314

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.8 . . .		12 - 15.6	G/DL
		Hematocrit	37.1 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.8 . . .		30 - 70	%
		Lymphocytes	23.2 . . .		21 - 51	%
		Monocytes	10.4 H . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	301000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	83 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	2.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		2 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		2 . . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

475

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00314

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 8/ACUTE PHASE-WEEK 6	50	Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		4	.	.		
		Urine Protein - Dipstick		6	.	.		
		Urine Squamous Epithelial Cells		4	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	63	Hemoglobin	13.1	.	.	.	12 - 15.6	G/DL
		Hematocrit	38.3	.	.	.	35 - 46	%
		Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.3	.	.	.	30 - 70	%
		Lymphocytes	21.1	.	.	.	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

476

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00314

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	63	Monocytes	11.7	H . .	0 - 10	%
		Eosinophils	1.5	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	283000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.7	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	87	. . .	22 - 130	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	102	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Protein - Dipstick		2 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

477

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00317

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.4 . . .		12 - 15.6	G/DL
		Hematocrit	34.6 L . .		35 - 46	%
		Red Blood Cell Count	3.8 L . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60 . . .		30 - 70	%
		Lymphocytes	24.3 . . .		21 - 51	%
		Monocytes	10 . . .		0 - 10	%
		Eosinophils	3.1 . . .		0 - 5	%
		Basophils	2.6 H . .		0 - 2	%
		Platelets	213000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	84 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	6 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	78 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

478

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00317

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	12.6	. . .	12 - 15.6	G/DL
		Hematocrit	36.3	. . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	66	. . .	30 - 70	%
		Lymphocytes	24.3	. . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	292000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	94	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	86	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

479

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.003.00317

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	55	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.3 . . .		41 - 50	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.5 . . .		30 - 70	%
		Lymphocytes	31.1 . . .		21 - 51	%
		Monocytes	5.3 . . .		0 - 10	%
		Eosinophils	3.9 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	161000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	118 . . .		22 - 180	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	91 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

481

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	60	Hemoglobin	15.4	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.6	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.3	. . .	30 - 70	%
		Lymphocytes	25.5	. . .	21 - 51	%
		Monocytes	7.6	. . .	0 - 10	%
		Eosinophils	5.5	H . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	212000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	96	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	103	. . .	22 - 180	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	111	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
VISIT 11/CONTINUATION-WEEK 12	85	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

482

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 11/CONTINUATION-WEEK 12	85	Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		3 . . .		
	VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	15.4	. . .	13.8 - 17.2	G/DL
			Hematocrit	45.1	. . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	57.1	. . .	30 - 70	%
			Lymphocytes	31.5	. . .	21 - 51	%
			Monocytes	8.3	. . .	0 - 10	%
			Eosinophils	2.5	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	172000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	92	. . .	80 - 100	FL
			Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.9	L . .	4 - 8	MG/DL
			Alkaline Phosphatase	106	. . .	22 - 180	U/L
			Aspartate	22	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	21	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.3	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	69	L . .	70 - 115	MG/DL
			Globulin	3	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

483

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 13/CONTINUATION-WEEK 20	141	Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	3	. . .		
	VISIT 14/CONTINUATION-WEEK 24	176	Hemoglobin	15.5	. . .	13.8 - 17.2	G/DL
			Hematocrit	44.4	. . .	41 - 50	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	53.1	. . .	30 - 70	%
			Lymphocytes	26.9	. . .	21 - 51	%
			Monocytes	10.1	H . .	0 - 10	%
			Eosinophils	9.8	H . .	0 - 5	%
			Basophils	0.1	. . .	0 - 2	%
			Platelets	177000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32.1	. . .	25 - 35	PG
			Mean Corpuscle Volume	92	. . .	80 - 100	FL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	3	. . .		
	VISIT 15/CONTINUATION-WEEK 28	204	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
			Hematocrit	45.1	. . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	60.9	. . .	30 - 70	%
			Lymphocytes	25.9	. . .	21 - 51	%
			Monocytes	10.4	H . .	0 - 10	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

484

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 15/CONTINUATION-WEEK 28	204	Eosinophils	2	. . .	0 - 5	%
			Basophils	0.9	. . .	0 - 2	%
			Platelets	226000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	91	. . .	80 - 100	FL
			Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 16/CONTINUATION-WEEK 32	235	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
			Hematocrit	45.3	. . .	41 - 50	%
			Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	53.7	. . .	30 - 70	%
			Lymphocytes	31.3	. . .	21 - 51	%
			Monocytes	12.1	H . . .	0 - 10	%
			Eosinophils	2.5	. . .	0 - 5	%
			Basophils	0.5	. . .	0 - 2	%
			Platelets	231000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	91	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	86	. . .	22 - 180	U/L
			Aspartate	21	. . .	0 - 41	U/L
			Aminotransferase				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

485

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00013

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 16/CONTINUATION-WEEK 32	235	Alanine Aminotransferase	19 . . .				0 - 48	U/L
		Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .				6.2 - 8.8	G/DL
		Albumin	4.4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	64 L . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	3 . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

486

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00014

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.3 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.3 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49 . . .		30 - 70	%
		Lymphocytes	34.4 . . .		21 - 51	%
		Monocytes	6.8 . . .		0 - 10	%
		Eosinophils	9 H . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	162000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	174 . . .		44 - 400	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	98 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

487

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00014

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	42	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.9	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.6	. . .	30 - 70	%
		Lymphocytes	36.4	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	8.5	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	163000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
VISIT 4/ACUTE PHASE-WEEK 2	15	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.9	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.9	. . .	30 - 70	%
		Lymphocytes	32.5	. . .	21 - 51	%
		Monocytes	8.1	. . .	0 - 10	%
		Eosinophils	6.9	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	174000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	179	. . .	44 - 400	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

488

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00014

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 4/ACUTE PHASE-WEEK 2	15	Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	2.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

489

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00211

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
		Hematocrit	38.6	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.6	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	37.3	L . .	40 - 75	%
		Lymphocytes	48.4	H . .	16 - 46	%
		Monocytes	10.4	. . .	0 - 12	%
		Eosinophils	3.1	. . .	0 - 7	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	237000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.6	. . .	27 - 33	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	62	. . .	22 - 130	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.9	. . .	3.1 - 5.3	G/DL
		Glucose - Random	108	. . .	70 - 115	MG/DL
		Globulin	2.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

490

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00211

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-9	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 9/ACUTE PHASE-WEEK 7	53 (4)	Hemoglobin	15.6	. . .	12 - 15.6	G/DL
		Hematocrit	44.1	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.1	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	72.4	. . .	40 - 75	%
		Lymphocytes	14.1	L . .	16 - 46	%
		Monocytes	9.4	. . .	0 - 12	%
		Eosinophils	2.4	. . .	0 - 7	%
		Basophils	1.8	. . .	0 - 2	%
		Platelets	244000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1	. . .	27 - 33	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	96	. . .	22 - 130	U/L
		Aspartate	67	H . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	54	H . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

491

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00215

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.2 . . .		12 - 15.6	G/DL
		Hematocrit	42.6 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8 . . .		30 - 70	%
		Lymphocytes	30.2 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	9.4 H . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	306000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	97 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	111 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

492

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.004.00215

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 8/ACUTE PHASE-WEEK 6	41 (1)	Segmented Neutrophils	54	. . .	30 - 70	%
		Lymphocytes	39	. . .	21 - 51	%
		Monocytes	4	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	2	. . .	0 - 2	%
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

493

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00003

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	37.1 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.8 . . .		30 - 70	%
		Lymphocytes	37.7 . . .		21 - 51	%
		Monocytes	3.6 . . .		0 - 10	%
		Eosinophils	4.9 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	322000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	108 . . .		44 - 280	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	116 H . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

494

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00003

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00006

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-8	Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	73 . . .		22 - 180	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
VISIT 2/ELIGIBILITY	-1	Hemoglobin	14.5 . . .		13.8 - 17.2	G/DL
		Hematocrit	42.4 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.9 . . .		30 - 70	%
		Lymphocytes	33.2 . . .		21 - 51	%
		Monocytes	9.7 . . .		0 - 10	%
		Eosinophils	1.7 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	306000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	73 . . .		22 - 180	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

496

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00006

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	-1	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.8	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55	. . .	30 - 70	%
		Lymphocytes	36	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	114000	L . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	76	. . .	22 - 180	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

497

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00006

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 10/ACUTE PHASE-WEEK 8	61	Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
VISIT 17/DOWN TITRATION	176 (1)	Hemoglobin	16.5 . . .		13.8 - 17.2	G/DL
		Hematocrit	48.4 . . .		41 - 50	%
		Red Blood Cell Count	5.5 H . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.3 . . .		30 - 70	%
		Lymphocytes	34 . . .		21 - 51	%
		Monocytes	9.3 . . .		0 - 10	%
		Eosinophils	4.1 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	292000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	20 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	61 . . .		22 - 180	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	1.3 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

498

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00006

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 17/DOWN TITRATION	176 (1)	Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		4	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
		Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00007

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.3 . . .		12 - 15.6	G/DL
		Hematocrit	41.4 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.1 . . .		30 - 70	%
		Lymphocytes	27.4 . . .		21 - 51	%
		Monocytes	6.8 . . .		0 - 10	%
		Eosinophils	6.5 H . .		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	307000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	87 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	3.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

500

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00007

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	39.4 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	69.3 . . .		30 - 70	%
		Lymphocytes	22.7 . . .		21 - 51	%
		Monocytes	6.2 . . .		0 - 10	%
		Eosinophils	0.6 . . .		0 - 5	%
		Basophils	1.2 . . .		0 - 2	%
		Platelets	44000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	65 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	107 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

501

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00007

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 11/CONTINUATION-WEEK 12	99	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick		6 . . .		
			Urine Red Blood Cells/HPF		5 . . +		
			Urine White Blood Cells/HPF		4 . . .		
			Urine Bacteria		4 . . .		
			Urine Protein - Dipstick	NEG	. . .		
	VISIT 13/CONTINUATION-WEEK 20	162	Hemoglobin	17.4	H . .	12 - 15.6	G/DL
			Hematocrit	51.5	H . .	35 - 46	%
			Red Blood Cell Count	6.1	H . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.1	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.6	. . .	30 - 70	%
			Lymphocytes	28.4	. . .	21 - 51	%
			Monocytes	8	. . .	0 - 10	%
			Eosinophils	0.4	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	28000	L . -	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	84	. . .	80 - 100	FL
			Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.2	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	76	. . .	22 - 130	U/L
			Aspartate Aminotransferase	13	. . .	0 - 41	U/L
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	99	. . .	70 - 115	MG/DL
			Globulin	3.4	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

502

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00007

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 13/CONTINUATION-WEEK 20	162	Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		4 . . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 15/CONTINUATION-WEEK 28	274 (82)	Hemoglobin	13.6	. . .	12 - 15.6	G/DL
			Hematocrit	41.1	. . .	35 - 46	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	63	. . .	30 - 70	%
			Lymphocytes	28.3	. . .	21 - 51	%
			Monocytes	6	. . .	0 - 10	%
			Eosinophils	1.2	. . .	0 - 5	%
			Basophils	1.6	. . .	0 - 2	%
			Platelets	238000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	84	. . .	80 - 100	FL
			Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.9	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	71	. . .	22 - 130	U/L
			Aspartate	16	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	82	. . .	70 - 115	MG/DL
			Globulin	2.8	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

503

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00009

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	15 . . .		12 - 15.6	G/DL
		Hematocrit	44.5 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	71.5 H . .		30 - 70	%
		Lymphocytes	20.3 L . .		21 - 51	%
		Monocytes	3.2 . . .		0 - 10	%
		Eosinophils	4.9 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	211000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	41 . . .		22 - 130	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		3 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

504

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00009

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	15.7 H . .		12 - 15.6	G/DL
		Hematocrit	45.7 . . .		35 - 46	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	71.4 H . .		30 - 70	%
		Lymphocytes	20.5 L . .		21 - 51	%
		Monocytes	7.1 . . .		0 - 10	%
		Eosinophils	0.7 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	54000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	45 . . .		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	49 L . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

505

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00009

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	58	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		5	.	.		
			Urine Protein - Dipstick		2	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00110

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.8 . . .		12 - 15.6	G/DL
		Hematocrit	44 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59 . . .		30 - 70	%
		Lymphocytes	22.5 . . .		21 - 51	%
		Monocytes	16.2 H . +		0 - 10	%
		Eosinophils	1.3 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	241000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG . . .			
		Urine Barbiturates	NEG . . .			
		Urine Benzodiazepines	NEG . . .			
		Urine Cannabinoids	NEG . . .			
		Urine Cocaine	NEG . . .			
		Urine Methadone	NEG . . .			
		Urine Methaqualone	NEG . . .			
		Urine Opiates	NEG . . .			
		Urine Phencyclidine	NEG . . .			
		Urine Propoxyphene	NEG . . .			
VISIT 2/ELIGIBILITY	1	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	40.9 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.6 . . .		4.5 - 13	THOU/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

507

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00110

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 2/ELIGIBILITY	1	Segmented Neutrophils	51 . . .		30 - 70	%
		Lymphocytes	46 . . .		21 - 51	%
		Monocytes	3 . . .		0 - 10	%
		Eosinophils	0 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	259000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	42 . . .		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	75 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	BORDERLINE	. . .		
VISIT 3/ACUTE PHASE-WEEK 1	10 (1)	Serum BHCG pregnancy test	POSITIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

508

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00113

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	12.6 . . .		12 - 15.6	G/DL
		Hematocrit	36.1 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	33 . . .		30 - 70	%
		Lymphocytes	58 H . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	54000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	69 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	84 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	5 . . . +			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

509

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00113

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 1/SCREENING (WEEK -1)	-10	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00117

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	14.5	. . .	12 - 15.6	G/DL
		Hematocrit	43.4	. . .	35 - 46	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	12.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63	. . .	30 - 70	%
		Lymphocytes	28.9	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	364000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . . .	0.8 - 1.5	MG/DL
		Uric Acid	4.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	106	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	101	. . .	70 - 115	MG/DL
		Globulin	3.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

511

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00117

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	13.5 . . .				12 - 15.6	G/DL
		Hematocrit	41.1 . . .				35 - 46	%
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.8 . . .				30 - 70	%
		Lymphocytes	28.7 . . .				21 - 51	%
		Monocytes	5 . . .				0 - 10	%
		Eosinophils	2.1 . . .				0 - 5	%
		Basophils	0.5 . . .				0 - 2	%
		Platelets	270000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .				25 - 35	PG
		Mean Corpuscle Volume	87 . . .				80 - 100	FL
		Blood Urea Nitrogen	7 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	102 . . .				22 - 130	U/L
		Aspartate	22 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	32 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	119 H . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	NEG . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous	4 . . .					
		Epithelial Cells						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

512

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00118

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	15.1 . . .				13.8 - 17.2	G/DL
		Hematocrit	44.7 . . .				41 - 50	%
		Red Blood Cell Count	5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.7 . . .				30 - 70	%
		Lymphocytes	35.6 . . .				21 - 51	%
		Monocytes	7.5 . . .				0 - 10	%
		Eosinophils	3.5 . . .				0 - 5	%
		Basophils	0.6 . . .				0 - 2	%
		Platelets	253000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3 . . .				25 - 35	PG
		Mean Corpuscle Volume	89 . . .				80 - 100	FL
		Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
		Creatinine	1.3 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	111 . . .				44 - 400	U/L
		Aspartate	17 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	19 . . .				0 - 48	U/L
		Total Bilirubin	1 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .				6.2 - 8.8	G/DL
		Albumin	4.9 . . .				3.1 - 5.3	G/DL
		Glucose - Random	91 . . .				70 - 115	MG/DL
		Globulin	2.5 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

513

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00118

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 7/ACUTE PHASE-WEEK 5	35	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

514

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00153

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-3	Hemoglobin	14.8 . . .		12 - 15.6	G/DL
		Hematocrit	42.9 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		3.9 - 5.2	MILL/MCL
		White Blood Cell Count	7.4 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	32 L . .		40 - 75	%
		Lymphocytes	58 H . .		16 - 46	%
		Monocytes	9 . . .		0 - 12	%
		Eosinophils	1 . . .		0 - 7	%
		Basophils	0 . . .		0 - 2	%
		Platelets	228000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.9 . . .		27 - 33	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	53 . . .		22 - 130	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

515

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00153

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-3	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.3	. . .	12 - 15.6	G/DL
		Hematocrit	41.9	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	9.6	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	56.4	. . .	40 - 75	%
		Lymphocytes	31.2	. . .	16 - 46	%
		Monocytes	4.1	. . .	0 - 12	%
		Eosinophils	7.6	H . .	0 - 7	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	288000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.8	. . .	27 - 33	PG
		Mean Corpuscle Volume	96	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	63	. . .	22 - 130	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	2.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

516

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00153

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	142	Hemoglobin	15.8 H	12 - 15.6	G/DL
		Hematocrit	45.8	35 - 46	%
		Red Blood Cell Count	4.9	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	8.5	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	60.3	40 - 75	%
		Lymphocytes	27.9	16 - 46	%
		Monocytes	6	0 - 12	%
		Eosinophils	4.8	0 - 7	%
		Basophils	0.9	0 - 2	%
		Platelets	305000	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.5	27 - 33	PG
		Mean Corpuscle Volume	94	80 - 100	FL
		Blood Urea Nitrogen	5 L	7 - 25	MG/DL
		Creatinine	1.1	0.8 - 1.5	MG/DL
		Uric Acid	3.7	2.3 - 7	MG/DL
		Alkaline Phosphatase	60	22 - 130	U/L
		Aspartate	14	0 - 41	U/L
		Aminotransferase		. . .		
		Alanine Aminotransferase	11	0 - 48	U/L
		Total Bilirubin	0.8	0.3 - 1.3	MG/DL
		Total Protein	7.4	6.2 - 8.8	G/DL
		Albumin	4.3	3.1 - 5.3	G/DL
		Glucose - Random	88	70 - 115	MG/DL
		Globulin	3.1	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

517

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00153

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F	VISIT 13/CONTINUATION-WEEK 20	142	Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		4 . . .		
	VISIT 16/CONTINUATION-WEEK 32	224	Hemoglobin	15 . . .		12 - 15.6	G/DL
			Hematocrit	43.4 . . .		35 - 46	%
			Red Blood Cell Count	4.7 . . .		3.9 - 5.2	MILL/MCL
			White Blood Cell Count	9.3 . . .		3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	57.6 . . .		40 - 75	%
			Lymphocytes	31.4 . . .		16 - 46	%
			Monocytes	4.3 . . .		0 - 12	%
			Eosinophils	6.4 . . .		0 - 7	%
			Basophils	0.3 . . .		0 - 2	%
			Platelets	282000 . . .		130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32.1 . . .		27 - 33	PG
			Mean Corpuscle Volume	92 . . .		80 - 100	FL
			Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
			Creatinine	1 . . .		0.8 - 1.5	MG/DL
			Uric Acid	3 . . .		2.3 - 7	MG/DL
			Alkaline Phosphatase	55 L . . .		110 - 15	U/L
			Aspartate	17 . . .		0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	16 . . .		0 - 48	U/L
			Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
			Total Protein	7.1 . . .		6.2 - 8.8	G/DL
			Albumin	4.2 . . .		3.1 - 5.3	G/DL
			Glucose - Random	95 . . .		70 - 115	MG/DL
			Globulin	2.9 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

518

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00255

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.3 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.2 . . .		30 - 70	%
		Lymphocytes	30.5 . . .		21 - 51	%
		Monocytes	4.9 . . .		0 - 10	%
		Eosinophils	17.7 H . +		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	299000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	94 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	104 . . .		44 - 280	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	30 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

519

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00255

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
		Hematocrit	41.7 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	53 . . .		30 - 70	%
		Lymphocytes	34 . . .		21 - 51	%
		Monocytes	4 . . .		0 - 10	%
		Eosinophils	9 H . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	299000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32 . . .		25 - 35	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	99 . . .		44 - 280	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	75 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

520

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00255

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00256

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.7 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.6 . . .		30 - 70	%
		Lymphocytes	20.9 L . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	3.8 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	196000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2 L . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	98 . . .		22 - 130	U/L
		Aspartate	9 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	3 . . .			
		Cells/HPF				
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

522

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00256

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 3/ACUTE PHASE-WEEK 1	8	Hemoglobin	13.3 . . .		12 - 15.6	G/DL
		Hematocrit	38 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	57 . . .		30 - 70	%
		Lymphocytes	32.4 . . .		21 - 51	%
		Monocytes	8.7 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	179000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	38.9 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.1 . . .		30 - 70	%
		Lymphocytes	23.7 . . .		21 - 51	%
		Monocytes	7.8 . . .		0 - 10	%
		Eosinophils	5.7 H . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	218000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

523

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00256

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
			Uric Acid	2.1 L . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	76 . . .				22 - 130	U/L
			Aspartate	13 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	11 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.5 . . .				6.2 - 8.8	G/DL
			Albumin	4.3 . . .				3.1 - 5.3	G/DL
			Glucose - Random	96 . . .				70 - 115	MG/DL
			Globulin	3.2 . . .				2.3 - 4.1	G/DL
	VISIT 12/CONTINUATION-WEEK 16	120	Hemoglobin	13.3 . . .				12 - 15.6	G/DL
			Hematocrit	39.7 . . .				35 - 46	%
			Red Blood Cell Count	4.5 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.9 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	58.3 . . .				30 - 70	%
			Lymphocytes	28 . . .				21 - 51	%
			Monocytes	7.8 . . .				0 - 10	%
			Eosinophils	4.9 . . .				0 - 5	%
			Basophils	1 . . .				0 - 2	%
			Platelets	206000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.4 . . .				25 - 35	PG
			Mean Corpuscle Volume	88 . . .				80 - 100	FL
			Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
			Creatinine	1 . . .				0.8 - 1.5	MG/DL
			Uric Acid	2.6 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	83 . . .				22 - 130	U/L
			Aspartate	15 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16 . . .				0 - 48	U/L
			Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.5 . . .				6.2 - 8.8	G/DL
			Albumin	4.2 . . .				3.1 - 5.3	G/DL
			Glucose - Random	104 . . .				70 - 115	MG/DL
			Globulin	3.3 . . .				2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

524

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00256

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 12/CONTINUATION-WEEK 16	120	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		4	.	.		
			Urine Bacteria		4	.	.		
			Urine Protein - Dipstick		2	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

525

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00295

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.9 . . .		12 - 15.6	G/DL
		Hematocrit	43.5 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62 . . .		30 - 70	%
		Lymphocytes	34 . . .		21 - 51	%
		Monocytes	2 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	241000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	121 . . .		44 - 280	U/L
		Aspartate	29 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	28 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	NEG . . .			
		Cells/HPF				
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	3 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

526

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00295

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
			Hematocrit	39.5	. . .	35 - 46	%
			Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	9	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	67.8	. . .	30 - 70	%
			Lymphocytes	22.7	. . .	21 - 51	%
			Monocytes	5.4	. . .	0 - 10	%
			Eosinophils	3.6	. . .	0 - 5	%
			Basophils	0.5	. . .	0 - 2	%
			Platelets	277000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	88	. . .	80 - 100	FL
			Blood Urea Nitrogen	18	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.5	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	120	. . .	44 - 280	U/L
			Aspartate	15	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	17	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.5	. . .	3.1 - 5.3	G/DL
			Glucose - Random	96	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

527

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00295

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 10/ACUTE PHASE-WEEK 8	56	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00297

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-22	Hemoglobin	16.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.7	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	5.4	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	55.5	. . .	40 - 75	%
		Lymphocytes	31.3	. . .	16 - 46	%
		Monocytes	8.6	. . .	0 - 12	%
		Eosinophils	3.8	. . .	0 - 7	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	146000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31	. . .	27 - 33	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1.4	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	72	. . .	22 - 180	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	77	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	POS	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

529

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00297

AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-22	Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 1/UNSCHEDULED LAB 1	-16	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

530

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00332

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS	
				1	2	3			
17 M VISIT 1/SCREENING (WEEK -1)	-7	Blood Urea Nitrogen	12 . . .				7 - 25	MG/DL	
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL	
		Uric Acid	4.6 . . .				4 - 8	MG/DL	
		Alkaline Phosphatase	UNSATISFACTO	U . U				22 - 180	U/L
		Aspartate	10 . . .				0 - 41	U/L	
		Aminotransferase							
		Alanine Aminotransferase	9 . . .				0 - 48	U/L	
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL	
		Total Protein	6.8 . . .				6.2 - 8.8	G/DL	
		Albumin	4 . . .				3.1 - 5.3	G/DL	
		Glucose - Random	76 . . .				70 - 115	MG/DL	
		Globulin	2.8 . . .				2.3 - 4.1	G/DL	
		Urine Glucose - Dipstick	NEG						
		Urine Blood - Dipstick	NEG						
		Urine Red Blood Cells/HPF	NEG						
		Urine White Blood Cells/HPF	NEG						
		Urine Protein - Dipstick	NEG						
		Urine Amphetamines	NEG						
		Urine Barbiturates	NEG						
		Urine Benzodiazepines	NEG						
Urine Cannabinoids	NEG								
Urine Cocaine	NEG								
Urine Methadone	NEG								
Urine Methaqualone	NEG								
Urine Opiates	NEG								
Urine Phencyclidine	NEG								
Urine Propoxyphene	NEG								
VISIT 2/ELIGIBILITY	1	Hemoglobin	14.6 . . .				13.8 - 17.2	G/DL	
		Hematocrit	42.5 . . .				41 - 50	%	
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL	
		White Blood Cell Count	7.7 . . .				4.5 - 13	THOU/MCL	
		Segmented Neutrophils	40.6 . . .				30 - 70	%	
		Lymphocytes	43 . . .				21 - 51	%	
		Monocytes	7.1 . . .				0 - 10	%	

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

531

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00332

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	1	Eosinophils	8.7	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	288000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.6	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.5	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	9	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	46.4	. . .	40 - 75	%
		Lymphocytes	37.4	. . .	16 - 46	%
		Monocytes	7.3	. . .	0 - 12	%
		Eosinophils	8.1	H . .	0 - 7	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	274000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9	. . .	27 - 33	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	183	H . .	22 - 180	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	83	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

532

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00335

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
		Hematocrit	42.3 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.3 . . .		30 - 70	%
		Lymphocytes	36.8 . . .		21 - 51	%
		Monocytes	3.5 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	359000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	117 . . .		44 - 280	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	4.5 H . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

533

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00335

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.9	. . .	12 - 15.6	G/DL
		Hematocrit	41	. . .	35 - 46	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.4	. . .	30 - 70	%
		Lymphocytes	32.3	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	2.1	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	309000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	99	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	4.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

534

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.005.00335

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 10/ACUTE PHASE-WEEK 8	56	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00040

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
18 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14 . . .				12 - 15.6	G/DL
		Hematocrit	40.4 . . .				35 - 46	%
		Red Blood Cell Count	4.4 . . .				3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.6 . . .				3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	56.6 . . .				40 - 75	%
		Lymphocytes	34 . . .				16 - 46	%
		Monocytes	6.7 . . .				0 - 12	%
		Eosinophils	1.4 . . .				0 - 7	%
		Basophils	1.3 . . .				0 - 2	%
		Platelets	310000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.5 . . .				27 - 33	PG
		Mean Corpuscle Volume	91 . . .				80 - 100	FL
		Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.2 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	48 . . .				22 - 130	U/L
		Aspartate	13 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	13 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	87 . . .				70 - 115	MG/DL
		Globulin	3.3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

536

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00040

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
18 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00041

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	15.4	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.2	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	6.6	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	51.2	. . .	40 - 75	%
		Lymphocytes	37.5	. . .	16 - 46	%
		Monocytes	7.3	. . .	0 - 12	%
		Eosinophils	3.3	. . .	0 - 7	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	255000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	27 - 33	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	98	. . .	22 - 180	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

538

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00041

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-14	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.6	. . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	6.2	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	53	. . .	40 - 75	%
		Lymphocytes	35.5	. . .	16 - 46	%
		Monocytes	8	. . .	0 - 12	%
		Eosinophils	3.1	. . .	0 - 7	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	236000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29	. . .	27 - 33	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	98	. . .	22 - 180	U/L
		Aspartate	26	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	39	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	77	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
VISIT 11/CONTINUATION-WEEK 12	92	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

539

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00041

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M	VISIT 11/CONTINUATION-WEEK 12	92	Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		3 . . .		
	VISIT 13/CONTINUATION-WEEK 20	142	Hemoglobin	15.1	. . .	13.8 - 17.2	G/DL
			Hematocrit	43.7	. . .	41 - 50	%
			Red Blood Cell Count	5	. . .	4.4 - 5.8	MILL/MCL
			White Blood Cell Count	5.2	. . .	3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	44.4	. . .	40 - 75	%
			Lymphocytes	28.2	. . .	16 - 46	%
			Monocytes	12	. . .	0 - 12	%
			Eosinophils	14.4	H . +	0 - 7	%
			Basophils	1	. . .	0 - 2	%
			Platelets	201000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3	. . .	27 - 33	PG
			Mean Corpuscle Volume	88	. . .	80 - 100	FL
			Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	107	. . .	22 - 180	U/L
			Aspartate	26	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	54	H . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.4	. . .	6.2 - 8.8	G/DL
			Albumin	4.4	. . .	3.1 - 5.3	G/DL
			Glucose - Random	48	L . .	70 - 115	MG/DL
			Globulin	3	. . .	2.3 - 4.1	G/DL
	VISIT 15/CONTINUATION-WEEK 28	203	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

540

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.006.00041

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M	VISIT 15/CONTINUATION-WEEK 28	203	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	231	Hemoglobin	14.5	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	41.4	.	.	.	41 - 50	%
			Red Blood Cell Count	4.8	.	.	.	4.4 - 5.8	MILL/MCL
			White Blood Cell Count	5.8	.	.	.	3.8 - 10.8	THOU/MCL
			Segmented Neutrophils	58.1	.	.	.	40 - 75	%
			Lymphocytes	31.3	.	.	.	16 - 46	%
			Monocytes	7.6	.	.	.	0 - 12	%
			Eosinophils	2.5	.	.	.	0 - 7	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	252000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.3	.	.	.	27 - 33	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.5	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	92	.	.	.	22 - 180	U/L
			Aspartate	19	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	29	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	98	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

541

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00139

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-3	Hemoglobin	13.3 . . .		12 - 15.6	G/DL
		Hematocrit	38.5 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.1 . . .		30 - 70	%
		Lymphocytes	45.9 . . .		21 - 51	%
		Monocytes	8.4 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	292000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	81 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		8 - 21	MG/DL
		Creatinine	1 . . .		0.4 - 1.1	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	270 . . .		44 - 280	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 39	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		5.7 - 8.2	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	63 . . .		60 - 110	MG/DL
		Globulin	3.2 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	3 . . .			
		Cells/HPF				
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	3 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

542

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00139

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/SCREENING (WEEK -1)	-3	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 5/ACUTE PHASE-WEEK 3	43 (25)	Hemoglobin	13	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.8	.	.	.	35 - 46	%
			Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49.7	.	.	.	30 - 70	%
			Lymphocytes	39.7	.	.	.	21 - 51	%
			Monocytes	7.1	.	.	.	0 - 10	%
			Eosinophils	2.7	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	296000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	83	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	8 - 21	MG/DL
			Creatinine	0.9	.	.	.	0.4 - 1.1	MG/DL
			Uric Acid	3.9	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	227	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	8	.	.	.	0 - 39	U/L
			Total Bilirubin	0.4	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	5.7 - 8.2	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	86	.	.	.	60 - 110	MG/DL
			Globulin	3.1	.	.	.	2.1 - 3.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

543

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00143

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.7 . . .		12 - 15.6	G/DL
		Hematocrit	37.4 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.2 . . .		30 - 70	%
		Lymphocytes	34.4 . . .		21 - 51	%
		Monocytes	7.5 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	259000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	5 L . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.4 . . .		2.3 - 7	MG/DL
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	76 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

544

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00143

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 4/ACUTE PHASE-WEEK 2	14	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
		Hematocrit	38.3	. . .	35 - 46	%
		White Blood Cell Count	10	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.6	. . .	30 - 70	%
		Lymphocytes	31.4	. . .	21 - 51	%
		Monocytes	4.4	. . .	0 - 10	%
		Eosinophils	2.1	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	241000	. . .	130000 - 400000	PER CUMM
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		2 . . .		
		Urine Red Blood Cells/HPF		3 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

545

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00146

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.4 . . .		12 - 15.6	G/DL
		Hematocrit	36.6 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.5 . . .		30 - 70	%
		Lymphocytes	25.7 . . .		21 - 51	%
		Monocytes	6.8		0 - 10	%
		Eosinophils	1.5		0 - 5	%
		Basophils	2.4 H . . .		0 - 2	%
		Platelets	233000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5		25 - 35	PG
		Mean Corpuscle Volume	84		80 - 100	FL
		Blood Urea Nitrogen	9		7 - 25	MG/DL
		Creatinine	0.8		0.8 - 1.5	MG/DL
		Uric Acid	4.4		2.3 - 7	MG/DL
		Alkaline Phosphatase	89		44 - 280	U/L
		Aspartate	18		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23		0 - 48	U/L
		Total Bilirubin	0.5		0.3 - 1.3	MG/DL
		Total Protein	8		6.2 - 8.8	G/DL
		Albumin	4.5		3.1 - 5.3	G/DL
		Glucose - Random	71		70 - 115	MG/DL
		Globulin	3.5		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG			
		Urine Blood - Dipstick	NEG			
		Urine Red Blood Cells/HPF	NEG			
		Urine White Blood Cells/HPF	3			
		Urine Protein - Dipstick	NEG			
		Urine Squamous Epithelial Cells	3			
		Serum BHCG pregnancy test	NEGATIVE			
		Urine Amphetamines	NEG			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

546

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00146

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	54	Hemoglobin	12.6	. . .	12 - 15.6	G/DL
		Hematocrit	36.1	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.8	. . .	30 - 70	%
		Lymphocytes	24.7	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	1.7	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	209000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	93	. . .	44 - 280	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	32	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	73	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

547

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00146

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	54	Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	134	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
		Hematocrit	40.3	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	69	. . .	30 - 70	%
		Lymphocytes	23.8	. . .	21 - 51	%
		Monocytes	5.3	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	245000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	5	L . . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	82	. . .	22 - 130	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	34	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	128	H . . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

548

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00146

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 13/CONTINUATION-WEEK 20	134	Urine Protein - Dipstick	6	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	229	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
			Hematocrit	37.5	. . .	35 - 46	%
			Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.6	. . .	30 - 70	%
			Lymphocytes	27.1	. . .	21 - 51	%
			Monocytes	6.5	. . .	0 - 10	%
			Eosinophils	2.8	. . .	0 - 5	%
			Basophils	1	. . .	0 - 2	%
			Platelets	239000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.2	. . .	25 - 35	PG
			Mean Corpuscle Volume	86	. . .	80 - 100	FL
			Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	80	. . .	22 - 130	U/L
			Aspartate	21	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	30	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	8	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	97	. . .	70 - 115	MG/DL
			Globulin	3.8	. . .	2.3 - 4.1	G/DL
	VISIT 16/UNSCHEDULED LAB 1	232	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

549

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00146

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15	F VISIT 16/UNSCHEDULED LAB 1	232	Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous		4	.	.		
			Epithelial Cells		.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00269

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.7	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	39.8	L	.	.	41 - 50	%
		Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4	L	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.7	.	.	.	30 - 70	%
		Lymphocytes	37.2	.	.	.	21 - 51	%
		Monocytes	9.7	.	.	.	0 - 10	%
		Eosinophils	1.6	.	.	.	0 - 5	%
		Basophils	0.8	.	.	.	0 - 2	%
		Platelets	270000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	6.9	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	259	.	.	.	44 - 400	U/L
		Aspartate	23	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	29	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	8	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	105	.	.	.	70 - 115	MG/DL
		Globulin	3.6	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

551

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00269

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	22 (7)	Hemoglobin	14.3	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	41	.	.	.	41 - 50	%
		Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.9	.	.	.	30 - 70	%
		Lymphocytes	45.4	.	.	.	21 - 51	%
		Monocytes	9	.	.	.	0 - 10	%
		Eosinophils	1.8	.	.	.	0 - 5	%
		Basophils	1	.	.	.	0 - 2	%
		Platelets	272000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	6 L	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	5.5	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	239	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	26	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	108	.	.	.	70 - 115	MG/DL
		Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

552

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00269

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 10/ACUTE PHASE-WEEK 8	22 (7)	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

553

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00270

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.2 . . .				13.8 - 17.2	G/DL
		Hematocrit	43.9 . . .				41 - 50	%
		Red Blood Cell Count	5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.5 . . .				30 - 70	%
		Lymphocytes	41.6 . . .				21 - 51	%
		Monocytes	7.2 . . .				0 - 10	%
		Eosinophils	4.7 . . .				0 - 5	%
		Basophils	1 . . .				0 - 2	%
		Platelets	294000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	87 . . .				80 - 100	FL
		Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.3 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	318 . . .				44 - 400	U/L
		Aspartate	17 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	102 . . .				70 - 115	MG/DL
		Globulin	2.7 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

554

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00270

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	50 (7)	Hemoglobin	13.7	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	39.5	L	.	.	41 - 50	%
		Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.7	.	.	.	30 - 70	%
		Lymphocytes	38.3	.	.	.	21 - 51	%
		Monocytes	4.1	.	.	.	0 - 10	%
		Eosinophils	3.9	.	.	.	0 - 5	%
		Basophils	1.1	.	.	.	0 - 2	%
		Platelets	283000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	16	.	.	.	7 - 25	MG/DL
		Creatinine	1.3	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	4.9	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	343	.	.	.	44 - 400	U/L
		Aspartate	15	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
		Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	6.8	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	99	.	.	.	70 - 115	MG/DL
		Globulin	2.4	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

555

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00270

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 10/ACUTE PHASE-WEEK 8	50 (7)	Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		4	.	.		
		Urine Protein - Dipstick	NEG		.	.		
		Urine Squamous Epithelial Cells		4	.	.		
		Urine Amphetamines	NEG		.	.		
		Urine Barbiturates	NEG		.	.		
		Urine Benzodiazepines	NEG		.	.		
		Urine Cannabinoids	NEG		.	.		
		Urine Cocaine	NEG		.	.		
		Urine Methadone	NEG		.	.		
		Urine Methaqualone	NEG		.	.		
		Urine Opiates	NEG		.	.		
		Urine Phencyclidine	NEG		.	.		
		Urine Propoxyphene	NEG		.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

556

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00307

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	40.2 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.4 . . .		30 - 70	%
		Lymphocytes	32.9 . . .		21 - 51	%
		Monocytes	8.3 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	328000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	94 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	58 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	108 . . .		70 - 115	MG/DL
		Globulin	2.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

557

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00307

AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 7/ACUTE PHASE-WEEK 5	36	Hemoglobin	13.4	.	.	.	12 - 15.6	G/DL
		Hematocrit	39.3	.	.	.	35 - 46	%
		Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.4	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.9	.	.	.	30 - 70	%
		Lymphocytes	20.6	L	.	.	21 - 51	%
		Monocytes	6.8	.	.	.	0 - 10	%
		Eosinophils	7	H	.	.	0 - 5	%
		Basophils	0.8	.	.	.	0 - 2	%
		Platelets	309000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	93	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

558

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00308

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	14.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.3	. . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.9	. . .	30 - 70	%
		Lymphocytes	25.8	. . .	21 - 51	%
		Monocytes	8	. . .	0 - 10	%
		Eosinophils	1.5	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	256000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	221	. . .	44 - 400	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	78	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	6	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

559

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.007.00308

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 1/SCREENING (WEEK -1)	-5	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

560

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00159

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.5 . . .		12 - 15.6	G/DL
		Hematocrit	42.2 . . .		35 - 46	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.8 . . .		30 - 70	%
		Lymphocytes	19.2 L . .		21 - 51	%
		Monocytes	6.4 . . .		0 - 10	%
		Eosinophils	4.9 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	333000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	75 . . .		22 - 130	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	3.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	78 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	5 . . .	+		
		Cells/HPF				
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

561

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00159

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	63	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
			Hematocrit	40.5	. . .	35 - 46	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.7	. . .	30 - 70	%
			Lymphocytes	29.2	. . .	21 - 51	%
			Monocytes	5	. . .	0 - 10	%
			Eosinophils	8.3	H . .	0 - 5	%
			Basophils	0.8	. . .	0 - 2	%
			Platelets	344000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28	. . .	25 - 35	PG
			Mean Corpuscle Volume	83	. . .	80 - 100	FL
			Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.4	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	68	. . .	22 - 130	U/L
			Aspartate	22	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	43	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	100	. . .	70 - 115	MG/DL
			Globulin	3.4	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

562

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00159

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	63	Urine Blood - Dipstick	6	.	.	.		
			Urine Red Blood Cells/HPF	5	.	.	.		
			Urine White Blood Cells/HPF	5	.	.	+		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

563

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00161

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-16	Hemoglobin	15.5 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.1 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	65 . . .		30 - 70	%
		Lymphocytes	26.5 . . .		21 - 51	%
		Monocytes	6.2 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	327000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	77 . . .		22 - 180	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	88 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

564

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00161

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-16	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56 (1)	Hemoglobin	14.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.7	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.4	. . .	30 - 70	%
		Lymphocytes	23.2	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	1.5	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	312000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	73	. . .	22 - 180	U/L
		Aspartate	9	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	88	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

565

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00161

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 10/ACUTE PHASE-WEEK 8	56 (1)	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00187

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	37.3 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.6 . . .		30 - 70	%
		Lymphocytes	45.5 . . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	2.6 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	267000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	63 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	1.5 H . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		3 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

567

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00187

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-14	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 4/ACUTE PHASE-WEEK 2	16	Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.1	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	72	.	.	.	22 - 130	U/L
			Aspartate	12	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	8	.	.	.	0 - 48	U/L
			Total Bilirubin	1.5	H	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	76	.	.	.	70 - 115	MG/DL
			Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
	VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14.4	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.6	.	.	.	35 - 46	%
			Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	50.3	.	.	.	30 - 70	%
			Lymphocytes	38.3	.	.	.	21 - 51	%
			Monocytes	8.1	.	.	.	0 - 10	%
			Eosinophils	3	.	.	.	0 - 5	%
			Basophils	0.4	.	.	.	0 - 2	%
			Platelets	302000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.3	.	.	.	2.3 - 7	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

568

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00187

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 10/ACUTE PHASE-WEEK 8	59	Alkaline Phosphatase	66 . . .				22 - 130	U/L
		Aspartate	15 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	1.3 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	81 . . .				70 - 115	MG/DL
		Globulin	3.3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria		3 . . .				
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells		3 . . .				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

569

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00192

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-20	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	40.7	L . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.5	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	35	. . .	30 - 70	%
		Lymphocytes	54	H . .	21 - 51	%
		Monocytes	5	. . .	0 - 10	%
		Eosinophils	6	H . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	244000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	357	. . .	44 - 400	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	90	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

570

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00192

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
13	M VISIT 1/SCREENING (WEEK -1)	-20	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

571

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00272

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-15	Hemoglobin	13.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	39.7	L . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	39	. . .	30 - 70	%
		Lymphocytes	48.9	. . .	21 - 51	%
		Monocytes	8.1	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	451000	H . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.2	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	305	. . .	44 - 400	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	5.7 - 8.2	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	64	. . .	60 - 110	MG/DL
		Globulin	3.2	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

572

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00272

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-15	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.5	L . .	13.8 - 17.2	G/DL
		Hematocrit	39.3	L . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.4	. . .	30 - 70	%
		Lymphocytes	40.8	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	4.9	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	320000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	274	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	5.7 - 8.2	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	90	. . .	60 - 110	MG/DL
		Globulin	3.1	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

573

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00272

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	12.9	L . .	13.8 - 17.2	G/DL
		Hematocrit	37	L . -	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	31.9	. . .	30 - 70	%
		Lymphocytes	44.8	. . .	21 - 51	%
		Monocytes	6.5	. . .	0 - 10	%
		Eosinophils	15.9	H . +	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	295000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	4.5	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	285	. . .	44 - 400	U/L
		Aspartate Aminotransferase	19	. . .	0 - 41	U/L
		Alanine Aminotransferase	16	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	5.7 - 8.2	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	99	. . .	60 - 110	MG/DL
		Globulin	3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

574

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00272

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 M	VISIT 13/CONTINUATION-WEEK 20	141	Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

575

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00273

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-28	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	40.6 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.1 . . .		30 - 70	%
		Lymphocytes	38.2 . . .		21 - 51	%
		Monocytes	4.5 . . .		0 - 10	%
		Eosinophils	2.7 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	427000 H . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . . .		8 - 21	MG/DL
		Creatinine	0.8 . . .		0.4 - 1.1	MG/DL
		Uric Acid	5.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	263 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 39	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		5.7 - 8.2	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		60 - 110	MG/DL
		Globulin	3.1 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

576

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00273

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F	VISIT 1/SCREENING (WEEK -1)	-28	Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 1/UNSCHEDULED LAB 1	-10	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin	13.7	. . .	12 - 15.6	G/DL
			Hematocrit	41.4	. . .	35 - 46	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.3	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56	. . .	30 - 70	%
			Lymphocytes	35	. . .	21 - 51	%
			Monocytes	6	. . .	0 - 10	%
			Eosinophils	2	. . .	0 - 5	%
			Basophils	1.1	. . .	0 - 2	%
			Platelets	341000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.9	. . .	25 - 35	PG
			Mean Corpuscle Volume	87	. . .	80 - 100	FL
			Blood Urea Nitrogen	10	. . .	8 - 21	MG/DL
			Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
			Uric Acid	5.1	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	251	. . .	44 - 280	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

577

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.008.00273

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
12 F	VISIT 10/ACUTE PHASE-WEEK 8	64	Aspartate Aminotransferase	17	. . .	0 - 41	U/L
			Alanine Aminotransferase	10	. . .	0 - 39	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.1	. . .	5.7 - 8.2	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	82	. . .	60 - 110	MG/DL
			Globulin	3.9	H . .	2.1 - 3.8	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

578

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00127

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	37.2	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.7	. . .	30 - 70	%
		Lymphocytes	40.4	. . .	21 - 51	%
		Monocytes	3.7	. . .	0 - 10	%
		Eosinophils	5	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	338000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	8 - 21	MG/DL
		Creatinine	0.6	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.4	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	151	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5	. . .	0 - 39	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	72	. . .	60 - 110	MG/DL
		Globulin	2.8	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

579

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00127

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 F	VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00132

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14.1 . . .				13.8 - 17.2	G/DL
		Hematocrit	40.8 L . .				41 - 50	%
		Red Blood Cell Count	4.9 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.1 . . .				30 - 70	%
		Lymphocytes	40.1 . . .				21 - 51	%
		Monocytes	7.4 . . .				0 - 10	%
		Eosinophils	1.7 . . .				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%
		Platelets	242000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29 . . .				25 - 35	PG
		Mean Corpuscle Volume	84 . . .				80 - 100	FL
		Blood Urea Nitrogen	13 . . .				8 - 21	MG/DL
		Creatinine	0.8 . . .				0.4 - 1.1	MG/DL
		Uric Acid	3.6 . . .				2.6 - 7	MG/DL
		Alkaline Phosphatase	234 . . .				44 - 400	U/L
		Aspartate	18 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	7 . . .				0 - 39	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .				5.7 - 8.2	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	90 . . .				60 - 110	MG/DL
		Globulin	3.2 . . .				2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

581

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00132

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	14.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	39.9 L . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.5 . . .		30 - 70	%
		Lymphocytes	35.5 . . .		21 - 51	%
		Monocytes	7.1 . . .		0 - 10	%
		Eosinophils	7.2 H . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	211000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	255 . . .		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
VISIT 13/CONTINUATION-WEEK 20	155	Hemoglobin	14.3 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.7 L . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

582

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00132

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 13/CONTINUATION-WEEK 20	155	White Blood Cell Count	5.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.7 . . .		30 - 70	%
		Lymphocytes	41.7 . . .		21 - 51	%
		Monocytes	6.7 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	244000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	267 . . .		44 - 400	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

583

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00134

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	40.8 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.5 . . .		30 - 70	%
		Lymphocytes	25.5 . . .		21 - 51	%
		Monocytes	4.9 . . .		0 - 10	%
		Eosinophils	6.9 H . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	325000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	77 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

584

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00134

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	13.1	.	.	.	12 - 15.6	G/DL
			Hematocrit	39.9	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.6	.	.	.	30 - 70	%
			Lymphocytes	34.9	.	.	.	21 - 51	%
			Monocytes	6.5	.	.	.	0 - 10	%
			Eosinophils	2.4	.	.	.	0 - 5	%
			Basophils	0.7	.	.	.	0 - 2	%
			Platelets	363000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	27.3	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	83	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	7	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	86	.	.	.	44 - 280	U/L
			Aspartate	18	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	105	.	.	.	70 - 115	MG/DL
			Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

585

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00134

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 10/ACUTE PHASE-WEEK 8	55	Urine Blood - Dipstick	6	.	.	.		
			Urine Red Blood Cells/HPF	5	.	.	+		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00137

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.1	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	38.6	L	.	.	41 - 50	%
		Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.4	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.7	.	.	.	30 - 70	%
		Lymphocytes	29.6	.	.	.	21 - 51	%
		Monocytes	2.8	.	.	.	0 - 10	%
		Eosinophils	1.5	.	.	.	0 - 5	%
		Basophils	0.5	.	.	.	0 - 2	%
		Platelets	310000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
		Creatinine	0.7	L	.	.	0.8 - 1.5	MG/DL
		Uric Acid	3.2	L	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	426	H	.	+	44 - 400	U/L
		Aspartate	18	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	110	.	.	.	70 - 115	MG/DL
		Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	6	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

587

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00137

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.5	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	35.7	L	.	-	41 - 50	%
		Red Blood Cell Count	4.1	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.7	.	.	.	30 - 70	%
		Lymphocytes	24.5	.	.	.	21 - 51	%
		Monocytes	5.9	.	.	.	0 - 10	%
		Eosinophils	1.1	.	.	.	0 - 5	%
		Basophils	0.8	.	.	.	0 - 2	%
		Platelets	288000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
		Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.8	L	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	367	.	.	.	44 - 400	U/L
		Aspartate	18	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	109	.	.	.	70 - 115	MG/DL
		Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

588

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00137

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	2	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00171

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.6 . . .				12 - 15.6	G/DL
		Hematocrit	41.1 . . .				35 - 46	%
		Red Blood Cell Count	5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.1 . . .				30 - 70	%
		Lymphocytes	22.1 . . .				21 - 51	%
		Monocytes	2.7 . . .				0 - 10	%
		Eosinophils	8.3 H . .				0 - 5	%
		Basophils	0.8 . . .				0 - 2	%
		Platelets	404000 H . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27 . . .				25 - 35	PG
		Mean Corpuscle Volume	82 . . .				80 - 100	FL
		Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
		Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	5.1 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	128 . . .				22 - 130	U/L
		Aspartate	17 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	17 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	8.6 . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	95 . . .				70 - 115	MG/DL
		Globulin	4 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Urine Amphetamines	NEG . . .					
		Urine Barbiturates	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

590

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00171

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00172

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	38.5 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.7 . . .		30 - 70	%
		Lymphocytes	36.6 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	2.3 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	255000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	151 . . .		44 - 280	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6		
		Urine Red Blood Cells/HPF	5 . . .	+		
		Urine White Blood Cells/HPF	3		
		Urine Bacteria	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

592

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00172

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13	. . .	12 - 15.6	G/DL
		Hematocrit	37.6	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.6	. . .	30 - 70	%
		Lymphocytes	34.4	. . .	21 - 51	%
		Monocytes	5.5	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	283000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	131	. . .	44 - 280	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

593

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00172

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	12.3	. . .	12 - 15.6	G/DL
		Hematocrit	35.7	. . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.1	. . .	30 - 70	%
		Lymphocytes	41.5	. . .	21 - 51	%
		Monocytes	4.8	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	253000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	127	. . .	44 - 280	U/L
		Aspartate Aminotransferase	16	. . .	0 - 41	U/L
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6	. . .		
		Urine Red Blood Cells/HPF	5	. . .		
		Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

594

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00172

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 13/CONTINUATION-WEEK 20	141	Urine Bacteria	4	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	239	Hemoglobin	12.5	. . .	12 - 15.6	G/DL
			Hematocrit	37.1	. . .	35 - 46	%
			Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	50.3	. . .	30 - 70	%
			Lymphocytes	42.9	. . .	21 - 51	%
			Monocytes	5.2	. . .	0 - 10	%
			Eosinophils	1.1	. . .	0 - 5	%
			Basophils	0.5	. . .	0 - 2	%
			Platelets	267000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.5	. . .	25 - 35	PG
			Mean Corpuscle Volume	93	. . .	80 - 100	FL
			Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.3	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	121	. . .	44 - 280	U/L
			Aspartate	18	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	16	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.8	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	76	. . .	70 - 115	MG/DL
			Globulin	3.5	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

595

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00172

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 16/CONTINUATION-WEEK 32	239	Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00194

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.7	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	36	L	.	-	41 - 50	%
		Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.3	.	.	.	30 - 70	%
		Lymphocytes	34.4	.	.	.	21 - 51	%
		Monocytes	6.7	.	.	.	0 - 10	%
		Eosinophils	3.1	.	.	.	0 - 5	%
		Basophils	0.5	.	.	.	0 - 2	%
		Platelets	316000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	80	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	15	.	.	.	8 - 21	MG/DL
		Creatinine	0.8	.	.	.	0.4 - 1.1	MG/DL
		Uric Acid	3.3	.	.	.	2.6 - 7	MG/DL
		Alkaline Phosphatase	244	.	.	.	44 - 400	U/L
		Aspartate Aminotransferase	25	.	.	.	0 - 41	U/L
		Alanine Aminotransferase	16	.	.	.	0 - 39	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.8	.	.	.	5.7 - 8.2	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	125	H	.	.	60 - 110	MG/DL
		Globulin	3.6	.	.	.	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

597

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00194

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.6 L	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	35.9 L	.	.	.	41 - 50	%
		Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.1	.	.	.	30 - 70	%
		Lymphocytes	32.7	.	.	.	21 - 51	%
		Monocytes	8.8	.	.	.	0 - 10	%
		Eosinophils	3.1	.	.	.	0 - 5	%
		Basophils	0.4	.	.	.	0 - 2	%
		Platelets	284000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.4	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	78 L	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	12	.	.	.	8 - 21	MG/DL
		Creatinine	0.8	.	.	.	0.4 - 1.1	MG/DL
		Uric Acid	3.1	.	.	.	2.6 - 7	MG/DL
		Alkaline Phosphatase	259	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	12	.	.	.	0 - 39	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.7	.	.	.	5.7 - 8.2	G/DL
		Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	87	.	.	.	60 - 110	MG/DL
		Globulin	3.6	.	.	.	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

598

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00194

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	12.8	L . .	13.8 - 17.2	G/DL
		Hematocrit	37.1	L . .	41 - 50	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.3	. . .	30 - 70	%
		Lymphocytes	28.6	. . .	21 - 51	%
		Monocytes	7.5	. . .	0 - 10	%
		Eosinophils	4.9	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	289000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.6	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	239	. . .	44 - 400	U/L
		Aspartate Aminotransferase	20	. . .	0 - 41	U/L
		Alanine Aminotransferase	10	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	5.7 - 8.2	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	60 - 110	MG/DL
		Globulin	3.3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

599

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00194

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 M	VISIT 13/CONTINUATION-WEEK 20	148	Urine Squamous Epithelial Cells	3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

600

CONFIDENTIAL
BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00195

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	37.7 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.3 . . .		30 - 70	%
		Lymphocytes	38.8 . . .		21 - 51	%
		Monocytes	5.3 . . .		0 - 10	%
		Eosinophils	1.3 . . .		0 - 5	%
		Basophils	1.3 . . .		0 - 2	%
		Platelets	220000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	96 . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	61 L . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

601

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00195

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-1	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 4/ACUTE PHASE-WEEK 2	13	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

602

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00199

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	39.8 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	12.3 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	63.2 . . .		30 - 70	%
		Lymphocytes	28.6 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	1.5 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	148000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	73 . . .		44 - 280	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

603

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00199

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	14.5	. . .	12 - 15.6	G/DL
			Hematocrit	42.7	. . .	35 - 46	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.2	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.7	. . .	30 - 70	%
			Lymphocytes	30	. . .	21 - 51	%
			Monocytes	6.7	. . .	0 - 10	%
			Eosinophils	0.1	. . .	0 - 5	%
			Basophils	0.5	. . .	0 - 2	%
			Platelets	261000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.1	. . .	25 - 35	PG
			Mean Corpuscle Volume	89	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.2	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	65	. . .	44 - 280	U/L
			Aspartate	17	. . .	0 - 41	U/L
			Aminotransferase		. . .		
			Alanine Aminotransferase	12	. . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.5	. . .	3.1 - 5.3	G/DL
			Glucose - Random	89	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

604

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00199

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	58	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

605

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00203

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
		Hematocrit	37	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.6	. . .	30 - 70	%
		Lymphocytes	39.8	. . .	21 - 51	%
		Monocytes	8.9	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	295000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.6	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.7	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	227	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.4	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	60 - 110	MG/DL
		Globulin	2.3	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

606

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00203

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 F	VISIT 1/SCREENING (WEEK -1)	-5	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00236

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	14.3 . . .		12 - 15.6	G/DL
		Hematocrit	41.3 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.3 . . .		30 - 70	%
		Lymphocytes	33.8 . . .		21 - 51	%
		Monocytes	8.3 . . .		0 - 10	%
		Eosinophils	8.3 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	265000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	183 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	2 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

608

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00236

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 F VISIT 1/SCREENING (WEEK -1)	-13	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00239

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	40.3 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	63 . . .		30 - 70	%
		Lymphocytes	31 . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	67000 L . -		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	43 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	72 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	5 . . +			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

610

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00239

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	37.6	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.3	. . .	30 - 70	%
		Lymphocytes	28.5	. . .	21 - 51	%
		Monocytes	4	. . .	0 - 10	%
		Eosinophils	1.6	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	189000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.1	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	42	. . .	22 - 130	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	4	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	108	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

611

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00239

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	58	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	147 (1)	Hemoglobin	12.8	. . .	12 - 15.6	G/DL
		Hematocrit	39.2	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	70.7	H . .	30 - 70	%
		Lymphocytes	22.2	. . .	21 - 51	%
		Monocytes	5.2	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	191000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	37	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	54	L . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

612

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00239

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
16 F	VISIT 13/CONTINUATION-WEEK 20	147	(1)	Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF		3	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00262

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	15.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	44.7	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	32	. . .	30 - 70	%
		Lymphocytes	40	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	7	H . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	223000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	399	. . +	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

614

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00262

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.8	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.4	. . .	30 - 70	%
		Lymphocytes	27.3	. . .	21 - 51	%
		Monocytes	3.9	. . .	0 - 10	%
		Eosinophils	8.1 H	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	191000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.2 L	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	285	. . .	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.3	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

615

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00264

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.6	. . .	12 - 15.6	G/DL
		Hematocrit	40.5	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.7	. . .	30 - 70	%
		Lymphocytes	34.3	. . .	21 - 51	%
		Monocytes	5.3	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	354000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	91	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	98	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick		NEG . . .		
		Urine Squamous		4 . . .		
		Epithelial Cells				
		Serum BHCG pregnancy test		NEGATIVE . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

616

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00264

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	25	Hemoglobin	12.2 . . .		12 - 15.6	G/DL
		Hematocrit	36.3 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.3 . . .		30 - 70	%
		Lymphocytes	42 . . .		21 - 51	%
		Monocytes	9.1 . . .		0 - 10	%
		Eosinophils	3.5 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	287000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	53	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	38.7 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.2 . . .		30 - 70	%
		Lymphocytes	26 . . .		21 - 51	%
		Monocytes	4.5 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	314000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

617

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00264

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	53	Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	96	.	.	.	44 - 280	U/L
			Aspartate	15	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.1	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	99	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00301

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-6	Neutrophil Bands	1	L . .	4 - 12	%
		Segmented Neutrophils	57	. . .	30 - 70	%
		Lymphocytes	25	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	7	H . .	0 - 5	%
		Basophils	2	. . .	0 - 2	%
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	229	H . .	22 - 180	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	75	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

619

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00301

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	13.5	L . .	13.8 - 17.2	G/DL
		Hematocrit	39.2	L . .	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.4	. . .	30 - 70	%
		Lymphocytes	32.5	. . .	21 - 51	%
		Monocytes	5.9	. . .	0 - 10	%
		Eosinophils	8.7	H . .	0 - 5	%
		Basophils	2.5	H . .	0 - 2	%
		Platelets	272000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.1	L . .	13.8 - 17.2	G/DL
		Hematocrit	38.3	L . .	41 - 50	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.6	. . .	30 - 70	%
		Lymphocytes	34	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	7.7	H . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	245000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	171	. . .	22 - 180	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

620

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00301

S E		RELATIVE *	LAB TEST	LAB VALUE	F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS			1 2 3	REFERENCE RANGE	UNITS
17 M	VISIT 10/ACUTE PHASE-WEEK 8	57	Glucose - Random	88	. . .	70 - 115	MG/DL
			Globulin	2.8	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

621

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00305

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	15 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.6 . . .		41 - 50	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.5 . . .		30 - 70	%
		Lymphocytes	37.1 . . .		21 - 51	%
		Monocytes	9 . . .		0 - 10	%
		Eosinophils	2.5 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	189000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	200 . . .		44 - 400	U/L
		Aspartate	28 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16 . . .		0 - 48	U/L
		Total Bilirubin	1.1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	109 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

622

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00305

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M	VISIT 1/SCREENING (WEEK -1)	-5	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	15.6	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	44.7	.	.	.	41 - 50	%
			Red Blood Cell Count	5.2	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.3	.	.	.	30 - 70	%
			Lymphocytes	30	.	.	.	21 - 51	%
			Monocytes	12.2	H	.	.	0 - 10	%
			Eosinophils	2	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	154000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.1	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.2	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	225	.	.	.	44 - 400	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

623

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00305

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 10/ACUTE PHASE-WEEK 8	58	Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	1.3 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	141	Hemoglobin	14.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	42.6 . . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.4 . . .		30 - 70	%
		Lymphocytes	39 . . .		21 - 51	%
		Monocytes	6.6 . . .		0 - 10	%
		Eosinophils	2.6 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	164000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	200 . . .		44 - 400	U/L
		Aspartate Aminotransferase	18 . . .		0 - 41	U/L
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	1.4 H . . .		0.3 - 1.3	MG/DL
		Total Protein	6.5 . . .		6.2 - 8.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

624

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00305

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 13/CONTINUATION-WEEK 20	141	Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	94	.	.	.	70 - 115	MG/DL
			Globulin	2.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	249	Hemoglobin	15.4	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	44.3	.	.	.	41 - 50	%
			Red Blood Cell Count	5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.1	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	58	.	.	.	30 - 70	%
			Lymphocytes	33.6	.	.	.	21 - 51	%
			Monocytes	6.9	.	.	.	0 - 10	%
			Eosinophils	0.7	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	162000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	13	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	195	.	.	.	44 - 400	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	1.5	H	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

625

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00305

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 16/CONTINUATION-WEEK 32	249	Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	70	.	.	.	70 - 115	MG/DL
			Globulin	2.8	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00325

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.8	.	.	.	12 - 15.6	G/DL
		Hematocrit	39.7	.	.	.	35 - 46	%
		Red Blood Cell Count	4.3	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.2	.	.	.	30 - 70	%
		Lymphocytes	40.1	.	.	.	21 - 51	%
		Monocytes	9.3	.	.	.	0 - 10	%
		Eosinophils	2.4	.	.	.	0 - 5	%
		Basophils	1	.	.	.	0 - 2	%
		Platelets	270000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	3.4	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	69	.	.	.	44 - 280	U/L
		Aspartate	13	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	7	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	8.3	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	95	.	.	.	70 - 115	MG/DL
		Globulin	3.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	6	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Serum BHCG pregnancy test	NEGATIVE	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

627

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00325

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	14.1	. . .	12 - 15.6	G/DL
		Hematocrit	38.2	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.3	. . .	30 - 70	%
		Lymphocytes	32.2	. . .	21 - 51	%
		Monocytes	8.8	. . .	0 - 10	%
		Eosinophils	0.5	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	313000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	58	. . .	44 - 280	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	74	. . .	70 - 115	MG/DL
		Globulin	4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

628

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00325

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 12/CONTINUATION-WEEK 16	112	Hemoglobin	14	. . .	12 - 15.6	G/DL
		Hematocrit	40.6	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.3	. . .	30 - 70	%
		Lymphocytes	44.2	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	0.3	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	340000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	64	. . .	22 - 130	U/L
		Aspartate Aminotransferase	15	. . .	0 - 41	U/L
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	92	. . .	70 - 115	MG/DL
		Globulin	4.4	H . .	2.3 - 4.1	G/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

629

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00326

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	15.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.2	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.3	. . .	30 - 70	%
		Lymphocytes	35.7	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	3.7	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	248000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	181	. . .	44 - 400	U/L
		Aspartate	34	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	78	H . . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	109	. . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

630

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00326

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-10	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	54	Hemoglobin	15.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.4	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.9	. . .	30 - 70	%
		Lymphocytes	27.7	. . .	21 - 51	%
		Monocytes	4.4	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	234000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
		Uric Acid	7.9	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	150	. . .	44 - 400	U/L
		Aspartate	24	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	34	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	120	H . . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
VISIT 12/CONTINUATION-WEEK 16	103	Hemoglobin	15	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.8	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

631

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.009.00326

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 12/CONTINUATION-WEEK 16	103	White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.3	. . .	30 - 70	%
		Lymphocytes	39.1	. . .	21 - 51	%
		Monocytes	7.9	. . .	0 - 10	%
		Eosinophils	3.8	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	237000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	134	. . .	44 - 400	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	26	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	79	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

632

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00279

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.3 . . .		12 - 15.6	G/DL
		Hematocrit	39.2 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.6 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.2 . . .		30 - 70	%
		Lymphocytes	34.8 . . .		21 - 51	%
		Monocytes	13.5 H . .		0 - 10	%
		Eosinophils	2.5 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	168000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	164 . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	78 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

633

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00279

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Neutrophil Bands	0 L	.	.	.	4 - 12	%
			Segmented Neutrophils	68	.	.	.	30 - 70	%
			Lymphocytes	23	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	1	.	.	.	0 - 5	%
			Basophils	1	.	.	.	0 - 2	%
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	140	Hemoglobin	13.5	.	.	.	12 - 15.6	C/DL
			Hematocrit	38.4	.	.	.	35 - 46	%
			Red Blood Cell Count	4.3	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.4 L	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	61.2	.	.	.	30 - 70	%
			Lymphocytes	27.1	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	4.2	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	163000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.4	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	90	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

634

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00279

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 13/CONTINUATION-WEEK 20	140	Blood Urea Nitrogen	13 . . .				7 - 25	MG/DL
			Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
			Uric Acid	2.9 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	132 . . .				44 - 280	U/L
			Aspartate	16 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	11 . . .				0 - 48	U/L
			Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.3 . . .				6.2 - 8.8	G/DL
			Albumin	4.3 . . .				3.1 - 5.3	G/DL
			Glucose - Random	67 L . .				70 - 115	MG/DL
			Globulin	3 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG					
			Urine Blood - Dipstick	NEG					
			Urine Red Blood Cells/HPF	NEG					
			Urine White Blood Cells/HPF	3 . . .					
			Urine Bacteria	3 . . .					
			Urine Protein - Dipstick	NEG					
			Urine Squamous Epithelial Cells	4 . . .					
	VISIT 16/CONTINUATION-WEEK 32	230	Hemoglobin	13.6 . . .				12 - 15.6	G/DL
			Hematocrit	38.7 . . .				35 - 46	%
			Red Blood Cell Count	4.4 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.8 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.5 . . .				30 - 70	%
			Lymphocytes	32 . . .				21 - 51	%
			Monocytes	9 . . .				0 - 10	%
			Eosinophils	3.4 . . .				0 - 5	%
			Basophils	0.2 . . .				0 - 2	%
			Platelets	178000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.9 . . .				25 - 35	PG
			Mean Corpuscle Volume	88 . . .				80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

635

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00279

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 16/CONTINUATION-WEEK 32	230	Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	1.8 L . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	117 . . .		44 - 280	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	76 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

636

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00281

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	40.3	L . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.8	. . .	30 - 70	%
		Lymphocytes	37	. . .	21 - 51	%
		Monocytes	9.8	. . .	0 - 10	%
		Eosinophils	2.7	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	256000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	252	. . .	44 - 400	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

637

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00281

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	13.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	40	L . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.8	. . .	30 - 70	%
		Lymphocytes	34.1	. . .	21 - 51	%
		Monocytes	9.7	. . .	0 - 10	%
		Eosinophils	0.9	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	250000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	235	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

638

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00281

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 10/ACUTE PHASE-WEEK 8	62	Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	14.1	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.1	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.4	H . .	30 - 70	%
		Lymphocytes	18.2	L . .	21 - 51	%
		Monocytes	7.8	. . .	0 - 10	%
		Eosinophils	0.2	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	238000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	215	. . .	44 - 400	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	87	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

639

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00281

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M	VISIT 13/CONTINUATION-WEEK 20	148	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	2	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		
	VISIT 14/CONTINUATION-WEEK 24	162	Hemoglobin	13.3	L	.	.	13.8 - 17.2	G/DL
			Hematocrit	39.3	L	.	.	41 - 50	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.9	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	46.1	.	.	.	30 - 70	%
			Lymphocytes	42.5	.	.	.	21 - 51	%
			Monocytes	10.6	H	.	.	0 - 10	%
			Eosinophils	0.2	.	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	275000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	211	.	.	.	44 - 400	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	20	.	.	.	0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

640

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.010.00281

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 M	VISIT 14/CONTINUATION-WEEK 24	162	Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
			Albumin	4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	89	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

641

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00163

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 2/ELIGIBILITY	-1	Segmented Neutrophils	SMEARS RECEI	U . U	30 - 70	%
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	79	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	9.3	H . .	6.2 - 8.8	G/DL
		Albumin	5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	74	. . .	70 - 115	MG/DL
		Globulin	4.3	H . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

642

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00163

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 3/ACUTE PHASE-WEEK 1	7	Hemoglobin	14.8 . . .		12 - 15.6	G/DL
		Hematocrit	44 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.2 H . .		30 - 70	%
		Lymphocytes	19.7 L . .		21 - 51	%
		Monocytes	1.9 . . .		0 - 10	%
		Eosinophils	4.6 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	251000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	94 . . .		80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00208

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	13.4	L . .	13.8 - 17.2	G/DL
		Hematocrit	38.6	L . .	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.5	. . .	30 - 70	%
		Lymphocytes	37.1	. . .	21 - 51	%
		Monocytes	8.4	. . .	0 - 10	%
		Eosinophils	2.1	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	182000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	2.2	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	208	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	97	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	2	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

644

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00208

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 2/ELIGIBILITY	-1	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.5	. . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.5	. . .	30 - 70	%
		Lymphocytes	36.9	. . .	21 - 51	%
		Monocytes	7.6	. . .	0 - 10	%
		Eosinophils	3.3	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	171000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.3	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	174	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

645

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00209

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	13.5	L . .	13.8 - 17.2	G/DL
		Hematocrit	39.8	L . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.2	. . .	30 - 70	%
		Lymphocytes	37	. . .	21 - 51	%
		Monocytes	9.4	. . .	0 - 10	%
		Eosinophils	4.4	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	253000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	80	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	8 - 21	MG/DL
		Creatinine	0.9	. . .	0.4 - 1.1	MG/DL
		Uric Acid	5	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	293	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 39	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	5.7 - 8.2	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	99	. . .	60 - 110	MG/DL
		Globulin	3.4	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

646

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00209

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 2/ELIGIBILITY	-1	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	14.8	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	43.8	.	.	.	41 - 50	%
		Red Blood Cell Count	5.4	H	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52	.	.	.	30 - 70	%
		Lymphocytes	41	.	.	.	21 - 51	%
		Monocytes	5	.	.	.	0 - 10	%
		Eosinophils	1	.	.	.	0 - 5	%
		Basophils	1	.	.	.	0 - 2	%
		Platelets	311000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.3	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	81	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	6	L	.	.	8 - 21	MG/DL
		Creatinine	0.8	.	.	.	0.4 - 1.1	MG/DL
		Uric Acid	5	.	.	.	2.6 - 7	MG/DL
		Alkaline Phosphatase	230	.	.	.	44 - 400	U/L
		Aspartate	25	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	17	.	.	.	0 - 39	U/L
		Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	8.2	.	.	.	5.7 - 8.2	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	107	.	.	.	60 - 110	MG/DL
		Globulin	3.6	.	.	.	2.1 - 3.8	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

647

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00284

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	14.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.5 . . .		41 - 50	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.1 L . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	41 . . .		30 - 70	%
		Lymphocytes	49 . . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	180000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33 . . .		25 - 35	PG
		Mean Corpuscle Volume	98 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	81 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	69 L . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

648

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00284

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	-1	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.3 . . .		41 - 50	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.1 L . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	2 L . . .		4 - 12	%
		Segmented Neutrophils	43 . . .		30 - 70	%
		Lymphocytes	47 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	1 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	216000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	96 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	92 . . .		22 - 180	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	32 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	9 H . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	4.5 H . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

649

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00284

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 13/CONTINUATION-WEEK 20	137	Hemoglobin	13.6	L . .	13.8 - 17.2	G/DL
		Hematocrit	40.5	L . .	41 - 50	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	2.8	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	21	L . .	30 - 70	%
		Lymphocytes	72	H . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	0	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	165000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	97	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	85	. . .	22 - 180	U/L
		Aspartate Aminotransferase	20	. . .	0 - 41	U/L
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	9.2	H . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	4.7	H . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

650

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00284

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 M	VISIT 13/CONTINUATION-WEEK 20	137	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

651

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00286

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 2/ELIGIBILITY	-1	Hemoglobin	13.6 . . .		12 - 15.6	G/DL
		Hematocrit	40 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.4 . . .		30 - 70	%
		Lymphocytes	23 . . .		21 - 51	%
		Monocytes	7.1 . . .		0 - 10	%
		Eosinophils	8.9 H . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	226000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	49 . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	RESULT INVAL	U . U	70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

652

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00286

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 2/ELIGIBILITY	-1	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	69	Hemoglobin	15.2	. . .	12 - 15.6	G/DL
		Hematocrit	43.7	. . .	35 - 46	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.3	. . .	30 - 70	%
		Lymphocytes	19.9	L . . .	21 - 51	%
		Monocytes	10.9	H . . .	0 - 10	%
		Eosinophils	0.8	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	262000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	49	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

653

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00286

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	69	Urine White Blood Cells/HPF	3	.	.	.		
		Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	4	.	.	.		
VISIT 13/CONTINUATION-WEEK 20	173	Hemoglobin	14.5	.	.	.	12 - 15.6	G/DL
		Hematocrit	41.7	.	.	.	35 - 46	%
		Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.2	.	.	.	30 - 70	%
		Lymphocytes	23.2	.	.	.	21 - 51	%
		Monocytes	9.1	.	.	.	0 - 10	%
		Eosinophils	1.1	.	.	.	0 - 5	%
		Basophils	0.3	.	.	.	0 - 2	%
		Platelets	226000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
		Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.7	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	49	.	.	.	44 - 280	U/L
		Aspartate Aminotransferase	14	.	.	.	0 - 41	U/L
		Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	85	.	.	.	70 - 115	MG/DL
		Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

654

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.011.00286

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 13/CONTINUATION-WEEK 20	173	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

655

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00026

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-19	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	40.2	L . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.3	. . .	30 - 70	%
		Lymphocytes	39.1	. . .	21 - 51	%
		Monocytes	8.5	. . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	1.1	. . .	0 - 2	%
		Platelets	203000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.4	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	256	. . .	44 - 400	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	104	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

656

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00026

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
14 M	VISIT 1/SCREENING (WEEK -1)	-19	Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00219

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.2	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.7	. . .	30 - 70	%
		Lymphocytes	31.8	. . .	21 - 51	%
		Monocytes	7.9	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	173000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	176	. . .	44 - 400	U/L
		Aspartate	22	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	1.8	H . .	0.3 - 1.3	MG/DL
		Total Protein	6.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	2.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

658

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00219

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	181	. . .	44 - 400	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	1.3	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.2	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.9	L . . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.1	. . .	30 - 70	%
		Lymphocytes	37.7	. . .	21 - 51	%
		Monocytes	8.3	. . .	0 - 10	%
		Eosinophils	3.5	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	161000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	166	. . .	44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

659

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00219

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 10/ACUTE PHASE-WEEK 8	61	Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19 . . .		0 - 48	U/L
		Total Bilirubin	1.3 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	85 . . .		70 - 115	MG/DL
		Globulin	2.4 . . .		2.3 - 4.1	G/DL
VISIT 11/CONTINUATION-WEEK 12	92	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	15 . . .		13.8 - 17.2	G/DL
		Hematocrit	44.2 . . .		41 - 50	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.4 L . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.2 . . .		30 - 70	%
		Lymphocytes	41.1 . . .		21 - 51	%
		Monocytes	6.3 . . .		0 - 10	%
		Eosinophils	2.6 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	172000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	187 . . .		44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

660

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00219

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M	VISIT 13/CONTINUATION-WEEK 20	148	Aspartate	16	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	15	. . .	0 - 48	U/L
			Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
			Total Protein	6.7	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	97	. . .	70 - 115	MG/DL
			Globulin	2.5	. . .	2.3 - 4.1	G/DL
	VISIT 14/CONTINUATION-WEEK 24	176	Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	2	. . .		
	VISIT 16/CONTINUATION-WEEK 32	239 (6)	Hemoglobin	15.2	. . .	13.8 - 17.2	G/DL
			Hematocrit	44.6	. . .	41 - 50	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	51	. . .	30 - 70	%
			Lymphocytes	34.9	. . .	21 - 51	%
			Monocytes	11	H . . .	0 - 10	%
			Eosinophils	2.7	. . .	0 - 5	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	163000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.7	. . .	25 - 35	PG
			Mean Corpuscle Volume	93	. . .	80 - 100	FL
			Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	5.6	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	172	. . .	44 - 400	U/L
			Aspartate	28	. . .	0 - 41	U/L
			Aminotransferase				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

661

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00219

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(6)			1	2	3		
14 M	VISIT 16/CONTINUATION-WEEK 32	239	(6)	Alanine Aminotransferase	22	.	.	.	0 - 48	U/L
				Total Bilirubin	1.5	H	.	.	0.3 - 1.3	MG/DL
				Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
				Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
				Glucose - Random	91	.	.	.	70 - 115	MG/DL
				Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
				Urine Glucose - Dipstick	NEG	.	.	.		
				Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

662

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00221

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	16.5 . . .				13.8 - 17.2	G/DL
		Hematocrit	48.5 . . .				41 - 50	%
		Red Blood Cell Count	5.3 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.9 . . .				30 - 70	%
		Lymphocytes	26.6 . . .				21 - 51	%
		Monocytes	5.5 . . .				0 - 10	%
		Eosinophils	2.6 . . .				0 - 5	%
		Basophils	0.5 . . .				0 - 2	%
		Platelets	235000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .				25 - 35	PG
		Mean Corpuscle Volume	91 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.6 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	81 . . .				22 - 180	U/L
		Aspartate	14 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12 . . .				0 - 48	U/L
		Total Bilirubin	1.2 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	114 . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
VISIT 2/ELIGIBILITY	1	Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria		3				
		Urine Protein - Dipstick	NEG					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

663

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00221

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 2/ELIGIBILITY	1	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.2	. . .	41 - 50	%
		Red Blood Cell Count	5.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.7	. . .	30 - 70	%
		Lymphocytes	27.9	. . .	21 - 51	%
		Monocytes	6.1	. . .	0 - 10	%
		Eosinophils	8.3	H . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	270000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	84	. . .	22 - 180	U/L
		Aspartate	9	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	109	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

664

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00221

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 10/ACUTE PHASE-WEEK 8	64	Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00223

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.1 . . .		12 - 15.6	G/DL
		Hematocrit	43.1 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.6 . . .		30 - 70	%
		Lymphocytes	31.8 . . .		21 - 51	%
		Monocytes	6.3 . . .		0 - 10	%
		Eosinophils	1.7 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	359000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	154 . . .		44 - 280	U/L
		Aspartate	44 H . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	67 H . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	113 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

666

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00223

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
13	F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00227

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	14.2 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.9 . . .		41 - 50	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.1 . . .		30 - 70	%
		Lymphocytes	27.8 . . .		21 - 51	%
		Monocytes	8.4 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	214000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 L . . .		4 - 8	MG/DL
		Alkaline Phosphatase	80 . . .		22 - 180	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	98 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3		
		Urine Bacteria	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

668

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00227

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	70	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.8	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	70.6	H . .	30 - 70	%
		Lymphocytes	15.4	L . .	21 - 51	%
		Monocytes	9	. . .	0 - 10	%
		Eosinophils	3.9	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	211000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	83	. . .	22 - 180	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	90	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

669

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00227

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 10/ACUTE PHASE-WEEK 8	70	Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	POS	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 13/CONTINUATION-WEEK 20	160	Hemoglobin	15.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	45.8	. . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.9	. . .	30 - 70	%
		Lymphocytes	33.5	. . .	21 - 51	%
		Monocytes	9.5	. . .	0 - 10	%
		Eosinophils	5.8	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	246000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.1	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	100	. . .	22 - 180	U/L
		Aspartate	13	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

670

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00227

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 13/CONTINUATION-WEEK 20	160	Total Protein	8.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	93	.	.	.	70 - 115	MG/DL
			Globulin	3.8	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	245	Hemoglobin	14.1	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	41.9	.	.	.	41 - 50	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	60	.	.	.	30 - 70	%
			Lymphocytes	24.3	.	.	.	21 - 51	%
			Monocytes	10.4	H	.	.	0 - 10	%
			Eosinophils	4.5	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	189000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	93	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	1.2	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.1	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	61	.	.	.	22 - 180	U/L
			Aspartate Aminotransferase	13	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	14	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	99	.	.	.	70 - 115	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

671

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00227

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 M	VISIT 16/CONTINUATION-WEEK 32	245	Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00230

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS	
				1	2	3			
15 M VISIT 1/SCREENING (WEEK -1)	-8	Segmented Neutrophils	48.9 . . .				30 - 70	%	
		Lymphocytes	41.2 . . .				21 - 51	%	
		Monocytes	5.3 . . .				0 - 10	%	
		Eosinophils	4.1 . . .				0 - 5	%	
		Basophils	0.5 . . .				0 - 2	%	
		Blood Urea Nitrogen	8 . . .				7 - 25	MG/DL	
		Creatinine	0.7 L . . .				0.8 - 1.5	MG/DL	
		Uric Acid	3.9 L . . .				4 - 8	MG/DL	
		Alkaline Phosphatase	186 . . .				44 - 400	U/L	
		Aspartate	24 . . .				0 - 41	U/L	
		Aminotransferase							
		Alanine Aminotransferase	16 . . .				0 - 48	U/L	
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL	
		Total Protein	7.5 . . .				6.2 - 8.8	G/DL	
		Albumin	4.6 . . .				3.1 - 5.3	G/DL	
Glucose - Random	66 L . . .				70 - 115	MG/DL			
Globulin	2.9 . . .				2.3 - 4.1	G/DL			
VISIT 2/ELIGIBILITY	1	Hemoglobin	15.2 . . .				13.8 - 17.2	G/DL	
		Hematocrit	42.6 . . .				41 - 50	%	
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL	
		White Blood Cell Count	5.3 . . .				4.5 - 13	THOU/MCL	
		Segmented Neutrophils	54.2 . . .				30 - 70	%	
		Lymphocytes	35.5 . . .				21 - 51	%	
		Monocytes	6.7 . . .				0 - 10	%	
		Eosinophils	3.1 . . .				0 - 5	%	
		Basophils	0.4 . . .				0 - 2	%	
		Platelets	292000 . . .				130000 - 400000	PER CUMM	
		Mean Corpuscle Hemoglobin	32.3 . . .				25 - 35	PG	
		Mean Corpuscle Volume	91 . . .				80 - 100	FL	
		VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Glucose - Dipstick	NEG				
Urine Blood - Dipstick	NEG								
Urine Red Blood Cells/HPF	NEG								
Urine White Blood Cells/HPF	NEG								
Urine Protein - Dipstick	NEG								

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

673

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: IMIPRAMINE PID: 329.012.00230

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	70	Hemoglobin	15 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.7 . . .		41 - 50	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.6 . . .		30 - 70	%
		Lymphocytes	31.5 . . .		21 - 51	%
		Monocytes	6.2 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	356000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.9 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	158 . . .		44 - 400	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

674

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00062

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12.3 . . .		12 - 15.6	G/DL
		Hematocrit	35.9 . . .		35 - 46	%
		Red Blood Cell Count	4 L . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66 . . .		30 - 70	%
		Lymphocytes	25.4 . . .		21 - 51	%
		Monocytes	3.7 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	2.7 H . . .		0 - 2	%
		Platelets	248000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	80 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

675

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00062

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
AGE X	OBSERVATION				DAYS	1	2		
15	F VISIT 1/SCREENING (WEEK -1)	-14	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00064

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	15.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.4 . . .		41 - 50	%
		Red Blood Cell Count	5.5 H . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	40.5 . . .		30 - 70	%
		Lymphocytes	44.1 . . .		21 - 51	%
		Monocytes	7.7 . . .		0 - 10	%
		Eosinophils	7.6 H . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	195000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	265 . . .		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

677

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00064

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	15.9	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.7	. . .	41 - 50	%
		Red Blood Cell Count	5.6	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.8	. . .	30 - 70	%
		Lymphocytes	32.4	. . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	4.6	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	195000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	200	. . .	44 - 400	U/L
		Aspartate	20	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.8	. . .	3.1 - 5.3	G/DL
		Glucose - Random	91	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

678

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00064

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 10/ACUTE PHASE-WEEK 8	55	Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 13/CONTINUATION-WEEK 20	139	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	43.5	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.2	. . .	30 - 70	%
		Lymphocytes	38.1	. . .	21 - 51	%
		Monocytes	2.4	. . .	0 - 10	%
		Eosinophils	7.7	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	197000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	189	. . .	44 - 400	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
	145	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick		6 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

679

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00064

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 M	VISIT 13/CONTINUATION-WEEK 20	145	Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00069

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	16.5 . . .				13.8 - 17.2	G/DL
		Hematocrit	47.9 . . .				41 - 50	%
		Red Blood Cell Count	5.6 H . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.9 . . .				30 - 70	%
		Lymphocytes	21.3 . . .				21 - 51	%
		Monocytes	2.7 . . .				0 - 10	%
		Eosinophils	7 H . . .				0 - 5	%
		Basophils	1.1 . . .				0 - 2	%
		Platelets	226000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .				25 - 35	PG
		Mean Corpuscle Volume	85 . . .				80 - 100	FL
		Blood Urea Nitrogen	18 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	104 . . .				22 - 180	U/L
		Aspartate	20 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	16 . . .				0 - 48	U/L
		Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
		Total Protein	8 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	90 . . .				70 - 115	MG/DL
		Globulin	3.5 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria		3				
		Urine Protein - Dipstick	NEG					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

681

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00069

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-9	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.9	. . .	13.8 - 17.2	G/DL
		Hematocrit	47.2	. . .	41 - 50	%
		Red Blood Cell Count	5.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.7	. . .	30 - 70	%
		Lymphocytes	25.8	. . .	21 - 51	%
		Monocytes	2	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	202000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.6	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	97	. . .	22 - 180	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	112	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

682

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00069

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	6	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00071

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 1/SCREENING (WEEK -1)	-21	Hemoglobin	13 . . .				12 - 15.6	G/DL
			Hematocrit	38 . . .				35 - 46	%
			Red Blood Cell Count	4.3 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.7 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	65.4 . . .				30 - 70	%
			Lymphocytes	23.8 . . .				21 - 51	%
			Monocytes	6.7 . . .				0 - 10	%
			Eosinophils	3.3 . . .				0 - 5	%
			Basophils	0.8 . . .				0 - 2	%
			Platelets	283000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30 . . .				25 - 35	PG
			Mean Corpuscle Volume	88 . . .				80 - 100	FL
			Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
			Creatinine	0.7 L . . .				0.8 - 1.5	MG/DL
			Uric Acid	4 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	181 . . .				44 - 280	U/L
			Aspartate	16 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	6 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.6 . . .				6.2 - 8.8	G/DL
			Albumin	4.3 . . .				3.1 - 5.3	G/DL
			Glucose - Random	78 . . .				70 - 115	MG/DL
			Globulin	3.3 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG . . .					
			Urine Blood - Dipstick	6 . . .					
			Urine Red Blood Cells/HPF	5 . . .					
			Urine White Blood Cells/HPF	NEG . . .					
			Urine Bacteria	3 . . .					
			Urine Protein - Dipstick	NEG . . .					
			Urine Squamous Epithelial Cells	3 . . .					
			Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

684

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00071

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-21	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	37.3	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.5	. . .	30 - 70	%
		Lymphocytes	37.4	. . .	21 - 51	%
		Monocytes	4.6	. . .	0 - 10	%
		Eosinophils	3.3	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	305000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.6 L	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	184	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	4	. . .	0 - 48	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

685

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00071

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

686

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00123

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-21	Hemoglobin	12.5 . . .		12 - 15.6	G/DL
		Hematocrit	36.8 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.9 . . .		30 - 70	%
		Lymphocytes	30.7 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	1.6 . . .		0 - 2	%
		Platelets	297000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	62 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	1.2 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

687

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00123

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 1/SCREENING (WEEK -1)	-21	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

688

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00207

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	13.4	L . .	13.8 - 17.2	G/DL
		Hematocrit	39.1	L . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	41	. . .	30 - 70	%
		Lymphocytes	48	. . .	21 - 51	%
		Monocytes	7	. . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	263000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	238	. . .	44 - 400	U/L
		Aspartate	31	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	42	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	102	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

689

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00207

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 1/SCREENING (WEEK -1)	-9	Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.9	L	.	.	13.8 - 17.2	G/DL
			Hematocrit	37.5	L	.	.	41 - 50	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	37.3	.	.	.	30 - 70	%
			Lymphocytes	50.7	.	.	.	21 - 51	%
			Monocytes	9.2	.	.	.	0 - 10	%
			Eosinophils	2.2	.	.	.	0 - 5	%
			Basophils	0.7	.	.	.	0 - 2	%
			Platelets	285000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.4	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	83	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.5	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	225	.	.	.	44 - 400	U/L
			Aspartate	19	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16	.	.	.	0 - 48	U/L
			Total Bilirubin	0.5	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	122	H	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

690

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.001.00207

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
14 M VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00049

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M 1000.PRE	-13	Hemoglobin	16.3 . . .				13.8 - 17.2	G/DL
		Hematocrit	49.4 . . .				41 - 50	%
		Red Blood Cell Count	5.7 H . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.4 . . .				30 - 70	%
		Lymphocytes	27.5 . . .				21 - 51	%
		Monocytes	11.1 H . . .				0 - 10	%
		Eosinophils	1.7 . . .				0 - 5	%
		Basophils	0.4 . . .				0 - 2	%
		Platelets	229000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5 . . .				25 - 35	PG
		Mean Corpuscle Volume	86 . . .				80 - 100	FL
		Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	123 . . .				44 - 400	U/L
		Aspartate	13 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	1 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	68 L . . .				70 - 115	MG/DL
		Globulin	2.7 . . .				2.3 - 4.1	G/DL
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					
		Urine Opiates	NEG					
		Urine Phencyclidine	NEG					
		Urine Propoxyphene	NEG					
	VISIT 1/SCREENING (WEEK -1)	-6	Urine Glucose - Dipstick	NEG				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

692

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00049

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 1/SCREENING (WEEK -1)	-6	Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells		3 . . .		
			Urine Amphetamines	NEG	. . .		
			Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	15.5	. . .	13.8 - 17.2	G/DL
			Hematocrit	45.6	. . .	41 - 50	%
			Red Blood Cell Count	5.4	H . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.3	. . .	30 - 70	%
			Lymphocytes	33	. . .	21 - 51	%
			Monocytes	9.1	. . .	0 - 10	%
			Eosinophils	1.1	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	246000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.9	. . .	25 - 35	PG
			Mean Corpuscle Volume	85	. . .	80 - 100	FL
			Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.2	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	117	. . .	22 - 180	U/L
			Aspartate Aminotransferase	12	. . .	0 - 41	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

693

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00049

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 10/ACUTE PHASE-WEEK 8	58	Alanine Aminotransferase	10 . . .				0 - 48	U/L
			Total Bilirubin	1 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.2 . . .				6.2 - 8.8	G/DL
			Albumin	4.6 . . .				3.1 - 5.3	G/DL
			Glucose - Random	25 L . .				70 - 115	MG/DL
			Globulin	2.6 . . .				2.3 - 4.1	G/DL
	VISIT 10/UNSCHEDULED LAB 1	91 (17)	Glucose - Random	96 . . .				70 - 115	MG/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00059

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	45 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.7 . . .		30 - 70	%
		Lymphocytes	40.9 . . .		21 - 51	%
		Monocytes	9.4 . . .		0 - 10	%
		Eosinophils	2.9 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	162000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	121 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	6 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

695

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00059

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	16.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	50.1	H . .	41 - 50	%
		Red Blood Cell Count	5.8	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.7	. . .	30 - 70	%
		Lymphocytes	32.7	. . .	21 - 51	%
		Monocytes	7.7	. . .	0 - 10	%
		Eosinophils	3.5	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	162000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1.3	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.9	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	112	. . .	22 - 180	U/L
		Aspartate	22	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.8	. . .	3.1 - 5.3	G/DL
		Glucose - Random	100	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

696

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00059

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 M	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00060

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.7 . . .		12 - 15.6	G/DL
		Hematocrit	42.9 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.7 . . .		30 - 70	%
		Lymphocytes	32.7 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	260000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	141 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	99 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

698

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00060

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.8	. . .	12 - 15.6	G/DL
		Hematocrit	39.3	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.2	. . .	30 - 70	%
		Lymphocytes	34.3	. . .	21 - 51	%
		Monocytes	8.6	. . .	0 - 10	%
		Eosinophils	1.3	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	247000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.7	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	127	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	78	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

699

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00060

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

700

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00097

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12 . . .		12 - 15.6	G/DL
		Hematocrit	35.4 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.7 . . .		30 - 70	%
		Lymphocytes	32.9 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	3.8 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	277000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	131 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	79 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

701

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00097

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	11.5	L . .	12 - 15.6	G/DL
		Hematocrit	33.9	L . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.5	. . .	30 - 70	%
		Lymphocytes	33.6	. . .	21 - 51	%
		Monocytes	3.7	. . .	0 - 10	%
		Eosinophils	3.3	. . .	0 - 5	%
		Basophils	1.8	. . .	0 - 2	%
		Platelets	294000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	80	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	111	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	83	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

702

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00097

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 10/ACUTE PHASE-WEEK 8	59	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 14/CONTINUATION-WEEK 24	178	Hemoglobin	12.2	. . .	12 - 15.6	G/DL
		Hematocrit	35.4	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.7	. . .	30 - 70	%
		Lymphocytes	28.7	. . .	21 - 51	%
		Monocytes	5.1	. . .	0 - 10	%
		Eosinophils	1.4	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	304000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28	. . .	25 - 35	PG
		Mean Corpuscle Volume	81	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	109	. . .	44 - 280	U/L
		Aspartate Aminotransferase	16	. . .	0 - 41	U/L
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	96	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

703

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00097

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F	VISIT 14/CONTINUATION-WEEK 24	178	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	246	Hemoglobin	13.1	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	56.7	.	.	.	30 - 70	%
			Lymphocytes	34.6	.	.	.	21 - 51	%
			Monocytes	6	.	.	.	0 - 10	%
			Eosinophils	2.2	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	250000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.8	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	102	.	.	.	44 - 280	U/L
			Aspartate	12	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	6	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.5	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	107	.	.	.	70 - 115	MG/DL
			Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

704

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00097

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 16/CONTINUATION-WEEK 32	246	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

705

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00101

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	15.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	46 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.4 . . .		30 - 70	%
		Lymphocytes	44.7 . . .		21 - 51	%
		Monocytes	4.6 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	258000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	108 . . .		22 - 180	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

706

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00101

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M	VISIT 1/SCREENING (WEEK -1)	-8	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 6/ACUTE PHASE-WEEK 4	31	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	14.9	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	43.2	.	.	.	41 - 50	%
			Red Blood Cell Count	4.9	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	47.9	.	.	.	30 - 70	%
			Lymphocytes	41.3	.	.	.	21 - 51	%
			Monocytes	7.6	.	.	.	0 - 10	%
			Eosinophils	2.7	.	.	.	0 - 5	%
			Basophils	0.5	.	.	.	0 - 2	%
			Platelets	203000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.6	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	16	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.6	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	96	.	.	.	22 - 180	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

707

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00101

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 10/ACUTE PHASE-WEEK 8	59	Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 11/CONTINUATION-WEEK 12	87	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	POS	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

708

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00101

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 11/CONTINUATION-WEEK 12	87	Urine Propoxyphene	NEG	. . .		
VISIT 12/CONTINUATION-WEEK 16	92	Hemoglobin	14.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	43	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.6	H . .	30 - 70	%
		Lymphocytes	15.5	L . .	21 - 51	%
		Monocytes	7.7	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	188000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	91	. . .	22 - 180	U/L
		Aspartate	10	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

709

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00107

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.3 . . .		12 - 15.6	G/DL
		Hematocrit	40.4 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.9 . . .		30 - 70	%
		Lymphocytes	29.5 . . .		21 - 51	%
		Monocytes	4.4 . . .		0 - 10	%
		Eosinophils	1.8 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	262000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.2 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	81 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	21 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

710

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00107

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.5	. . .	12 - 15.6	G/DL
		Hematocrit	42.2	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	67	. . .	30 - 70	%
		Lymphocytes	24.9	. . .	21 - 51	%
		Monocytes	5.7	. . .	0 - 10	%
		Eosinophils	1.7	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	207000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.7	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	87	. . .	44 - 280	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	25	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	92	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

711

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00107

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		4	.	.		
VISIT 13/CONTINUATION-WEEK 20	148	Hemoglobin	14.5	.	.	.	12 - 15.6	G/DL
		Hematocrit	42.6	.	.	.	35 - 46	%
		Red Blood Cell Count	5	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.6	.	.	.	30 - 70	%
		Lymphocytes	35.6	.	.	.	21 - 51	%
		Monocytes	6.4	.	.	.	0 - 10	%
		Eosinophils	3.8	.	.	.	0 - 5	%
		Basophils	0.7	.	.	.	0 - 2	%
		Platelets	211000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
		Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	5.5	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	85	.	.	.	44 - 280	U/L
		Aspartate Aminotransferase	14	.	.	.	0 - 41	U/L
		Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
		Total Bilirubin	1	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.7	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	92	.	.	.	70 - 115	MG/DL
		Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

712

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00107

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F	VISIT 13/CONTINUATION-WEEK 20	148	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 16/CONTINUATION-WEEK 32	246	Hemoglobin	13.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.7	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	39	.	.	.	30 - 70	%
			Lymphocytes	25	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	2	.	.	.	0 - 5	%
			Basophils	1	.	.	.	0 - 2	%
			Platelets	191000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	8	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.8	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	167	.	.	.	44 - 280	U/L
			Aspartate Aminotransferase	58 H	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	101 H	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	3.9	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	97	.	.	.	70 - 115	MG/DL
			Globulin	3.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	6	.	.	.		
			Urine Red Blood Cells/HPF	5	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

713

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00107

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
15	F VISIT 16/CONTINUATION-WEEK 32	246	Urine Squamous Epithelial Cells	4	.	.	.		
			Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00241

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	15.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.6 . . .		41 - 50	%
		Red Blood Cell Count	5.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.7 . . .		30 - 70	%
		Lymphocytes	27.1 . . .		21 - 51	%
		Monocytes	8.4 . . .		0 - 10	%
		Eosinophils	6.6 H . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	285000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	117 . . .		44 - 400	U/L
		Aspartate	25 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	26 . . .		0 - 48	U/L
		Total Bilirubin	1.1 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	74 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

715

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00241

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 1/SCREENING (WEEK -1)	-12	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 7/ACUTE PHASE-WEEK 5	36	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	15.5	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	44.3	.	.	.	41 - 50	%
			Red Blood Cell Count	5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	10.1	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	58.5	.	.	.	30 - 70	%
			Lymphocytes	27.6	.	.	.	21 - 51	%
			Monocytes	7.6	.	.	.	0 - 10	%
			Eosinophils	5.4	H	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	288000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.7	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	115	.	.	.	44 - 400	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

716

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00241

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 10/ACUTE PHASE-WEEK 8	57	Aspartate Aminotransferase	30	. . .	0 - 41	U/L
		Alanine Aminotransferase	26	. . .	0 - 48	U/L
		Total Bilirubin	1.1	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	3	. . .		
		Urine White Blood Cells/HPF		. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

717

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00246

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-17	Hemoglobin	13.6 . . .				12 - 15.6	G/DL
		Hematocrit	40.4 . . .				35 - 46	%
		Red Blood Cell Count	4.5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.9 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	65 . . .				30 - 70	%
		Lymphocytes	25.4 . . .				21 - 51	%
		Monocytes	7.4 . . .				0 - 10	%
		Eosinophils	1.5 . . .				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%
		Platelets	271000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	89 . . .				80 - 100	FL
		Blood Urea Nitrogen	7 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	79 . . .				22 - 130	U/L
		Aspartate	17 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	13 . . .				0 - 48	U/L
		Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .				6.2 - 8.8	G/DL
		Albumin	4.1 . . .				3.1 - 5.3	G/DL
		Glucose - Random	83 . . .				70 - 115	MG/DL
		Globulin	2.8 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

718

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00246

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-17	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
		Hematocrit	39	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.4	. . .	30 - 70	%
		Lymphocytes	30.6	. . .	21 - 51	%
		Monocytes	6.8	. . .	0 - 10	%
		Eosinophils	1.5	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	322000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	90	. . .	22 - 130	U/L
		Aspartate	34	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	45	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	114	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

719

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00246

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
17	F VISIT 10/ACUTE PHASE-WEEK 8	62	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00320

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.9 . . .				12 - 15.6	G/DL
		Hematocrit	39.5 . . .				35 - 46	%
		Red Blood Cell Count	4.6 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	46.6 . . .				30 - 70	%
		Lymphocytes	35.1 . . .				21 - 51	%
		Monocytes	10 . . .				0 - 10	%
		Eosinophils	7.5 H . . .				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%
		Platelets	285000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	86 . . .				80 - 100	FL
		Blood Urea Nitrogen	10 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	198 . . .				44 - 280	U/L
		Aspartate	19 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	13 . . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .				6.2 - 8.8	G/DL
		Albumin	4.4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	88 . . .				70 - 115	MG/DL
		Globulin	3.4 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	4 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Urine Amphetamines	NEG . . .					
		Urine Barbiturates	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

721

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00320

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	36.7	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.7	. . .	30 - 70	%
		Lymphocytes	30.1	. . .	21 - 51	%
		Monocytes	11.2	H . .	0 - 10	%
		Eosinophils	5.4	H . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	279000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	175	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	90	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

722

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00320

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 F	VISIT 10/ACUTE PHASE-WEEK 8	62	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00323

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	39 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.7 . . .		30 - 70	%
		Lymphocytes	23 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	198000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	1.9 L . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	56 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	109 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

724

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00323

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	13.9	. . .	12 - 15.6	G/DL
		Hematocrit	40.8	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.6	. . .	30 - 70	%
		Lymphocytes	26.8	. . .	21 - 51	%
		Monocytes	8.4	. . .	0 - 10	%
		Eosinophils	3.2	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	204000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	2.2	L . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	52	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

725

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00323

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 10/ACUTE PHASE-WEEK 8	59	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 13/CONTINUATION-WEEK 20	143	Hemoglobin	13.9	. . .	12 - 15.6	G/DL
		Hematocrit	41.7	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.9	. . .	30 - 70	%
		Lymphocytes	27.2	. . .	21 - 51	%
		Monocytes	7.6	. . .	0 - 10	%
		Eosinophils	2.8	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	188000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	53	. . .	22 - 130	U/L
		Aspartate Aminotransferase	14	. . .	0 - 41	U/L
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	78	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

726

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.002.00323

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F	VISIT 13/CONTINUATION-WEEK 20	143	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
	VISIT 16/CONTINUATION-WEEK 32	213	Blood Urea Nitrogen		12	.	.	7 - 25	MG/DL
			Creatinine		0.8	.	.	0.8 - 1.5	MG/DL
			Uric Acid		3	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase		59	.	.	22 - 130	U/L
			Aspartate Aminotransferase		15	.	.	0 - 41	U/L
			Alanine Aminotransferase		18	.	.	0 - 48	U/L
			Total Bilirubin		0.7	.	.	0.3 - 1.3	MG/DL
			Total Protein		7.4	.	.	6.2 - 8.8	G/DL
			Albumin		4.2	.	.	3.1 - 5.3	G/DL
			Glucose - Random		72	.	.	70 - 115	MG/DL
			Globulin		3.2	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

727

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00074

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.9 . . .		41 - 50	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.1 L . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	2 L . . .		4 - 12	%
		Segmented Neutrophils	50 . . .		30 - 70	%
		Lymphocytes	37 . . .		21 - 51	%
		Monocytes	9 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	152000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	96 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	344 . . .		44 - 400	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	106 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

728

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00074

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.5 L . .		41 - 50	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.1 . . .		30 - 70	%
		Lymphocytes	25.4 . . .		21 - 51	%
		Monocytes	6.6 . . .		0 - 10	%
		Eosinophils	1.1 . . .		0 - 5	%
		Basophils	2.9 H . .		0 - 2	%
		Platelets	185000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	96 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 L . .		4 - 8	MG/DL
		Alkaline Phosphatase	406 H . +		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

729

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00074

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13 M	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	146	Hemoglobin	14.5	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	42	.	.	.	41 - 50	%
			Red Blood Cell Count	4.3	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	3.6	L	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	42.2	.	.	.	30 - 70	%
			Lymphocytes	45.1	.	.	.	21 - 51	%
			Monocytes	9.6	.	.	.	0 - 10	%
			Eosinophils	2.3	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	148000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	33.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	98	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	13	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.7	L	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	359	.	.	.	44 - 400	U/L
			Aspartate	25	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	15	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	91	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

730

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00074

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M	VISIT 13/CONTINUATION-WEEK 20	146	Urine Protein - Dipstick	NEG	. . .		
	VISIT 16/CONTINUATION-WEEK 32	260	Hemoglobin	14.4	. . .	13.8 - 17.2	G/DL
			Hematocrit	41.8	. . .	41 - 50	%
			Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	61.4	. . .	30 - 70	%
			Lymphocytes	29.6	. . .	21 - 51	%
			Monocytes	6.3	. . .	0 - 10	%
			Eosinophils	2.2	. . .	0 - 5	%
			Basophils	0.6	. . .	0 - 2	%
			Platelets	188000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	34	. . .	25 - 35	PG
			Mean Corpuscle Volume	99	. . .	80 - 100	FL
			Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.2	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	316	. . .	44 - 400	U/L
			Aspartate	20	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	9	. . .	0 - 48	U/L
			Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.3	. . .	6.2 - 8.8	G/DL
			Albumin	4.5	. . .	3.1 - 5.3	G/DL
			Glucose - Random	97	. . .	70 - 115	MG/DL
			Globulin	2.8	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

731

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00074

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 16/CONTINUATION-WEEK 32	260	Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00078

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.2 . . .				12 - 15.6	G/DL
		Hematocrit	41.5 . . .				35 - 46	%
		Red Blood Cell Count	4.8 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	72.4 H . .				30 - 70	%
		Lymphocytes	19.9 L . .				21 - 51	%
		Monocytes	5.8 . . .				0 - 10	%
		Eosinophils	1.3 . . .				0 - 5	%
		Basophils	0.6 . . .				0 - 2	%
		Platelets	193000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6 . . .				25 - 35	PG
		Mean Corpuscle Volume	86 . . .				80 - 100	FL
		Blood Urea Nitrogen	5 L . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	94 . . .				22 - 130	U/L
		Aspartate	20 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	13 . . .				0 - 48	U/L
		Total Bilirubin	0.7 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	91 . . .				70 - 115	MG/DL
		Globulin	3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

733

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00078

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	58	Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
		Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	4.9	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	83	.	.	.	22 - 130	U/L
		Aspartate	12	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	93	.	.	.	70 - 115	MG/DL
		Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria	3	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
VISIT 10/UNSCHEDULED LAB 1	78 (14)	Hemoglobin	13.6	.	.	.	12 - 15.6	G/DL
		Hematocrit	38.1	.	.	.	35 - 46	%
		Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.7	.	.	.	30 - 70	%
		Lymphocytes	23.8	.	.	.	21 - 51	%
		Monocytes	7.3	.	.	.	0 - 10	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

734

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00078

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS				1	2	3		
17	F VISIT 10/UNSCHEDULED LAB 1	78	(14)	Eosinophils	1.5	.	.	.	0 - 5	%
				Basophils	0.7	.	.	.	0 - 2	%
				Platelets	198000	.	.	.	130000 - 400000	PER CUMM
				Mean Corpuscle Hemoglobin	30.8	.	.	.	25 - 35	PG
				Mean Corpuscle Volume	87	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00080

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15 . . .		12 - 15.6	G/DL
		Hematocrit	43.4 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	49.4 . . .		30 - 70	%
		Lymphocytes	38.1 . . .		21 - 51	%
		Monocytes	6.6 . . .		0 - 10	%
		Eosinophils	5 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	205000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	RESULT IS AN U . U		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	22 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

736

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00080

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	15	.	.	.	12 - 15.6	G/DL
		Hematocrit	43.2	.	.	.	35 - 46	%
		Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.6	.	.	.	30 - 70	%
		Lymphocytes	34.5	.	.	.	21 - 51	%
		Monocytes	7.3	.	.	.	0 - 10	%
		Eosinophils	2.2	.	.	.	0 - 5	%
		Basophils	0.4	.	.	.	0 - 2	%
		Platelets	204000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.7	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	92	.	.	.	22 - 130	U/L
		Aspartate	19	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	23	.	.	.	0 - 48	U/L
		Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.8	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	106	.	.	.	70 - 115	MG/DL
		Globulin	2.7	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

737

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00080

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	59	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00085

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	14.4 . . .		12 - 15.6	G/DL
		Hematocrit	40.9 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.8 . . .		30 - 70	%
		Lymphocytes	25.7 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	2.5 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	246000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	80 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	109 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

739

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00085

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 1/SCREENING (WEEK -1)	-13	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Neutrophil Bands	3 L	.	.	.	4 - 12	%
			Segmented Neutrophils	70	.	.	.	30 - 70	%
			Lymphocytes	13 L	.	.	.	21 - 51	%
			Monocytes	9	.	.	.	0 - 10	%
			Eosinophils	3	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.7	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	84	.	.	.	22 - 130	U/L
			Aspartate	19	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	20	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.9 H	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	96	.	.	.	70 - 115	MG/DL
			Globulin	4.6 H	.	.	.	2.3 - 4.1	G/DL
	VISIT 10/UNSCHEDULED LAB 1	63	Hemoglobin	14.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	11.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	67.8	.	.	.	30 - 70	%
			Lymphocytes	23.6	.	.	.	21 - 51	%
			Monocytes	5.8	.	.	.	0 - 10	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

740

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00085

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
17	F VISIT 10/UNSCHEDULED LAB 1	63	Eosinophils	2	. . .	0 - 5	%
			Basophils	0.8	. . .	0 - 2	%
			Platelets	276000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.4	. . .	25 - 35	PG
			Mean Corpuscle Volume	86	. . .	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00086

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 1/SCREENING (WEEK -1)	-19	Hemoglobin	13.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	37.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.3	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.8	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49	.	.	.	30 - 70	%
			Lymphocytes	48	.	.	.	21 - 51	%
			Monocytes	3	.	.	.	0 - 10	%
			Eosinophils	0	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Platelets	20000	L	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.7	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.1	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	178	.	.	.	44 - 280	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	9.2	H	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	109	.	.	.	70 - 115	MG/DL
			Globulin	4.5	H	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		
			Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

742

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00086

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 1/SCREENING (WEEK -1)	-19	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	17.1	H	.	.	12 - 15.6	G/DL
			Hematocrit	52.3	H	.	.	35 - 46	%
			Red Blood Cell Count	5.9	H	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.4	.	.	.	30 - 70	%
			Lymphocytes	31.2	.	.	.	21 - 51	%
			Monocytes	6.4	.	.	.	0 - 10	%
			Eosinophils	2.8	.	.	.	0 - 5	%
			Basophils	0.1	.	.	.	0 - 2	%
			Platelets	215000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.8	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	13	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	173	.	.	.	44 - 280	U/L
			Aspartate	14	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	8	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.4	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.9	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

743

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00086

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 13/CONTINUATION-WEEK 20	149	Hemoglobin	13.3	. . .	12 - 15.6	G/DL
			Hematocrit	38.6	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.9	. . .	30 - 70	%
			Lymphocytes	31.5	. . .	21 - 51	%
			Monocytes	6.2	. . .	0 - 10	%
			Eosinophils	2	. . .	0 - 5	%
			Basophils	0.4	. . .	0 - 2	%
			Platelets	196000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
			Mean Corpuscle Volume	89	. . .	80 - 100	FL
			Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	3.8	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	144	. . .	44 - 280	U/L
			Aspartate	13	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.1	. . .	6.2 - 8.8	G/DL
			Albumin	4.7	. . .	3.1 - 5.3	G/DL
			Glucose - Random	105	. . .	70 - 115	MG/DL
			Globulin	3.4	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

744

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00086

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 16/CONTINUATION-WEEK 32	263	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
			Hematocrit	38.4	. . .	35 - 46	%
			Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.9	. . .	30 - 70	%
			Lymphocytes	35.1	. . .	21 - 51	%
			Monocytes	4.7	. . .	0 - 10	%
			Eosinophils	4.1	. . .	0 - 5	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	199000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8	. . .	25 - 35	PG
			Mean Corpuscle Volume	90	. . .	80 - 100	FL
			Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	2.9	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	124	. . .	44 - 280	U/L
			Aspartate	13	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	7	. . .	0 - 48	U/L
			Total Bilirubin	1.2	. . .	0.3 - 1.3	MG/DL
			Total Protein	8	. . .	6.2 - 8.8	G/DL
			Albumin	4.9	. . .	3.1 - 5.3	G/DL
			Glucose - Random	94	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

745

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00094

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-4	Hemoglobin	13.8 . . .		12 - 15.6	G/DL
		Hematocrit	39.3 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	73 H . . .		30 - 70	%
		Lymphocytes	19.4 L . . .		21 - 51	%
		Monocytes	4.7 . . .		0 - 10	%
		Eosinophils	1.9 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	263000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	120 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	1.5 H . . .		0.3 - 1.3	MG/DL
		Total Protein	8.2 . . .		6.2 - 8.8	G/DL
		Albumin	5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	2 . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

746

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00094

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-4	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	71	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	37.2 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.6 H . .		30 - 70	%
		Lymphocytes	19.3 L . .		21 - 51	%
		Monocytes	3 . . .		0 - 10	%
		Eosinophils	3.3 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	206000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	5 L . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	115 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

747

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00094

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 10/ACUTE PHASE-WEEK 8	71	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00251

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	14.4 . . .		12 - 15.6	G/DL
		Hematocrit	42.2 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.5 . . .		30 - 70	%
		Lymphocytes	29.7 . . .		21 - 51	%
		Monocytes	6.7 . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	226000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	64 . . .		22 - 130	U/L
		Aspartate	10 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

749

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00251

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 1/SCREENING (WEEK -1)	-9	Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00252

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	11.7	L . .	12 - 15.6	G/DL
		Hematocrit	34	L . .	35 - 46	%
		Red Blood Cell Count	3.8	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	71.4	H . .	30 - 70	%
		Lymphocytes	22	. . .	21 - 51	%
		Monocytes	4.5	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	281000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2	L . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	75	. . .	44 - 280	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.2	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	103	. . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

751

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00252

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	12.2	. . .	12 - 15.6	G/DL
		Hematocrit	35.4	. . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.9	. . .	30 - 70	%
		Lymphocytes	30.7	. . .	21 - 51	%
		Monocytes	5.6	. . .	0 - 10	%
		Eosinophils	3	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	285000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	90	. . .	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

752

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00291

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-2	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	38.5 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.1 . . .		30 - 70	%
		Lymphocytes	23.8 . . .		21 - 51	%
		Monocytes	4.2 . . .		0 - 10	%
		Eosinophils	5.1 H . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	290000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	84 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

753

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00291

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-2	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	64	Segmented Neutrophils	65	.	.	.	30 - 70	%
			Lymphocytes	25	.	.	.	21 - 51	%
			Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	3	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.9	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	67	.	.	.	22 - 130	U/L
			Aspartate	18	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	7	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.3	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	84	.	.	.	70 - 115	MG/DL
			Globulin	3.1	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	2	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

754

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00291

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	64	Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00315

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	40.8 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.6 . . .		30 - 70	%
		Lymphocytes	37 . . .		21 - 51	%
		Monocytes	4.5 . . .		0 - 10	%
		Eosinophils	7.1 H . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	322000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	77 . . .		22 - 130	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	8 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	95 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

756

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00315

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	38.7 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.8 . . .		30 - 70	%
		Lymphocytes	31.5 . . .		21 - 51	%
		Monocytes	5.6 . . .		0 - 10	%
		Eosinophils	7.4 H . . .		0 - 5	%
		Basophils	1.8 . . .		0 - 2	%
		Platelets	320000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	80 . . .		22 - 130	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	19 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

757

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00315

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00316

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	14.7 . . .		12 - 15.6	G/DL
		Hematocrit	43.6 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	72.5 H . .		30 - 70	%
		Lymphocytes	17.3 L . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	4.1 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	606000 H . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	142 H . .		22 - 130	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . +		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

759

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00316

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.6	. . .	12 - 15.6	G/DL
		Hematocrit	40.6	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	69.2	. . .	30 - 70	%
		Lymphocytes	21.1	. . .	21 - 51	%
		Monocytes	6.2	. . .	0 - 10	%
		Eosinophils	2.6	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	771000	H . +	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	115	. . .	22 - 130	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	79	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

760

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.003.00316

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

761

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00016

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	14.5	. . .	13.8 - 17.2	G/DL
		Hematocrit	41.4	. . .	41 - 50	%
		Red Blood Cell Count	5.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54	. . .	30 - 70	%
		Lymphocytes	33.1	. . .	21 - 51	%
		Monocytes	10.6	H . .	0 - 10	%
		Eosinophils	1.6	. . .	0 - 5	%
		Basophils	0.6	. . .	0 - 2	%
		Platelets	283000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28	. . .	25 - 35	PG
		Mean Corpuscle Volume	80	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1.3	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.8	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	131	. . .	22 - 180	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	109	. . .	70 - 115	MG/DL
		Globulin	2.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	6	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

762

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00016

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 1/SCREENING (WEEK -1)	-12	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	POS	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 1/UNSCHEDULED LAB 1	-3	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 6/ACUTE PHASE-WEEK 4	31	Hemoglobin	14.5	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	41.7	.	.	.	41 - 50	%
			Red Blood Cell Count	5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.6	.	.	.	30 - 70	%
			Lymphocytes	36.1	.	.	.	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

763

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00016

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 6/ACUTE PHASE-WEEK 4	31	Monocytes	7.4 . . .		0 - 10	%
		Eosinophils	3.2 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	292000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
VISIT 7/ACUTE PHASE-WEEK 5	38	Hemoglobin	14.3 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.6 . . .		41 - 50	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.9 . . .		30 - 70	%
		Lymphocytes	35.1 . . .		21 - 51	%
		Monocytes	7.1 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	1.9 . . .		0 - 2	%
		Platelets	315000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	117 . . .		22 - 180	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.1 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

764

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00016

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 7/ACUTE PHASE-WEEK 5	38	Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00018

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	39.1 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.5 . . .		30 - 70	%
		Lymphocytes	29.9 . . .		21 - 51	%
		Monocytes	4.6 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	231000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	93 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	51 . . .		22 - 130	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	80 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	POS	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

766

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00018

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 1/UNSCHEDULED LAB 1	-7	Hemoglobin	13.6	. . .	12 - 15.6	G/DL
		Hematocrit	39.2	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.2	. . .	30 - 70	%
		Lymphocytes	36.8	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	1.6	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	278000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
1010.ZZ2	-2	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

767

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00018

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F 1010.Z22	-2	Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 6/ACUTE PHASE-WEEK 4	29	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	POS	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.5	.	.	.	12 - 15.6	G/DL
		Hematocrit	40	.	.	.	35 - 46	%
		Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.8	.	.	.	30 - 70	%
		Lymphocytes	28.4	.	.	.	21 - 51	%
		Monocytes	3	.	.	.	0 - 10	%
		Eosinophils	4.3	.	.	.	0 - 5	%
		Basophils	0.6	.	.	.	0 - 2	%
		Platelets	204000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.4	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	96	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.8	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	49	.	.	.	22 - 130	U/L
		Aspartate	15	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	12	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	6.8	.	.	.	6.2 - 8.8	G/DL
		Albumin	4	.	.	.	3.1 - 5.3	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

768

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00018

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
17	F VISIT 10/ACUTE PHASE-WEEK 8	58	Glucose - Random	119	H . .	70 - 115	MG/DL
			Globulin	2.8	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick		NEG . . .		
			Urine Blood - Dipstick		NEG . . .		
			Urine Red Blood Cells/HPF		NEG . . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	2	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	ACUTE PHASE/DOWN TITRATION	72	Urine Glucose - Dipstick		NEG . . .		
			Urine Blood - Dipstick		NEG . . .		
			Urine Red Blood Cells/HPF		NEG . . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	2	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

769

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00020

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.7 . . .		12 - 15.6	G/DL
		Hematocrit	37 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.5 . . .		30 - 70	%
		Lymphocytes	35.3 . . .		21 - 51	%
		Monocytes	7.6 . . .		0 - 10	%
		Eosinophils	2.6 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	199000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	76 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	128 H . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

770

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00020

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 4/ACUTE PHASE-WEEK 2	16	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	38.1 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.8 . . .		30 - 70	%
		Lymphocytes	37.9 . . .		21 - 51	%
		Monocytes	2.5 . . .		0 - 10	%
		Eosinophils	5.8 H . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	219000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	69 . . .		44 - 280	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

771

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00020

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 4/ACUTE PHASE-WEEK 2	16	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		4	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
			Serum BHCG pregnancy test	NEGATIVE	.	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

772

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-15	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	39.4 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	74.3 H . .		30 - 70	%
		Lymphocytes	17.4 L . .		21 - 51	%
		Monocytes	5.6 . . .		0 - 10	%
		Eosinophils	2.7 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	308000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	81 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .		44 - 280	U/L
		Aspartate	9 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	100 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	3 . . .			
		Cells/HPF				
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

773

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-15	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	-1	Hemoglobin	13 . . .		12 - 15.6	G/DL
		Hematocrit	40.6 . . .		35 - 46	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	75.7 H . . .		30 - 70	%
		Lymphocytes	18.7 L . . .		21 - 51	%
		Monocytes	4 . . .		0 - 10	%
		Eosinophils	1.5 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	318000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
VISIT 6/ACUTE PHASE-WEEK 4	28	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	43 . . .		35 - 46	%
		Red Blood Cell Count	5.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	70.8 H . . .		30 - 70	%
		Lymphocytes	21.2 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	305000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26 . . .		25 - 35	PG
		Mean Corpuscle Volume	81 . . .		80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	54	Hemoglobin	13.2 . . .		12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

774

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	54	Hematocrit	39.1 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.5 . . .		30 - 70	%
		Lymphocytes	21.2 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	5.7 H . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	319000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27 . . .		25 - 35	PG
		Mean Corpuscle Volume	80 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	68 . . .		44 - 280	U/L
		Aspartate	8 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

775

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 10/ACUTE PHASE-WEEK 8	54	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 14/CONTINUATION-WEEK 24	174	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	39	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	74.9	H . .	30 - 70	%
		Lymphocytes	17.8	L . .	21 - 51	%
		Monocytes	4.8	. . .	0 - 10	%
		Eosinophils	2.6	. . .	0 - 5	%
		Basophils	0	. . .	0 - 2	%
		Platelets	302000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	79	L . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	68	. . .	44 - 280	U/L
		Aspartate	9	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

776

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 14/CONTINUATION-WEEK 24	174	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 16/CONTINUATION-WEEK 32	230	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	39.6	. . .	35 - 46	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	75.7	H . .	30 - 70	%
		Lymphocytes	17.8	L . .	21 - 51	%
		Monocytes	4.4	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.2	. . .	0 - 2	%
		Platelets	288000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	26.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	80	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	66	. . .	22 - 130	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.2	L . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	95	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

777

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.004.00213

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15	F VISIT 16/CONTINUATION-WEEK 32	230	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00001

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	41.3 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.6 . . .		30 - 70	%
		Lymphocytes	26.2 . . .		21 - 51	%
		Monocytes	4.3 . . .		0 - 10	%
		Eosinophils	0.4 . . .		0 - 5	%
		Basophils	1.5 . . .		0 - 2	%
		Platelets	265000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		22 - 130	U/L
		Aspartate	20 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	6 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	98 . . .		70 - 115	MG/DL
		Globulin	3.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood	3 . . .			
		Cells/HPF				
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

779

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00001

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/UNSCHEDULED LAB 1	-2	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Neutrophil Bands	0 L	.	.	.	4 - 12	%
			Segmented Neutrophils	67	.	.	.	30 - 70	%
			Lymphocytes	29	.	.	.	21 - 51	%
			Monocytes	4	.	.	.	0 - 10	%
			Eosinophils	0	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	66	.	.	.	22 - 130	U/L
			Aspartate	15	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8.1	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	97	.	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
	ACUTE PHASE/DOWN TITRATION	70	Hemoglobin	13.7	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.7	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.3	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	53	.	.	.	30 - 70	%
			Lymphocytes	38.1	.	.	.	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

780

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00001

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16	F ACUTE PHASE/DOWN TITRATION	70	Monocytes	7	.	.	.	0 - 10	%
			Eosinophils	1.1	.	.	.	0 - 5	%
			Basophils	0.8	.	.	.	0 - 2	%
			Platelets	268000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	94	.	.	.	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00005

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.3 . . .		12 - 15.6	G/DL
		Hematocrit	39.9 . . .		35 - 46	%
		Red Blood Cell Count	4.6 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.4 . . .		30 - 70	%
		Lymphocytes	34.2 . . .		21 - 51	%
		Monocytes	3.3 . . .		0 - 10	%
		Eosinophils	3.1 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	284000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	340 H . . .		44 - 280	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

782

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00005

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
13	F VISIT 1/SCREENING (WEEK -1)	-8	Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	1	Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00010

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 2/ELIGIBILITY	1	Hemoglobin	13.6 . . .				12 - 15.6	G/DL
		Hematocrit	39.8 . . .				35 - 46	%
		Red Blood Cell Count	4.7 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.5 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	68.8 . . .				30 - 70	%
		Lymphocytes	24.4 . . .				21 - 51	%
		Monocytes	4.4 . . .				0 - 10	%
		Eosinophils	1.8 . . .				0 - 5	%
		Basophils	0.6 . . .				0 - 2	%
		Platelets	208000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8 . . .				25 - 35	PG
		Mean Corpuscle Volume	84 . . .				80 - 100	FL
		Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
		Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.6 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .				22 - 130	U/L
		Aspartate	14 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	7 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	90 . . .				70 - 115	MG/DL
		Globulin	3.5 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG					
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

784

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00010

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 2/ELIGIBILITY	1	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.4	. . .	12 - 15.6	G/DL
		Hematocrit	39.3	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	78.2	H . .	30 - 70	%
		Lymphocytes	15.8	L . .	21 - 51	%
		Monocytes	4	. . .	0 - 10	%
		Eosinophils	1.2	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	236000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	81	. . .	22 - 130	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	6	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

785

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00010

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick		6 . . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 13/CONTINUATION-WEEK 20	149	Hemoglobin	14.5	. . .	12 - 15.6	G/DL
		Hematocrit	42.1	. . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	72.9	H . .	30 - 70	%
		Lymphocytes	18.7	L . .	21 - 51	%
		Monocytes	5.6	. . .	0 - 10	%
		Eosinophils	2.3	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	24000	L . -	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	74	. . .	22 - 130	U/L
		Aspartate Aminotransferase	12	. . .	0 - 41	U/L
		Alanine Aminotransferase	5	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	8	. . .	6.2 - 8.8	G/DL
		Albumin	4.7	. . .	3.1 - 5.3	G/DL
		Glucose - Random	78	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

786

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00010

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	149	Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	6	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	240	Hemoglobin	14	. . .	12 - 15.6	G/DL
			Hematocrit	40.5	. . .	35 - 46	%
			Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.2	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	59	. . .	30 - 70	%
			Lymphocytes	29.7	. . .	21 - 51	%
			Monocytes	6.2	. . .	0 - 10	%
			Eosinophils	5.1	H . .	0 - 5	%
			Basophils	0	. . .	0 - 2	%
			Platelets	204000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
			Mean Corpuscle Volume	87	. . .	80 - 100	FL
			Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.8	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	64	. . .	22 - 130	U/L
			Aspartate	10	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	6	. . .	0 - 48	U/L
			Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	108	. . .	70 - 115	MG/DL
			Globulin	3.3	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

787

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00010

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	240	Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00012

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.2 . . .		12 - 15.6	G/DL
		Hematocrit	35.2 . . .		35 - 46	%
		Red Blood Cell Count	3.9 L . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.6 . . .		30 - 70	%
		Lymphocytes	32.6 . . .		21 - 51	%
		Monocytes	7.5 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	1.3 . . .		0 - 2	%
		Platelets	279000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	32 L . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

789

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00012

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	60	Hemoglobin	13	. . .	12 - 15.6	G/DL
		Hematocrit	36.8	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	40.7	. . .	30 - 70	%
		Lymphocytes	46.5	. . .	21 - 51	%
		Monocytes	7.3	. . .	0 - 10	%
		Eosinophils	3.4	. . .	0 - 5	%
		Basophils	2.1	H . .	0 - 2	%
		Platelets	298000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.9	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	36	L . .	44 - 280	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.9	. . .	3.1 - 5.3	G/DL
		Glucose - Random	66	L . .	70 - 115	MG/DL
		Globulin	3.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

790

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00012

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 10/ACUTE PHASE-WEEK 8	60	Urine White Blood Cells/HPF	NEG	.	.	.		
	VISIT 13/CONTINUATION-WEEK 20	164	Urine Protein - Dipstick	NEG	.	.	.		
			Hemoglobin	13.3	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.5	.	.	.	35 - 46	%
			Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.8	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	43.5	.	.	.	30 - 70	%
			Lymphocytes	43.9	.	.	.	21 - 51	%
			Monocytes	8.3	.	.	.	0 - 10	%
			Eosinophils	2.8	.	.	.	0 - 5	%
			Basophils	1.5	.	.	.	0 - 2	%
			Platelets	270000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	36 L	.	.	.	44 - 280	U/L
			Aspartate Aminotransferase	8	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	8	.	.	.	0 - 48	U/L
			Total Bilirubin	1.3	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.8	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	87	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00111

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38.9 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.6 . . .		30 - 70	%
		Lymphocytes	41.5 . . .		21 - 51	%
		Monocytes	7.9 . . .		0 - 10	%
		Eosinophils	6.5 H . .		0 - 5	%
		Basophils	1.5 . . .		0 - 2	%
		Platelets	323000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	52 . . .		22 - 130	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

2

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00111

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 12/CONTINUATION-WEEK 16	99	Blood Urea Nitrogen	5 L	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	66	.	.	.	22 - 130	U/L
			Aspartate	11	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	98	.	.	.	70 - 115	MG/DL
			Globulin	3.5	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

3

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00114

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	15.9 . . .		13.8 - 17.2	G/DL
		Hematocrit	47.4 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.6 . . .		30 - 70	%
		Lymphocytes	21.1 . . .		21 - 51	%
		Monocytes	5.6 . . .		0 - 10	%
		Eosinophils	6.1 H . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	241000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.3 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.9 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	99 . . .		22 - 180	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	69 L . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	15.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	45.6 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00114

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 10/ACUTE PHASE-WEEK 8	58	White Blood Cell Count	4.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	39 . . .		30 - 70	%
		Lymphocytes	49 . . .		21 - 51	%
		Monocytes	10 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	103000 L . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1.4 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.8 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	91 . . .		22 - 180	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	101 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 17/DOWN TITRATION	107 (9)	Hemoglobin	15.7 . . .		13.8 - 17.2	G/DL
		Hematocrit	46 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	60 . . .		30 - 70	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

5

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00114

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 17/DOWN TITRATION	107 (9)	Lymphocytes	35 . . .		21 - 51	%
		Monocytes	1 . . .		0 - 10	%
		Eosinophils	4 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	225000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1.3 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	89 . . .		22 - 180	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

9

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00115

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-10	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	39.8 . . .		35 - 46	%
		Red Blood Cell Count	4.9 . . .		3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.8 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	53.7 . . .		40 - 75	%
		Lymphocytes	41.6 . . .		16 - 46	%
		Monocytes	3.5 . . .		0 - 12	%
		Eosinophils	1 . . .		0 - 7	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	261000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6 . . .		27 - 33	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	54 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	111 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

7

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00115

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 1/SCREENING (WEEK -1)	-10	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	72	Hemoglobin	13.6	. . .	12 - 15.6	G/DL
		Hematocrit	38.8	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	7	. . .	3.8 - 10.8	THOU/MCL
		Neutrophil Bands	0	. . .	0 - 8	%
		Segmented Neutrophils	44	. . .	40 - 75	%
		Lymphocytes	35	. . .	16 - 46	%
		Monocytes	3	. . .	0 - 12	%
		Eosinophils	0	. . .	0 - 7	%
		Basophils	1	. . .	0 - 2	%
		Platelets	221000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8	. . .	27 - 33	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	6	L . . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	65	. . .	22 - 130	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	118	H . . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

8

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00115

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 F VISIT 10/ACUTE PHASE-WEEK 8	72	Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	5	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
VISIT 11/CONTINUATION-WEEK 12	81 (6)	Hemoglobin	13.5	. . .	12 - 15.6	G/DL
		Hematocrit	39.4	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.7	. . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	51.8	. . .	40 - 75	%
		Lymphocytes	40.7	. . .	16 - 46	%
		Monocytes	5.8	. . .	0 - 12	%
		Eosinophils	1.5	. . .	0 - 7	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	215000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4	. . .	27 - 33	PG
		Mean Corpuscle Volume	83	. . .	80 - 100	FL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

6

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00120

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	14.5 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.3 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	44.7 . . .		30 - 70	%
		Lymphocytes	39.1 . . .		21 - 51	%
		Monocytes	6.7 . . .		0 - 10	%
		Eosinophils	9.1 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	283000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	6 L . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	340 . . .		44 - 400	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	128 H . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00120

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-8	Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.6 L . .		13.8 - 17.2	G/DL
		Hematocrit	37.9 L . .		41 - 50	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.1 . . .		30 - 70	%
		Lymphocytes	32 . . .		21 - 51	%
		Monocytes	7.5 . . .		0 - 10	%
		Eosinophils	6.9 H . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	288000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	270 . . .		44 - 400	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	145 H . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

11

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00120

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 10/ACUTE PHASE-WEEK 8	58	Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00253

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	13.7 . . .		12 - 15.6	G/DL
		Hematocrit	39.5 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	42.4 . . .		30 - 70	%
		Lymphocytes	45.9 . . .		21 - 51	%
		Monocytes	9.8 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	248000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	52 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	76 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	5 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00253

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56 (1)	Hemoglobin	14.6 . . .		12 - 15.6	G/DL
		Hematocrit	42.9 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.1 . . .		30 - 70	%
		Lymphocytes	35.2 . . .		21 - 51	%
		Monocytes	6.1 . . .		0 - 10	%
		Eosinophils	1.9 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	249000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.9 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	61 . . .		22 - 130	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	91 . . .		70 - 115	MG/DL
		Globulin	2.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00253

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	56	(1)	Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Bacteria		4	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells		4	.	.		
				Urine Amphetamines	NEG	.	.	.		
				Urine Barbiturates	NEG	.	.	.		
				Urine Benzodiazepines	NEG	.	.	.		
				Urine Cannabinoids	NEG	.	.	.		
				Urine Cocaine	NEG	.	.	.		
				Urine Methadone	NEG	.	.	.		
				Urine Methaqualone	NEG	.	.	.		
				Urine Opiates	NEG	.	.	.		
				Urine Phencyclidine	NEG	.	.	.		
				Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00254

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.5 . . .		12 - 15.6	G/DL
		Hematocrit	42.3 . . .		35 - 46	%
		Red Blood Cell Count	4.8 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	47.4 . . .		30 - 70	%
		Lymphocytes	40.4 . . .		21 - 51	%
		Monocytes	8 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	1.7 . . .		0 - 2	%
		Platelets	243000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .		22 - 130	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00254

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38.1 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.9 . . .		30 - 70	%
		Lymphocytes	37.2 . . .		21 - 51	%
		Monocytes	5.8 . . .		0 - 10	%
		Eosinophils	1.5 . . .		0 - 5	%
		Basophils	0.7 . . .		0 - 2	%
		Platelets	209000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	66 . . .		22 - 130	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	92 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00254

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 10/ACUTE PHASE-WEEK 8	56	Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG			
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 13/CONTINUATION-WEEK 20	147	Hemoglobin	15.2 . . .		12 - 15.6	G/DL
		Hematocrit	45 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.2 . . .		30 - 70	%
		Lymphocytes	35.2 . . .		21 - 51	%
		Monocytes	5.5 . . .		0 - 10	%
		Eosinophils	2.4 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	214000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	76 . . .		22 - 130	U/L
		Aspartate Aminotransferase	15 . . .		0 - 41	U/L
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
VISIT 16/CONTINUATION-WEEK 32	245	Hemoglobin	14.2 . . .		12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00254

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 16/CONTINUATION-WEEK 32	245	Hematocrit	42.1	. . .	35 - 46	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	55.6	. . .	30 - 70	%
		Lymphocytes	35	. . .	21 - 51	%
		Monocytes	6.2	. . .	0 - 10	%
		Eosinophils	2.8	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	189000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	77	. . .	22 - 130	U/L
		Aspartate	13	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	3.4	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00254

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	245	Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00293

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	12.1 . . .				12 - 15.6	G/DL
		Hematocrit	36.6 . . .				35 - 46	%
		Red Blood Cell Count	4.3 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	3.7 L . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	32.3 . . .				30 - 70	%
		Lymphocytes	45 . . .				21 - 51	%
		Monocytes	8 . . .				0 - 10	%
		Eosinophils	12.3 H . +				0 - 5	%
		Basophils	2.5 H . .				0 - 2	%
		Platelets	268000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	85 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	101 . . .				22 - 130	U/L
		Aspartate	39 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	68 H . .				0 - 48	U/L
		Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .				6.2 - 8.8	G/DL
		Albumin	4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	84 . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	6 . . .					
		Urine Red Blood Cells/HPF	5 . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00293

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 6/ACUTE PHASE-WEEK 4	30	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.6	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.5	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	55.5	.	.	.	30 - 70	%
			Lymphocytes	33.1	.	.	.	21 - 51	%
			Monocytes	7.2	.	.	.	0 - 10	%
			Eosinophils	3.3	.	.	.	0 - 5	%
			Basophils	0.9	.	.	.	0 - 2	%
			Platelets	268000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.1	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	87	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.7	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	91	.	.	.	22 - 130	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00293

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
16 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Aspartate Aminotransferase	28	. . .	0 - 41	U/L
			Alanine Aminotransferase	54	H . .	0 - 48	U/L
			Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
			Total Protein	8.1	. . .	6.2 - 8.8	G/DL
			Albumin	4.8	. . .	3.1 - 5.3	G/DL
			Glucose - Random	87	. . .	70 - 115	MG/DL
			Globulin	3.3	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00298

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
13	F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.2 . . .				12 - 15.6	G/DL
			Hematocrit	40.9 . . .				35 - 46	%
			Red Blood Cell Count	4.8 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	59.6 . . .				30 - 70	%
			Lymphocytes	31.4 . . .				21 - 51	%
			Monocytes	4.5 . . .				0 - 10	%
			Eosinophils	3.8 . . .				0 - 5	%
			Basophils	0.7 . . .				0 - 2	%
			Platelets	190000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.7 . . .				25 - 35	PG
			Mean Corpuscle Volume	86 . . .				80 - 100	FL
			Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
			Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
			Uric Acid	4 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	151 . . .				44 - 280	U/L
			Aspartate	25 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	14 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.9 . . .				6.2 - 8.8	G/DL
			Albumin	4.6 . . .				3.1 - 5.3	G/DL
			Glucose - Random	83 . . .				70 - 115	MG/DL
			Globulin	3.3 . . .				2.3 - 4.1	G/DL
			Serum BHCG pregnancy test	NEGATIVE	. . .				
	VISIT 2/ELIGIBILITY	1	Urine Glucose - Dipstick	NEG	. . .				
			Urine Blood - Dipstick	NEG	. . .				
			Urine Red Blood Cells/HPF	NEG	. . .				
			Urine White Blood Cells/HPF		3 . . .				
			Urine Bacteria		3 . . .				
			Urine Protein - Dipstick	NEG	. . .				
			Urine Squamous Epithelial Cells		4 . . .				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00298

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	38.9 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54 . . .		30 - 70	%
		Lymphocytes	36.7 . . .		21 - 51	%
		Monocytes	5.5 . . .		0 - 10	%
		Eosinophils	3.5 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	227000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	144 . . .		44 - 280	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	85 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00298

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 13/CONTINUATION-WEEK 20	149	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	37.5	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.9	. . .	30 - 70	%
		Lymphocytes	34.3	. . .	21 - 51	%
		Monocytes	4.9	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	202000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	143	. . .	44 - 280	U/L
		Aspartate Aminotransferase	41	. . .	0 - 41	U/L
		Alanine Aminotransferase	17	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	87	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
VISIT 16/CONTINUATION-WEEK 32	237	Hemoglobin	12.7	. . .	12 - 15.6	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00298

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 16/CONTINUATION-WEEK 32	237	Hematocrit	36.7	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.1	. . .	30 - 70	%
		Lymphocytes	34.3	. . .	21 - 51	%
		Monocytes	5.4	. . .	0 - 10	%
		Eosinophils	1.9	. . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	207000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	112	. . .	44 - 280	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	6	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	109	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick		NEG . . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick		NEG . . .		
		Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00331

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	24	H . .	12 - 15.6	G/DL
		Hematocrit	69.9	H . .	35 - 46	%
		Red Blood Cell Count	7.3	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	19.1	H . +	4.5 - 13	THOU/MCL
		Segmented Neutrophils	74	H . .	30 - 70	%
		Lymphocytes	17	L . .	21 - 51	%
		Monocytes	4	. . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	12000	L . -	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	95	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.9	. . .	2.3 - 7	MG/DL
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	13	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	76	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00331

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 3/ACUTE PHASE-WEEK 1	7	Hemoglobin	14.6	. . .	12 - 15.6	G/DL
		Hematocrit	41.6	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.4	. . .	30 - 70	%
		Lymphocytes	28.6	. . .	21 - 51	%
		Monocytes	5.1	. . .	0 - 10	%
		Eosinophils	7	H . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	253000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	96	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	101	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.8	. . .	3.1 - 5.3	G/DL
		Glucose - Random	101	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00331

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 3/ACUTE PHASE-WEEK 1	7	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
			Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.5	.	.	.	12 - 15.6	G/DL
			Hematocrit	41.6	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.8	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	62.2	.	.	.	30 - 70	%
			Lymphocytes	25.6	.	.	.	21 - 51	%
			Monocytes	7.4	.	.	.	0 - 10	%
			Eosinophils	4.5	.	.	.	0 - 5	%
			Basophils	0.4	.	.	.	0 - 2	%
			Platelets	266000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	32.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	94	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.5	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	92	.	.	.	44 - 280	U/L
			Aspartate	15	.	.	.	0 - 41	U/L
			Aminotransferase						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00331

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Alanine Aminotransferase	11 . . .				0 - 48	U/L
			Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.8 . . .				6.2 - 8.8	G/DL
			Albumin	4.9 . . .				3.1 - 5.3	G/DL
			Glucose - Random	87 . . .				70 - 115	MG/DL
			Globulin	2.9 . . .				2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .				
			Urine Blood - Dipstick	NEG	. . .				
			Urine Red Blood Cells/HPF	NEG	. . .				
			Urine White Blood Cells/HPF		3 . . .				
			Urine Bacteria		4 . . .				
			Urine Protein - Dipstick		2 . . .				
			Urine Squamous Epithelial Cells		4 . . .				

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00334

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.2 . . .		12 - 15.6	G/DL
		Hematocrit	45.7 . . .		35 - 46	%
		Red Blood Cell Count	5.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.6 . . .		30 - 70	%
		Lymphocytes	26.8 . . .		21 - 51	%
		Monocytes	7.9 . . .		0 - 10	%
		Eosinophils	1.8 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	201000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	143 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	89 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . . +		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick		2 . . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.005.00334

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1 F 2 F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 F VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	16.1	H . .	12 - 15.6	G/DL
		Hematocrit	48.2	H . .	35 - 46	%
		Red Blood Cell Count	5.5	H . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.7	. . .	30 - 70	%
		Lymphocytes	30.9	. . .	21 - 51	%
		Monocytes	7.8	. . .	0 - 10	%
		Eosinophils	5.8	H . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	238000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	121	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	89	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	6	. . .		
		Urine Squamous Epithelial Cells	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00037

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-8	Hemoglobin	12.8 . . .		12 - 15.6	G/DL
		Hematocrit	37.4 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.7 . . .		30 - 70	%
		Lymphocytes	26.1 . . .		21 - 51	%
		Monocytes	5.9 . . .		0 - 10	%
		Eosinophils	2.2 . . .		0 - 5	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	360000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	56 . . .		22 - 130	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	100 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	NEG . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00037

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17	F VISIT 1/SCREENING (WEEK -1)	-8	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00042

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	16.8 . . .		13.8 - 17.2	G/DL
		Hematocrit	49.4 . . .		41 - 50	%
		Red Blood Cell Count	5.8 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	9.9 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	61.9 . . .		40 - 75	%
		Lymphocytes	26.8 . . .		16 - 46	%
		Monocytes	8.7 . . .		0 - 12	%
		Eosinophils	2 . . .		0 - 7	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	240000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		27 - 33	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	150 . . .		22 - 180	U/L
		Aspartate	24 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	46 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	80 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
VISIT 2/ELIGIBILITY	-1	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

36

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00042

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
18 M VISIT 2/ELIGIBILITY	-1	Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	15.1	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	44.9	.	.	.	41 - 50	%
		Red Blood Cell Count	5.3	.	.	.	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	7.9	.	.	.	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	50.8	.	.	.	40 - 75	%
		Lymphocytes	33.3	.	.	.	16 - 46	%
		Monocytes	13.2	H	.	.	0 - 12	%
		Eosinophils	1.7	.	.	.	0 - 7	%
		Basophils	1.1	.	.	.	0 - 2	%
		Platelets	223000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6	.	.	.	27 - 33	PG
		Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	5.2	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	113	.	.	.	22 - 180	U/L
		Aspartate	27	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	38	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	6.8	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	86	.	.	.	70 - 115	MG/DL
		Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00042

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 13/CONTINUATION-WEEK 20	139	Hemoglobin	16.3	. . .	13.8 - 17.2	G/DL
		Hematocrit	48.2	. . .	41 - 50	%
		Red Blood Cell Count	5.7	. . .	4.4 - 5.8	MILL/MCL
		White Blood Cell Count	10.9	H . .	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	63.1	. . .	40 - 75	%
		Lymphocytes	26.2	. . .	16 - 46	%
		Monocytes	7.6	. . .	0 - 12	%
		Eosinophils	2.3	. . .	0 - 7	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	241000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8	. . .	27 - 33	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.2	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	116	. . .	22 - 180	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	35	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	87	. . .	70 - 115	MG/DL
		Globulin	3.6	. . .	2.3 - 4.1	C/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 16/CONTINUATION-WEEK 32	223	Hemoglobin	15.7	. . .	13.8 - 17.2	G/DL
		Hematocrit	46.5	. . .	41 - 50	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

38

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00042

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 16/CONTINUATION-WEEK 32	223	Red Blood Cell Count	5.5 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	8.8 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	45.7 . . .		40 - 75	%
		Lymphocytes	35.3 . . .		16 - 46	%
		Monocytes	10.7 . . .		0 - 12	%
		Eosinophils	7.8 H . . .		0 - 7	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	223000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7 . . .		27 - 33	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	103 L . . .		110 - 15	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	46 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	3.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00259

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-32	Hemoglobin	15.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	46 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.9 . . .		30 - 70	%
		Lymphocytes	28.7 . . .		21 - 51	%
		Monocytes	11.2 H . . .		0 - 10	%
		Eosinophils	0.7 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	280000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.1 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	120 . . .		22 - 180	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	23 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 1/UNSCHEDULED LAB 1	-28	Urine Amphetamines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00259

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M	VISIT 1/UNSCHEDULED LAB 1	-28	Urine Barbiturates	NEG	. . .		
			Urine Benzodiazepines	NEG	. . .		
			Urine Cannabinoids	NEG	. . .		
			Urine Cocaine	NEG	. . .		
			Urine Methadone	NEG	. . .		
			Urine Methaqualone	NEG	. . .		
			Urine Opiates	NEG	. . .		
			Urine Phencyclidine	NEG	. . .		
			Urine Propoxyphene	NEG	. . .		
	VISIT 10/ACUTE PHASE-WEEK 8	55	Hemoglobin	14.9	. . .	13.8 - 17.2	G/DL
			Hematocrit	43	. . .	41 - 50	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.8	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	63.8	. . .	30 - 70	%
			Lymphocytes	25.5	. . .	21 - 51	%
			Monocytes	8.9	. . .	0 - 10	%
			Eosinophils	1.6	. . .	0 - 5	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	249000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	90	. . .	80 - 100	FL
			Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
			Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
			Uric Acid	4.1	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	99	. . .	22 - 180	U/L
			Aspartate	14	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	12	. . .	0 - 48	U/L
			Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.3	. . .	6.2 - 8.8	G/DL
			Albumin	4.3	. . .	3.1 - 5.3	G/DL
			Glucose - Random	73	. . .	70 - 115	MG/DL
			Globulin	3	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.006.00259

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 M	VISIT 10/ACUTE PHASE-WEEK 8	55	Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00141

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.3	L . .	13.8 - 17.2	G/DL
		Hematocrit	38.7	L . .	41 - 50	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	48	. . .	30 - 70	%
		Lymphocytes	38.1	. . .	21 - 51	%
		Monocytes	10	. . .	0 - 10	%
		Eosinophils	3.3	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	403000	H . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	12	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.3	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	333	. . .	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	112	. . .	70 - 115	MG/DL
		Globulin	2.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	3	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00141

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00144

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	38.6 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.3 . . .		30 - 70	%
		Lymphocytes	41.2 . . .		21 - 51	%
		Monocytes	7.9 . . .		0 - 10	%
		Eosinophils	4.7 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	303000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		8 - 21	MG/DL
		Creatinine	0.7 . . .		0.4 - 1.1	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	179 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 39	U/L
		Total Bilirubin	0.4 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		5.7 - 8.2	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		60 - 110	MG/DL
		Globulin	3.2 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood	NEG	. . .		
		Cells/HPF				
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous	3 . . .			
		Epithelial Cells				
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

45

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00144

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Hemoglobin	12.8	. . .	12 - 15.6	G/DL
		Hematocrit	37.7	. . .	35 - 46	%
		Red Blood Cell Count	4.4	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.1	. . .	30 - 70	%
		Lymphocytes	32.2	. . .	21 - 51	%
		Monocytes	7.5	. . .	0 - 10	%
		Eosinophils	2.2	. . .	0 - 5	%
		Basophils	2	. . .	0 - 2	%
		Platelets	301000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	8 - 21	MG/DL
		Creatinine	0.6	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	169	. . .	44 - 280	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 39	U/L
		Total Bilirubin	0.4	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.2	. . .	5.7 - 8.2	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	81	. . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00144

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	(1)			1	2	3		
12 F	VISIT 10/ACUTE PHASE-WEEK 8	57	(1)	Urine White Blood Cells/HPF	3	.	.	.		
				Urine Bacteria	4	.	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00266

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.5 . . .		12 - 15.6	G/DL
		Hematocrit	41.8 . . .		35 - 46	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.1 . . .		30 - 70	%
		Lymphocytes	35.9 . . .		21 - 51	%
		Monocytes	7.4 . . .		0 - 10	%
		Eosinophils	2.9 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	244000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		8 - 21	MG/DL
		Creatinine	0.9 . . .		0.4 - 1.1	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	253 . . .		44 - 280	U/L
		Aspartate	12 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 39	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.9 . . .		5.7 - 8.2	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	63 . . .		60 - 110	MG/DL
		Globulin	2.5 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00266

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.9	. . .	12 - 15.6	G/DL
		Hematocrit	40.3	. . .	35 - 46	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Neutrophil Bands	0	L . .	4 - 12	%
		Segmented Neutrophils	44	. . .	30 - 70	%
		Lymphocytes	48	. . .	21 - 51	%
		Monocytes	6	. . .	0 - 10	%
		Eosinophils	1	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	251000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	81	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	8 - 21	MG/DL
		Creatinine	0.7	. . .	0.4 - 1.1	MG/DL
		Uric Acid	2.8	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	190	. . .	44 - 280	U/L
		Aspartate	18	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00266

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells		4	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00267

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 M	VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.8	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	45.2	.	.	.	41 - 50	%
			Red Blood Cell Count	5.1	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.2	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	51.8	.	.	.	30 - 70	%
			Lymphocytes	40.4	.	.	.	21 - 51	%
			Monocytes	5.7	.	.	.	0 - 10	%
			Eosinophils	1.5	.	.	.	0 - 5	%
			Basophils	0.7	.	.	.	0 - 2	%
			Platelets	225000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.9	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	7.8	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	81	.	.	.	22 - 180	U/L
			Aspartate	14	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	19	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	93	.	.	.	70 - 115	MG/DL
			Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		
	VISIT 9/ACUTE PHASE-WEEK 7	50	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

51

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00267

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 9/ACUTE PHASE-WEEK 7	50	Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Hemoglobin	14.7	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	43.2	.	.	.	41 - 50	%
		Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.8	.	.	.	30 - 70	%
		Lymphocytes	41.6	.	.	.	21 - 51	%
		Monocytes	4.5	.	.	.	0 - 10	%
		Eosinophils	1.6	.	.	.	0 - 5	%
		Basophils	0.5	.	.	.	0 - 2	%
		Platelets	245000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	90	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	8	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	73	.	.	.	22 - 180	U/L
		Aspartate	18	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	18	.	.	.	0 - 48	U/L
		Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	128	H	.	.	70 - 115	MG/DL
		Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00267

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
16 M	VISIT 10/ACUTE PHASE-WEEK 8	57 (1)	Urine White Blood Cells/HPF		3 . . .		
			Urine Bacteria		3 . . .		
			Urine Protein - Dipstick	NEG		
			Urine Squamous Epithelial Cells		3 . . .		
			Urine Amphetamines	NEG		
			Urine Barbiturates	NEG		
			Urine Benzodiazepines	NEG		
			Urine Cannabinoids	NEG		
			Urine Cocaine	NEG		
			Urine Methadone	NEG		
			Urine Methaqualone	NEG		
			Urine Opiates	NEG		
			Urine Phencyclidine	NEG		
			Urine Propoxyphene	NEG		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

53

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00311

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.7 . . .				13.8 - 17.2	G/DL
		Hematocrit	43.7 . . .				41 - 50	%
		Red Blood Cell Count	4.8 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.3 . . .				30 - 70	%
		Lymphocytes	34.4 . . .				21 - 51	%
		Monocytes	3 . . .				0 - 10	%
		Eosinophils	9.7 H . .				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%
		Platelets	224000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.8 . . .				25 - 35	PG
		Mean Corpuscle Volume	91 . . .				80 - 100	FL
		Blood Urea Nitrogen	11 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	5.8 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	256 . . .				44 - 400	U/L
		Aspartate	13 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .				6.2 - 8.8	G/DL
		Albumin	4.4 . . .				3.1 - 5.3	G/DL
		Glucose - Random	92 . . .				70 - 115	MG/DL
		Globulin	3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	6 . . .					
		Urine Squamous Epithelial Cells	3 . . .					
		Urine Amphetamines	NEG . . .					
		Urine Barbiturates	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

54

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00311

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M	VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	1	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick		6	.	.		
			Urine Squamous Epithelial Cells		4	.	.		
	VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF		3	.	.		
			Urine Bacteria		3	.	.		
			Urine Protein - Dipstick		6	.	.		
			Urine Squamous Epithelial Cells		3	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	61	Hemoglobin	14.6	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	42	.	.	.	41 - 50	%
			Red Blood Cell Count	4.5	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.6	.	.	.	4.5 - 13	THOU/MCL
			Neutrophil Bands	0	L	.	.	4 - 12	%
			Segmented Neutrophils	51	.	.	.	30 - 70	%
			Lymphocytes	24	.	.	.	21 - 51	%
			Monocytes	13	H	.	.	0 - 10	%
			Eosinophils	11	H	.	+	0 - 5	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

55

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00311

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 10/ACUTE PHASE-WEEK 8	61	Basophils	1 . . .				0 - 2	%
		Platelets	213000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	93 . . .				80 - 100	FL
		Blood Urea Nitrogen	14 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .				4 - 8	MG/DL
		Alkaline Phosphatase	232 . . .				44 - 400	U/L
		Aspartate	15 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	13 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .				6.2 - 8.8	G/DL
		Albumin	4.3 . . .				3.1 - 5.3	G/DL
		Glucose - Random	100 . . .				70 - 115	MG/DL
		Globulin	2.8 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	6 . . .					
		Urine Squamous Epithelial Cells	3 . . .					
VISIT 13/CONTINUATION-WEEK 20	162	Hemoglobin	14.4 . . .				13.8 - 17.2	G/DL
		Hematocrit	41.3 . . .				41 - 50	%
		Red Blood Cell Count	4.6 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.9 . . .				30 - 70	%
		Lymphocytes	20.9 L . . .				21 - 51	%
		Monocytes	6.3 . . .				0 - 10	%
		Eosinophils	11.2 H . +				0 - 5	%
		Basophils	0.7 . . .				0 - 2	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

56

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00311

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 M	VISIT 13/CONTINUATION-WEEK 20	162	Platelets	183000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	15	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.7	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	220	.	.	.	44 - 400	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	19	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	105	.	.	.	70 - 115	MG/DL
			Globulin	2.7	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		
	VISIT 17/DOWN TITRATION	219 (15)	Hemoglobin	15.3	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	44.5	.	.	.	41 - 50	%
			Red Blood Cell Count	4.9	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.3	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	54.7	.	.	.	30 - 70	%
			Lymphocytes	32.5	.	.	.	21 - 51	%
			Monocytes	3.8	.	.	.	0 - 10	%
			Eosinophils	8.6	H	.	.	0 - 5	%
			Basophils	0.3	.	.	.	0 - 2	%
			Platelets	206000	.	.	.	130000 - 400000	PER CUMM

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

57

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.007.00311

S E AGE X OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
	DAYS	()			1	2	3		
15 M VISIT 17/DOWN TITRATION	219	(15)	Mean Corpuscle Hemoglobin	31.2	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	15	.	.	.	7 - 25	MG/DL
			Creatinine	1.1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	5.2	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	229	.	.	.	44 - 400	U/L
			Aspartate Aminotransferase	15	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	103	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00158

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.4 . . .				12 - 15.6	G/DL
		Hematocrit	41.9 . . .				35 - 46	%
		Red Blood Cell Count	5 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.9 . . .				30 - 70	%
		Lymphocytes	35.7 . . .				21 - 51	%
		Monocytes	7 . . .				0 - 10	%
		Eosinophils	4.3 . . .				0 - 5	%
		Basophils	2.1 H . .				0 - 2	%
		Platelets	355000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6 . . .				25 - 35	PG
		Mean Corpuscle Volume	83 . . .				80 - 100	FL
		Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
		Creatinine	0.8 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	111 . . .				22 - 130	U/L
		Aspartate	13 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	0.5 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	80 . . .				70 - 115	MG/DL
		Globulin	3 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00158

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	63	Hemoglobin	13.6	.	.	.	12 - 15.6	G/DL
			Hematocrit	40.2	.	.	.	35 - 46	%
			Red Blood Cell Count	4.8	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	4.7	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	52.1	.	.	.	30 - 70	%
			Lymphocytes	34.3	.	.	.	21 - 51	%
			Monocytes	5.7	.	.	.	0 - 10	%
			Eosinophils	7.3	H	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	335000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.5	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	84	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.1	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	71	.	.	.	22 - 130	U/L
			Aspartate	12	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	13	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	6.9	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	90	.	.	.	70 - 115	MG/DL
			Globulin	2.7	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

60

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00162

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	12.7 . . .				12 - 15.6	G/DL
		Hematocrit	37.9 . . .				35 - 46	%
		Red Blood Cell Count	4.2 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	59 . . .				30 - 70	%
		Lymphocytes	34.1 . . .				21 - 51	%
		Monocytes	2.9 . . .				0 - 10	%
		Eosinophils	3.6 . . .				0 - 5	%
		Basophils	0.4 . . .				0 - 2	%
		Platelets	415000 H . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1 . . .				25 - 35	PG
		Mean Corpuscle Volume	90 . . .				80 - 100	FL
		Blood Urea Nitrogen	8 . . .				7 - 25	MG/DL
		Creatinine	1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	50 . . .				22 - 130	U/L
		Aspartate	14 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.5 . . .				3.1 - 5.3	G/DL
		Glucose - Random	86 . . .				70 - 115	MG/DL
		Globulin	3.2 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Bacteria	4 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Urine Amphetamines	NEG . . .					
		Urine Barbiturates	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

61

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00162

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 6/ACUTE PHASE-WEEK 4	37	Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		3	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		4	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	66	Hemoglobin	13	.	.	.	12 - 15.6	G/DL
		Hematocrit	37.6	.	.	.	35 - 46	%
		Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.5	.	.	.	30 - 70	%
		Lymphocytes	35.2	.	.	.	21 - 51	%
		Monocytes	4.2	.	.	.	0 - 10	%
		Eosinophils	3.5	.	.	.	0 - 5	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00162

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 10/ACUTE PHASE-WEEK 8	66	Basophils	0.6 . . .				0 - 2	%
			Platelets	387000 . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.8 . . .				25 - 35	PG
			Mean Corpuscle Volume	89 . . .				80 - 100	FL
			Blood Urea Nitrogen	9 . . .				7 - 25	MG/DL
			Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
			Uric Acid	2.7 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	52 . . .				22 - 130	U/L
			Aspartate	16 . . .				0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	12 . . .				0 - 48	U/L
			Total Bilirubin	0.6 . . .				0.3 - 1.3	MG/DL
			Total Protein	7.9 . . .				6.2 - 8.8	G/DL
			Albumin	4.5 . . .				3.1 - 5.3	G/DL
			Glucose - Random	101 . . .				70 - 115	MG/DL
			Globulin	3.4 . . .				2.3 - 4.1	G/DL
	VISIT 13/CONTINUATION-WEEK 20	162	Hemoglobin	13.1 . . .				12 - 15.6	G/DL
			Hematocrit	37.1 . . .				35 - 46	%
			Red Blood Cell Count	4.1 . . .				4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.1 . . .				4.5 - 13	THOU/MCL
			Segmented Neutrophils	63.2 . . .				30 - 70	%
			Lymphocytes	31.4 . . .				21 - 51	%
			Monocytes	2.5 . . .				0 - 10	%
			Eosinophils	2.5 . . .				0 - 5	%
			Basophils	0.4 . . .				0 - 2	%
			Platelets	414000 H . . .				130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.7 . . .				25 - 35	PG
			Mean Corpuscle Volume	90 . . .				80 - 100	FL
			Blood Urea Nitrogen	12 . . .				7 - 25	MG/DL
			Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
			Uric Acid	3.3 . . .				2.3 - 7	MG/DL
			Alkaline Phosphatase	44 . . .				22 - 130	U/L
			Aspartate	21 . . .				0 - 41	U/L
			Aminotransferase						

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

63

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00162

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F	VISIT 13/CONTINUATION-WEEK 20	162	Alanine Aminotransferase	12	. . .	0 - 48	U/L
			Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.9	. . .	6.2 - 8.8	G/DL
			Albumin	4.7	. . .	3.1 - 5.3	G/DL
			Glucose - Random	85	. . .	70 - 115	MG/DL
			Globulin	3.2	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	NEG	. . .		
			Urine Squamous Epithelial Cells	4	. . .		
	VISIT 16/CONTINUATION-WEEK 32	245	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
			Hematocrit	36.9	. . .	35 - 46	%
			Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	6.1	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	53.8	. . .	30 - 70	%
			Lymphocytes	38.2	. . .	21 - 51	%
			Monocytes	4.6	. . .	0 - 10	%
			Eosinophils	3.2	. . .	0 - 5	%
			Basophils	0.3	. . .	0 - 2	%
			Platelets	362000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	31.2	. . .	25 - 35	PG
			Mean Corpuscle Volume	91	. . .	80 - 100	FL
			Blood Urea Nitrogen	7	. . .	7 - 25	MG/DL
			Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
			Uric Acid	2.7	. . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	41	. . .	22 - 130	U/L
			Aspartate Aminotransferase	15	. . .	0 - 41	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

64

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00162

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 F	VISIT 16/CONTINUATION-WEEK 32	245	Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	62	L	.	.	70 - 115	MG/DL
			Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00191

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-15	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.4 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.7 . . .		30 - 70	%
		Lymphocytes	46.5 . . .		21 - 51	%
		Monocytes	6.8 . . .		0 - 10	%
		Eosinophils	2.5 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	229000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	84 . . .		22 - 130	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	83 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

66

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00191

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 1/SCREENING (WEEK -1)	-15	Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	13.3	.	.	.	12 - 15.6	G/DL
			Hematocrit	38.9	.	.	.	35 - 46	%
			Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	5.5	.	.	.	4.5 - 13	THOU/MCL
			Neutrophil Bands	0 L	.	.	.	4 - 12	%
			Segmented Neutrophils	51	.	.	.	30 - 70	%
			Lymphocytes	41	.	.	.	21 - 51	%
			Monocytes	6	.	.	.	0 - 10	%
			Eosinophils	2	.	.	.	0 - 5	%
			Basophils	0	.	.	.	0 - 2	%
			Platelets	234000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.4	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	89	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.8	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	2.6	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	73	.	.	.	22 - 130	U/L
			Aspartate	16	.	.	.	0 - 41	U/L
			Aminotransferase		.	.	.		
			Alanine Aminotransferase	11	.	.	.	0 - 48	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	6.9	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.3	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	89	.	.	.	70 - 115	MG/DL
			Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	2	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.008.00191

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17	F VISIT 10/ACUTE PHASE-WEEK 8	62	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00128

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.1	L . .	13.8 - 17.2	G/DL
		Hematocrit	36.3	L . -	41 - 50	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.3	. . .	30 - 70	%
		Lymphocytes	45.8	. . .	21 - 51	%
		Monocytes	9	. . .	0 - 10	%
		Eosinophils	1.1	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	232000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.7	L . .	0.8 - 1.5	MG/DL
		Uric Acid	3.9	L . .	4 - 8	MG/DL
		Alkaline Phosphatase	216	. . .	44 - 400	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	94	. . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00128

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
13 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00129

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.9 . . .		13.8 - 17.2	G/DL
		Hematocrit	44.7 . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	56.5 . . .		30 - 70	%
		Lymphocytes	33.2 . . .		21 - 51	%
		Monocytes	5.2 . . .		0 - 10	%
		Eosinophils	4.9 . . .		0 - 5	%
		Basophils	0.2 . . .		0 - 2	%
		Platelets	141000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.1 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	127 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	27 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.7 . . .		3.1 - 5.3	G/DL
		Glucose - Random	85 . . .		70 - 115	MG/DL
		Globulin	4.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

71

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00129

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00135

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	40.2 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	67.8 . . .		30 - 70	%
		Lymphocytes	23.4 . . .		21 - 51	%
		Monocytes	4.5 . . .		0 - 10	%
		Eosinophils	3.9 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	259000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	8 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	52 . . .		22 - 130	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	110 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00135

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17	F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00136

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.7 . . .		12 - 15.6	G/DL
		Hematocrit	38.2 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61 . . .		30 - 70	%
		Lymphocytes	25.1 . . .		21 - 51	%
		Monocytes	6.6 . . .		0 - 10	%
		Eosinophils	6.2 H . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	346000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	130 . . .		44 - 280	U/L
		Aspartate	21 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	82 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00136

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	34.7	L . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	10.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	73.1	H . .	30 - 70	%
		Lymphocytes	19	L . .	21 - 51	%
		Monocytes	3.7	. . .	0 - 10	%
		Eosinophils	3.1	. . .	0 - 5	%
		Basophils	1.1	. . .	0 - 2	%
		Platelets	288000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	85	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.4	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	119	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	83	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	3	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00136

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00169

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.2	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	38.2	L	.	.	41 - 50	%
		Red Blood Cell Count	4.2	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.4	.	.	.	30 - 70	%
		Lymphocytes	32.2	.	.	.	21 - 51	%
		Monocytes	9.1	.	.	.	0 - 10	%
		Eosinophils	6.3	H	.	.	0 - 5	%
		Basophils	0.2	.	.	.	0 - 2	%
		Platelets	274000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	92	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	9	.	.	.	7 - 25	MG/DL
		Creatinine	0.7	L	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.7	L	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	203	.	.	.	44 - 400	U/L
		Aspartate	21	.	.	.	0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
		Total Bilirubin	0.9	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	85	.	.	.	70 - 115	MG/DL
		Globulin	2.8	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells	3	.	.	.		
		Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00169

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	13.7	L	.	.	13.8 - 17.2	G/DL
		Hematocrit	39.6	L	.	.	41 - 50	%
		Red Blood Cell Count	4.4	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.2	.	.	.	30 - 70	%
		Lymphocytes	35.1	.	.	.	21 - 51	%
		Monocytes	7.8	.	.	.	0 - 10	%
		Eosinophils	4.3	.	.	.	0 - 5	%
		Basophils	1.5	.	.	.	0 - 2	%
		Platelets	267000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.5	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	91	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	0.6	L	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.7	L	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	210	.	.	.	44 - 400	U/L
		Aspartate	20	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
		Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	6.9	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	86	.	.	.	70 - 115	MG/DL
		Globulin	2.5	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00169

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
13 M	VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00174

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.3 . . .		12 - 15.6	G/DL
		Hematocrit	42.4 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	59.4 . . .		30 - 70	%
		Lymphocytes	31.5 . . .		21 - 51	%
		Monocytes	5.3 . . .		0 - 10	%
		Eosinophils	3 . . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	265000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.5 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	56 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		6 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00174

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	58	Hemoglobin	14	. . .	12 - 15.6	G/DL
		Hematocrit	40.3	. . .	35 - 46	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	60.4	. . .	30 - 70	%
		Lymphocytes	34	. . .	21 - 51	%
		Monocytes	3.8	. . .	0 - 10	%
		Eosinophils	1.4	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	304000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	6.3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	62	. . .	44 - 280	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.9	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	102	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00174

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
15 F	VISIT 10/ACUTE PHASE-WEEK 8	58	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00197

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-9	Hemoglobin	14.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.8 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	48.7 . . .		30 - 70	%
		Lymphocytes	38.2 . . .		21 - 51	%
		Monocytes	7.3 . . .		0 - 10	%
		Eosinophils	5.5 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	245000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.4 . . .		25 - 35	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		8 - 21	MG/DL
		Creatinine	0.7 . . .		0.4 - 1.1	MG/DL
		Uric Acid	2.6 . . .		2.6 - 7	MG/DL
		Alkaline Phosphatase	155 . . .		44 - 400	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 39	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		5.7 - 8.2	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	77 . . .		60 - 110	MG/DL
		Globulin	3.4 . . .		2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00197

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 M	VISIT 1/SCREENING (WEEK -1)	-9	Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 10/ACUTE PHASE-WEEK 8	54	Hemoglobin	13.8	.	.	.	13.8 - 17.2	G/DL
			Hematocrit	40.2	L	.	.	41 - 50	%
			Red Blood Cell Count	4.9	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	8.9	.	.	.	4.5 - 13	THOU/MCL
			Segmented Neutrophils	49	.	.	.	30 - 70	%
			Lymphocytes	38.4	.	.	.	21 - 51	%
			Monocytes	6.5	.	.	.	0 - 10	%
			Eosinophils	5.3	H	.	.	0 - 5	%
			Basophils	0.7	.	.	.	0 - 2	%
			Platelets	248000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	81	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	18	.	.	.	8 - 21	MG/DL
			Creatinine	0.7	.	.	.	0.4 - 1.1	MG/DL
			Uric Acid	2.6	.	.	.	2.6 - 7	MG/DL
			Alkaline Phosphatase	134	.	.	.	44 - 400	U/L
			Aspartate	20	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	13	.	.	.	0 - 39	U/L
			Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.4	.	.	.	5.7 - 8.2	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	97	.	.	.	60 - 110	MG/DL
			Globulin	3.2	.	.	.	2.1 - 3.8	G/DL
	VISIT 13/CONTINUATION-WEEK 20	145	Hemoglobin	13	L	.	.	13.8 - 17.2	G/DL
			Hematocrit	37.9	L	.	.	41 - 50	%
			Red Blood Cell Count	4.6	.	.	.	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	7.3	.	.	.	4.5 - 13	THOU/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00197

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 13/CONTINUATION-WEEK 20	145	Segmented Neutrophils	43.6	. . .	30 - 70	%
		Lymphocytes	41.5	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	7.2	H . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	231000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	82	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	8 - 21	MG/DL
		Creatinine	0.8	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.2	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	123	. . .	44 - 400	U/L
		Aspartate	17	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 39	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	5.7 - 8.2	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	86	. . .	60 - 110	MG/DL
		Globulin	2.9	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
VISIT 16/CONTINUATION-WEEK 32	236	Hemoglobin	13.9	. . .	13.8 - 17.2	G/DL
		Hematocrit	40.4	L . .	41 - 50	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.5	. . .	30 - 70	%
		Lymphocytes	43.8	. . .	21 - 51	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

86

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00197

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
12 M	VISIT 16/CONTINUATION-WEEK 32	236	Monocytes	7.3	.	.	.	0 - 10	%
			Eosinophils	4.8	.	.	.	0 - 5	%
			Basophils	0.6	.	.	.	0 - 2	%
			Platelets	239000	.	.	.	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	28.3	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	82	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	17	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.3	L	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	147	.	.	.	44 - 400	U/L
			Aspartate	20	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	16	.	.	.	0 - 48	U/L
			Total Bilirubin	0.8	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.8	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	97	.	.	.	70 - 115	MG/DL
			Globulin	3.6	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00198

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-14	Hemoglobin	12.9 . . .		12 - 15.6	G/DL
		Hematocrit	36.8 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.3 . . .		30 - 70	%
		Lymphocytes	34.1 . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	1.6 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	213000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	85 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	44 . . .		22 - 130	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00198

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-14	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	13.9	.	.	.	12 - 15.6	G/DL
		Hematocrit	40	.	.	.	35 - 46	%
		Red Blood Cell Count	4.6	.	.	.	3.9 - 5.2	MILL/MCL
		White Blood Cell Count	5.7	.	.	.	3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	52.2	.	.	.	40 - 75	%
		Lymphocytes	35.1	.	.	.	16 - 46	%
		Monocytes	6	.	.	.	0 - 12	%
		Eosinophils	5.1	.	.	.	0 - 7	%
		Basophils	1.5	.	.	.	0 - 2	%
		Platelets	183000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6	.	.	.	27 - 33	PG
		Mean Corpuscle Volume	88	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
		Creatinine	0.7 L	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	2.6	.	.	.	2.3 - 7	MG/DL
		Alkaline Phosphatase	44	.	.	.	22 - 130	U/L
		Aspartate	20	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	23	.	.	.	0 - 48	U/L
		Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.1	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	87	.	.	.	70 - 115	MG/DL
		Globulin	2.9	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00198

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17 F	VISIT 10/ACUTE PHASE-WEEK 8	57	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00200

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	11.4	L . .	12 - 15.6	G/DL
		Hematocrit	34.9	L . .	35 - 46	%
		Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	72	H . .	30 - 70	%
		Lymphocytes	19.4	L . .	21 - 51	%
		Monocytes	4.2	. . .	0 - 10	%
		Eosinophils	3.9	. . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	313000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	23.5	L . .	25 - 35	PG
		Mean Corpuscle Volume	72	L . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	37	. . .	22 - 130	U/L
		Aspartate	19	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	82	. . .	70 - 115	MG/DL
		Globulin	3.1	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	4	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00200

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17	F VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	.	.	.		
			Urine Barbiturates	NEG	.	.	.		
			Urine Benzodiazepines	NEG	.	.	.		
			Urine Cannabinoids	NEG	.	.	.		
			Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00202

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.5 . . .		12 - 15.6	G/DL
		Hematocrit	38 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52 . . .		30 - 70	%
		Lymphocytes	31.5 . . .		21 - 51	%
		Monocytes	11 H . . .		0 - 10	%
		Eosinophils	4.5 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	273000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00202

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-6	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 6/ACUTE PHASE-WEEK 4	36	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	POS	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00237

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.9 . . .				13.8 - 17.2	G/DL
		Hematocrit	44.8 . . .				41 - 50	%
		Red Blood Cell Count	5.1 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.5 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	41.6 . . .				30 - 70	%
		Lymphocytes	46.1 . . .				21 - 51	%
		Monocytes	6.6 . . .				0 - 10	%
		Eosinophils	5.2 H . .				0 - 5	%
		Basophils	0.5 . . .				0 - 2	%
		Platelets	223000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3 . . .				25 - 35	PG
		Mean Corpuscle Volume	88 . . .				80 - 100	FL
		Blood Urea Nitrogen	12 . . .				7 - 25	MG/DL
		Creatinine	1.1 . . .				0.8 - 1.5	MG/DL
		Uric Acid	3.7 L . .				4 - 8	MG/DL
		Alkaline Phosphatase	213 H . .				22 - 180	U/L
		Aspartate	20 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	16 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .				6.2 - 8.8	G/DL
		Albumin	4.2 . . .				3.1 - 5.3	G/DL
		Glucose - Random	102 . . .				70 - 115	MG/DL
		Globulin	3.5 . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF	NEG					
		Urine Protein - Dipstick	NEG					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

95

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00237

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00238

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 F VISIT 1/SCREENING (WEEK -1)	-15	Hemoglobin	14.9 . . .				12 - 15.6	G/DL
		Hematocrit	43.3 . . .				35 - 46	%
		Red Blood Cell Count	4.9 . . .				4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5 . . .				4.5 - 13	THOU/MCL
		Segmented Neutrophils	58 . . .				30 - 70	%
		Lymphocytes	31.3 . . .				21 - 51	%
		Monocytes	6.4 . . .				0 - 10	%
		Eosinophils	3.4 . . .				0 - 5	%
		Basophils	0.9 . . .				0 - 2	%
		Platelets	211000 . . .				130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .				25 - 35	PG
		Mean Corpuscle Volume	89 . . .				80 - 100	FL
		Blood Urea Nitrogen	8 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	2.1 L . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	104 . . .				22 - 130	U/L
		Aspartate	15 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	6 . . .				0 - 48	U/L
		Total Bilirubin	0.8 . . .				0.3 - 1.3	MG/DL
		Total Protein	9 H . . .				6.2 - 8.8	G/DL
		Albumin	4.6 . . .				3.1 - 5.3	G/DL
		Glucose - Random	75 . . .				70 - 115	MG/DL
		Globulin	4.4 H . . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .					
		Urine Blood - Dipstick	NEG . . .					
		Urine Red Blood Cells/HPF	NEG . . .					
		Urine White Blood Cells/HPF	3 . . .					
		Urine Protein - Dipstick	NEG . . .					
		Urine Squamous Epithelial Cells	4 . . .					
		Serum BHCG pregnancy test	NEGATIVE . . .					
		Urine Amphetamines	NEG . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00238

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-15	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14.4	. . .	12 - 15.6	G/DL
		Hematocrit	41.9	. . .	35 - 46	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.3	. . .	30 - 70	%
		Lymphocytes	37	. . .	21 - 51	%
		Monocytes	6.3	. . .	0 - 10	%
		Eosinophils	2.8	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	240000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2	L . . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	88	. . .	22 - 130	U/L
		Aspartate	14	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.4	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	97	. . .	70 - 115	MG/DL
		Globulin	3.8	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

98

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00276

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 2/ELIGIBILITY	1	Hemoglobin	14.4 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.3 . . .		41 - 50	%
		Red Blood Cell Count	5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.6 . . .		30 - 70	%
		Lymphocytes	44.4 . . .		21 - 51	%
		Monocytes	7.6 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	261000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	211 . . .		44 - 400	U/L
		Aspartate	15 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.4 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	77 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00276

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
13 M VISIT 2/ELIGIBILITY	1	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.9 L . . .		41 - 50	%
		Red Blood Cell Count	4.9 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.5 . . .		30 - 70	%
		Lymphocytes	34.3 . . .		21 - 51	%
		Monocytes	9.6 . . .		0 - 10	%
		Eosinophils	1.2 . . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	210000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	140 . . .		44 - 400	U/L
		Aspartate	58 H . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	36 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	97 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

100

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00302

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	15.6 . . .		13.8 - 17.2	G/DL
		Hematocrit	45 . . .		41 - 50	%
		Red Blood Cell Count	5.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	43.7 . . .		30 - 70	%
		Lymphocytes	35.4 . . .		21 - 51	%
		Monocytes	9 . . .		0 - 10	%
		Eosinophils	11.4 H . . +		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	212000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	84 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.3 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	108 . . .		22 - 180	U/L
		Aspartate	34 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	30 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.6 . . .		3.1 - 5.3	G/DL
		Glucose - Random	90 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00302

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
17 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00306

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Segmented Neutrophils	36 . . .				30 - 70	%
		Lymphocytes	60 H . .				21 - 51	%
		Monocytes	4 . . .				0 - 10	%
		Eosinophils	0 . . .				0 - 5	%
		Basophils	0 . . .				0 - 2	%
		Blood Urea Nitrogen	12 . . .				7 - 25	MG/DL
		Creatinine	0.9 . . .				0.8 - 1.5	MG/DL
		Uric Acid	4.6 . . .				2.3 - 7	MG/DL
		Alkaline Phosphatase	120 . . .				44 - 280	U/L
		Aspartate	22 . . .				0 - 41	U/L
		Aminotransferase						
		Alanine Aminotransferase	9 . . .				0 - 48	U/L
		Total Bilirubin	1.1 . . .				0.3 - 1.3	MG/DL
		Total Protein	9.2 H . .				6.2 - 8.8	G/DL
		Albumin	4.8 . . .				3.1 - 5.3	G/DL
		Glucose - Random	81 . . .				70 - 115	MG/DL
		Globulin	4.4 H . .				2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG					
		Urine Blood - Dipstick	NEG					
		Urine Red Blood Cells/HPF	NEG					
		Urine White Blood Cells/HPF		3				
		Urine Bacteria		4				
		Urine Protein - Dipstick	NEG					
		Urine Squamous Epithelial Cells		4				
		Serum BHCG pregnancy test	NEGATIVE					
		Urine Amphetamines	NEG					
		Urine Barbiturates	NEG					
		Urine Benzodiazepines	NEG					
		Urine Cannabinoids	NEG					
		Urine Cocaine	NEG					
		Urine Methadone	NEG					
		Urine Methaqualone	NEG					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00306

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-8	Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 1/UNSCHEDULED LAB 1	-5	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	35.9	. . .	35 - 46	%
		Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.3	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.6	. . .	30 - 70	%
		Lymphocytes	30.3	. . .	21 - 51	%
		Monocytes	5.9	. . .	0 - 10	%
		Eosinophils	4.4	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	191000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	11.8	L . .	12 - 15.6	G/DL
		Hematocrit	34.9	L . .	35 - 46	%
		Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.7	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	57.5	. . .	30 - 70	%
		Lymphocytes	30.3	. . .	21 - 51	%
		Monocytes	7.8	. . .	0 - 10	%
		Eosinophils	3.6	. . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	242000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	88	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.2	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	114	. . .	44 - 280	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00306

S E		RELATIVE *			F F F	INVESTIGATOR	LAB
AGE X	OBSERVATION	DAYS	LAB TEST	LAB VALUE	1 2 3	REFERENCE RANGE	UNITS
14	F VISIT 10/ACUTE PHASE-WEEK 8	57	Total Bilirubin	1	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.8	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	91	. . .	70 - 115	MG/DL
			Globulin	3.6	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	3	. . .		
			Urine Bacteria	3	. . .		
			Urine Protein - Dipstick	2	. . .		
			Urine Squamous Epithelial Cells	4	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00312

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-5	Hemoglobin	14 . . .		12 - 15.6	G/DL
		Hematocrit	40.5 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.2 . . .		30 - 70	%
		Lymphocytes	31.3 . . .		21 - 51	%
		Monocytes	7.8 . . .		0 - 10	%
		Eosinophils	6.8 H . .		0 - 5	%
		Basophils	0.9 . . .		0 - 2	%
		Platelets	421000 H . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	67 . . .		22 - 130	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	18 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	78 . . .		70 - 115	MG/DL
		Globulin	3.9 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick		2 . . .		
		Urine Red Blood Cells/HPF		5 . . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00312

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-5	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	38	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.9	. . .	30 - 70	%
		Lymphocytes	33.8	. . .	21 - 51	%
		Monocytes	8.5	. . .	0 - 10	%
		Eosinophils	5.5	H . .	0 - 5	%
		Basophils	0.3	. . .	0 - 2	%
		Platelets	419000	H . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	59	. . .	22 - 130	U/L
		Aspartate	16	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	14	. . .	0 - 48	U/L
		Total Bilirubin	0.5	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	76	. . .	70 - 115	MG/DL
		Globulin	3.8	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00327

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	14.5 . . .		12 - 15.6	G/DL
		Hematocrit	42 . . .		35 - 46	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	9.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.6 . . .		30 - 70	%
		Lymphocytes	27.6 . . .		21 - 51	%
		Monocytes	5.8 . . .		0 - 10	%
		Eosinophils	4.1 . . .		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	224000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	33 . . .		25 - 35	PG
		Mean Corpuscle Volume	96 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.7 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	97 . . .		22 - 130	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	71 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00327

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 7/ACUTE PHASE-WEEK 5	36	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38.1 . . .		35 - 46	%
		Red Blood Cell Count	4 L . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	63.6 . . .		30 - 70	%
		Lymphocytes	28.5 . . .		21 - 51	%
		Monocytes	5.1 . . .		0 - 10	%
		Eosinophils	1.7 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	239000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	91 . . .		22 - 130	U/L
		Aspartate	18 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	74 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

109

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00327

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16	F VISIT 7/ACUTE PHASE-WEEK 5	36	Urine Blood - Dipstick	6	.	.	.		
			Urine Red Blood Cells/HPF	5	.	.	+		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00330

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
12 M VISIT 1/SCREENING (WEEK -1)	-6	Hemoglobin	13.7	L . .	13.8 - 17.2	G/DL
		Hematocrit	40.1	L . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	11.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.1	. . .	30 - 70	%
		Lymphocytes	26.3	. . .	21 - 51	%
		Monocytes	7.7	. . .	0 - 10	%
		Eosinophils	1.8	. . .	0 - 5	%
		Basophils	0.1	. . .	0 - 2	%
		Platelets	340000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9	. . .	25 - 35	PG
		Mean Corpuscle Volume	84	. . .	80 - 100	FL
		Blood Urea Nitrogen	15	. . .	8 - 21	MG/DL
		Creatinine	1	. . .	0.4 - 1.1	MG/DL
		Uric Acid	3.2	. . .	2.6 - 7	MG/DL
		Alkaline Phosphatase	184	. . .	44 - 400	U/L
		Aspartate	24	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	11	. . .	0 - 39	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	8.1	. . .	5.7 - 8.2	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	85	. . .	60 - 110	MG/DL
		Globulin	3.7	. . .	2.1 - 3.8	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

111

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.009.00330

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
12 M VISIT 1/SCREENING (WEEK -1)	-6	Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00183

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	13.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	40.8	L . .	41 - 50	%
		Red Blood Cell Count	5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.4	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	37	. . .	30 - 70	%
		Lymphocytes	51	. . .	21 - 51	%
		Monocytes	5.2	. . .	0 - 10	%
		Eosinophils	6	H . .	0 - 5	%
		Basophils	1.1	. . .	0 - 2	%
		Platelets	262000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	27.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	81	. . .	80 - 100	FL
		Blood Urea Nitrogen	107	H . +	7 - 25	MG/DL
		Creatinine	13.2	H . +	0.8 - 1.5	MG/DL
		Uric Acid	8.8	H . .	4 - 8	MG/DL
		Alkaline Phosphatase	285	. . .	44 - 400	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	1.2	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.1	. . .	6.2 - 8.8	G/DL
		Albumin	4.1	. . .	3.1 - 5.3	G/DL
		Glucose - Random	72	. . .	70 - 115	MG/DL
		Globulin	3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00183

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14 M	VISIT 1/SCREENING (WEEK -1)	-12	Urine Cocaine	NEG	.	.	.		
			Urine Methadone	NEG	.	.	.		
			Urine Methaqualone	NEG	.	.	.		
			Urine Opiates	NEG	.	.	.		
			Urine Phencyclidine	NEG	.	.	.		
			Urine Propoxyphene	NEG	.	.	.		
	VISIT 2/ELIGIBILITY	-5	Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.1	.	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	322	.	.	.	44 - 400	U/L
			Aspartate	17	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	9	.	.	.	0 - 48	U/L
			Total Bilirubin	1.1	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.5	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.2	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	83	.	.	.	70 - 115	MG/DL
			Globulin	3.3	.	.	.	2.3 - 4.1	G/DL
	VISIT 3/ACUTE PHASE-WEEK 1	3	Blood Urea Nitrogen	12	.	.	.	7 - 25	MG/DL
			Creatinine	0.9	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	3.4	L	.	.	4 - 8	MG/DL
			Alkaline Phosphatase	335	.	.	.	44 - 400	U/L
			Aspartate	18	.	.	.	0 - 41	U/L
			Aminotransferase						
			Alanine Aminotransferase	7	.	.	.	0 - 48	U/L
			Total Bilirubin	1	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	7.6	.	.	.	6.2 - 8.8	G/DL
			Albumin	4.4	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	76	.	.	.	70 - 115	MG/DL
			Globulin	3.2	.	.	.	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

114

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00263

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-16	Hemoglobin	16 . . .		13.8 - 17.2	G/DL
		Hematocrit	46.1 . . .		41 - 50	%
		Red Blood Cell Count	5.6 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	8.1 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	56.6 . . .		40 - 75	%
		Lymphocytes	35.4 . . .		16 - 46	%
		Monocytes	5.9 . . .		0 - 12	%
		Eosinophils	1.3 . . .		0 - 7	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	322000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.5 . . .		27 - 33	PG
		Mean Corpuscle Volume	82 . . .		80 - 100	FL
		Blood Urea Nitrogen	14 . . .		7 - 25	MG/DL
		Creatinine	1.2 . . .		0.8 - 1.5	MG/DL
		Uric Acid	7.7 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	69 . . .		22 - 180	U/L
		Aspartate	19 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	22 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	8.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	105 . . .		70 - 115	MG/DL
		Globulin	3.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

115

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00263

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
18 M VISIT 1/SCREENING (WEEK -1)	-16	Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	62	Hemoglobin	15.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	43.4 . . .		41 - 50	%
		Red Blood Cell Count	5.2 . . .		4.4 - 5.8	MILL/MCL
		White Blood Cell Count	8.1 . . .		3.8 - 10.8	THOU/MCL
		Segmented Neutrophils	58 . . .		40 - 75	%
		Lymphocytes	34.9 . . .		16 - 46	%
		Monocytes	5.4 . . .		0 - 12	%
		Eosinophils	1.7 . . .		0 - 7	%
		Basophils	0.1 . . .		0 - 2	%
		Platelets	283000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	28.9 . . .		27 - 33	PG
		Mean Corpuscle Volume	83 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	6.2 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	76 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.5 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	91 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00263

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
18 M VISIT 10/ACUTE PHASE-WEEK 8	62	Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		
		Urine Squamous Epithelial Cells		3	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00277

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	12.8 . . .		12 - 15.6	G/DL
		Hematocrit	37.5 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.6 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.4 . . .		30 - 70	%
		Lymphocytes	41.1 . . .		21 - 51	%
		Monocytes	11.5 H . . .		0 - 10	%
		Eosinophils	1.4 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	332000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
VISIT 2/ELIGIBILITY	1	Blood Urea Nitrogen	9 . . .		7 - 25	MG/DL
		Creatinine	1.3 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		44 - 280	U/L
		Aspartate	10 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.5 . . .		6.2 - 8.8	G/DL
		Albumin	3.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	73 . . .		70 - 115	MG/DL
		Globulin	2.7 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	6 . . .			
		Urine Squamous	4 . . .			
		Epithelial Cells				
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

118

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00277

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	1	Urine Amphetamines	NEG	.	.	.		
		Urine Barbiturates	NEG	.	.	.		
		Urine Benzodiazepines	NEG	.	.	.		
		Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 3/ACUTE PHASE-WEEK 1	8	Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick		6	.	.		
		Urine Red Blood Cells/HPF		5	.	.		
		Urine White Blood Cells/HPF		3	.	.		
		Urine Bacteria		4	.	.		
		Urine Protein - Dipstick		6	.	.		
		Urine Squamous Epithelial Cells		4	.	.		
VISIT 4/ACUTE PHASE-WEEK 2	18	Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick		6	.	.		
		Urine Squamous Epithelial Cells		4	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	57	Hemoglobin	12.2	.	.	.	12 - 15.6	G/DL
		Hematocrit	35.4	.	.	.	35 - 46	%
		Red Blood Cell Count	4	L	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.6	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	45.7	.	.	.	30 - 70	%
		Lymphocytes	40.8	.	.	.	21 - 51	%
		Monocytes	11.1	H	.	.	0 - 10	%
		Eosinophils	2.1	.	.	.	0 - 5	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00277

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 10/ACUTE PHASE-WEEK 8	57	Basophils	0.3 . . .		0 - 2	%
		Platelets	312000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	89 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	72 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	3.8 . . .		3.1 - 5.3	G/DL
		Glucose - Random	96 . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	3 . . .			
		Urine Protein - Dipstick	2 . . .			
		Urine Squamous Epithelial Cells	3 . . .			
VISIT 16	165 (52)	Hemoglobin	11.7 L . .		12 - 15.6	G/DL
		Hematocrit	33.9 L . .		35 - 46	%
		Red Blood Cell Count	4 L . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54 . . .		30 - 70	%
		Lymphocytes	31.4 . . .		21 - 51	%
		Monocytes	11 H . .		0 - 10	%
		Eosinophils	2.9 . . .		0 - 5	%
		Basophils	0.6 . . .		0 - 2	%
		Platelets	317000 . . .		130000 - 400000	PER CUMM

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

120

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00277

S E AGE X OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
	DAYS	(N)			1	2	3		
14 F VISIT 16	165	(52)	Mean Corpuscle Hemoglobin	29.6	.	.	.	25 - 35	PG
			Mean Corpuscle Volume	86	.	.	.	80 - 100	FL
			Blood Urea Nitrogen	10	.	.	.	7 - 25	MG/DL
			Creatinine	1.2	.	.	.	0.8 - 1.5	MG/DL
			Uric Acid	4.8	.	.	.	2.3 - 7	MG/DL
			Alkaline Phosphatase	70	.	.	.	44 - 280	U/L
			Aspartate Aminotransferase	19	.	.	.	0 - 41	U/L
			Alanine Aminotransferase	15	.	.	.	0 - 48	U/L
			Total Bilirubin	0.7	.	.	.	0.3 - 1.3	MG/DL
			Total Protein	6.7	.	.	.	6.2 - 8.8	G/DL
			Albumin	3.7	.	.	.	3.1 - 5.3	G/DL
			Glucose - Random	82	.	.	.	70 - 115	MG/DL
			Globulin	3	.	.	.	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	.	.	.		
			Urine Blood - Dipstick	NEG	.	.	.		
			Urine Red Blood Cells/HPF	NEG	.	.	.		
			Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	4	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		
			Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00282

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.4 . . .		12 - 15.6	G/DL
		Hematocrit	38.7 . . .		35 - 46	%
		Red Blood Cell Count	4.5 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	8.2 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	52.1 . . .		30 - 70	%
		Lymphocytes	39.1 . . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0.8 . . .		0 - 2	%
		Platelets	339000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	4 L . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.1 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	81 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.3 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	87 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

122

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.010.00282

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	64	Hemoglobin	13.2	. . .	12 - 15.6	G/DL
		Hematocrit	38.8	. . .	35 - 46	%
		Red Blood Cell Count	4.5	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.8	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	54	. . .	30 - 70	%
		Lymphocytes	36.7	. . .	21 - 51	%
		Monocytes	6.6	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	326000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.1	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	11	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	73	. . .	44 - 280	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	1.2	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	68	L . .	70 - 115	MG/DL
		Globulin	2.8	. . .	2.3 - 4.1	G/DL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

123

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00164

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
15 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	16.1 . . .		13.8 - 17.2	G/DL
		Hematocrit	46.6 . . .		41 - 50	%
		Red Blood Cell Count	5.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	61.7 . . .		30 - 70	%
		Lymphocytes	29.4 . . .		21 - 51	%
		Monocytes	5.4 . . .		0 - 10	%
		Eosinophils	3.1 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	193000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1.1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.6 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	1028 H . . +		44 - 400	U/L
		Aspartate	22 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	15 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.9 . . .		6.2 - 8.8	G/DL
		Albumin	4.9 . . .		3.1 - 5.3	G/DL
		Glucose - Random	59 L . . .		70 - 115	MG/DL
		Globulin	3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	3 . . .			
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

124

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00164

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
15 M VISIT 2/ELIGIBILITY	-1	Urine Cannabinoids	NEG	.	.	.		
		Urine Cocaine	NEG	.	.	.		
		Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00210

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-1	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	40.7 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	68 . . .		30 - 70	%
		Lymphocytes	23 . . .		21 - 51	%
		Monocytes	7 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	194000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	95 . . .		80 - 100	FL
		Blood Urea Nitrogen	17 . . .		7 - 25	MG/DL
		Creatinine	0.7 L . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	137 . . .		44 - 280	U/L
		Aspartate	23 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.5 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	88 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	3 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			
		Urine Amphetamines	NEG . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00210

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-1	Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	66	Hemoglobin	12.7	. . .	12 - 15.6	G/DL
		Hematocrit	36.9	. . .	35 - 46	%
		Red Blood Cell Count	4.1	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	66.1	. . .	30 - 70	%
		Lymphocytes	24.8	. . .	21 - 51	%
		Monocytes	5.9	. . .	0 - 10	%
		Eosinophils	2.7	. . .	0 - 5	%
		Basophils	0.5	. . .	0 - 2	%
		Platelets	155000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.4	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	133	. . .	44 - 280	U/L
		Aspartate	21	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.9	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	105	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	2	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00210

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
14	F VISIT 10/ACUTE PHASE-WEEK 8	66	Urine Red Blood Cells/HPF	3	.	.	.		
			Urine White Blood Cells/HPF	NEG	.	.	.		
			Urine Protein - Dipstick	6	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00285

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 2/ELIGIBILITY	-1	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.3 L . .		41 - 50	%
		Red Blood Cell Count	4.4 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	51.4 . . .		30 - 70	%
		Lymphocytes	36.9 . . .		21 - 51	%
		Monocytes	8.6 . . .		0 - 10	%
		Eosinophils	2.6 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	309000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.1 . . .		25 - 35	PG
		Mean Corpuscle Volume	92 . . .		80 - 100	FL
		Blood Urea Nitrogen	13 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	81 . . .		22 - 180	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	17 . . .		0 - 48	U/L
		Total Bilirubin	0.9 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.7 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	74 . . .		70 - 115	MG/DL
		Globulin	3.3 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

129

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00285

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 2/ELIGIBILITY	-1	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	68	Hemoglobin	15	. . .	13.8 - 17.2	G/DL
		Hematocrit	44	. . .	41 - 50	%
		Red Blood Cell Count	4.7	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.5	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.1	. . .	30 - 70	%
		Lymphocytes	33.9	. . .	21 - 51	%
		Monocytes	8.4	. . .	0 - 10	%
		Eosinophils	3.9	. . .	0 - 5	%
		Basophils	0.7	. . .	0 - 2	%
		Platelets	281000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.7	. . .	25 - 35	PG
		Mean Corpuscle Volume	93	. . .	80 - 100	FL
		Blood Urea Nitrogen	10	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	80	. . .	22 - 180	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	16	. . .	0 - 48	U/L
		Total Bilirubin	0.8	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.5	. . .	3.1 - 5.3	G/DL
		Glucose - Random	84	. . .	70 - 115	MG/DL
		Globulin	3.3	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00285

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
16 M	VISIT 10/ACUTE PHASE-WEEK 8	68	Urine White Blood Cells/HPF	3	.	.	.		
			Urine Bacteria	3	.	.	.		
			Urine Protein - Dipstick	NEG	.	.	.		
			Urine Squamous Epithelial Cells	3	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00287

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-1	Hemoglobin	13.9 . . .		12 - 15.6	G/DL
		Hematocrit	40.3 . . .		35 - 46	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.8 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.2 . . .		30 - 70	%
		Lymphocytes	26.3 . . .		21 - 51	%
		Monocytes	6.9 . . .		0 - 10	%
		Eosinophils	2 . . .		0 - 5	%
		Basophils	0.5 . . .		0 - 2	%
		Platelets	225000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.9 . . .		25 - 35	PG
		Mean Corpuscle Volume	87 . . .		80 - 100	FL
		Blood Urea Nitrogen	16 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.5 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	131 . . .		44 - 280	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	81 . . .		70 - 115	MG/DL
		Globulin	2.6 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00287

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 2/ELIGIBILITY	-1	Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	56	Hemoglobin	13.1	. . .	12 - 15.6	G/DL
		Hematocrit	37.7	. . .	35 - 46	%
		Red Blood Cell Count	4.3	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.9	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	65.5	. . .	30 - 70	%
		Lymphocytes	26.5	. . .	21 - 51	%
		Monocytes	4.1	. . .	0 - 10	%
		Eosinophils	2.6	. . .	0 - 5	%
		Basophils	1.3	. . .	0 - 2	%
		Platelets	218000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	87	. . .	80 - 100	FL
		Blood Urea Nitrogen	14	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3.5	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	116	. . .	44 - 280	U/L
		Aspartate	10	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	6.8	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	95	. . .	70 - 115	MG/DL
		Globulin	2.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.011.00287

S		RELATIVE *	LAB TEST	LAB VALUE	F F F			INVESTIGATOR	LAB
AGE X	OBSERVATION				DAYS	1	2		
14	F VISIT 10/ACUTE PHASE-WEEK 8	56	Urine White Blood Cells/HPF	3	.	.			
			Urine Bacteria	4	.	.			
			Urine Protein - Dipstick	NEG	.	.			
			Urine Squamous Epithelial Cells	4	.	.			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00027

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-13	Hemoglobin	14 . . .		13.8 - 17.2	G/DL
		Hematocrit	40.2 L . .		41 - 50	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	35 . . .		30 - 70	%
		Lymphocytes	48.3 . . .		21 - 51	%
		Monocytes	10.1 H . .		0 - 10	%
		Eosinophils	6.3 H . .		0 - 5	%
		Basophils	0.3 . . .		0 - 2	%
		Platelets	259000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30 . . .		25 - 35	PG
		Mean Corpuscle Volume	86 . . .		80 - 100	FL
		Blood Urea Nitrogen	15 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	4.4 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	103 . . .		44 - 400	U/L
		Aspartate	11 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	6.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	94 . . .		70 - 115	MG/DL
		Globulin	2.5 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

135

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00027

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 1/SCREENING (WEEK -1)	-13	Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	1	Hemoglobin	14.2	. . .	13.8 - 17.2	G/DL
		Hematocrit	42.6	. . .	41 - 50	%
		Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.1	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	41.1	. . .	30 - 70	%
		Lymphocytes	42.2	. . .	21 - 51	%
		Monocytes	6.9	. . .	0 - 10	%
		Eosinophils	9.3	H . .	0 - 5	%
		Basophils	0.4	. . .	0 - 2	%
		Platelets	314000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.5	. . .	25 - 35	PG
		Mean Corpuscle Volume	89	. . .	80 - 100	FL
		Blood Urea Nitrogen	20	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	111	. . .	22 - 180	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.6	. . .	6.2 - 8.8	G/DL
		Albumin	4.4	. . .	3.1 - 5.3	G/DL
		Glucose - Random	92	. . .	70 - 115	MG/DL
		Globulin	3.2	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00027

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
16 M VISIT 2/ELIGIBILITY	1	Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		3 . . .		
VISIT 6/ACUTE PHASE-WEEK 4	28	Hemoglobin	13.8	. . .	13.8 - 17.2	G/DL
		Hematocrit	39.7	L . .	41 - 50	%
		Red Blood Cell Count	4.6	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	14	L . -	30 - 70	%
		Lymphocytes	67	H . .	21 - 51	%
		Monocytes	14	H . .	0 - 10	%
		Eosinophils	4	. . .	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	260000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.6	. . .	25 - 35	PG
		Mean Corpuscle Volume	86	. . .	80 - 100	FL
		Blood Urea Nitrogen	17	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	4.8	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	116	. . .	22 - 180	U/L
		Aspartate	11	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	8	. . .	0 - 48	U/L
		Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
		Total Protein	7	. . .	6.2 - 8.8	G/DL
		Albumin	4.3	. . .	3.1 - 5.3	G/DL
		Glucose - Random	95	. . .	70 - 115	MG/DL
		Globulin	2.7	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		4 . . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00027

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
				1	2	3		
16 M VISIT 6/ACUTE PHASE-WEEK 4	28	Urine Squamous Epithelial Cells	4	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
F2 (BASELINE FLAG) :
F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00217

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	39.2 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.4 . . .		30 - 70	%
		Lymphocytes	22.7 . . .		21 - 51	%
		Monocytes	6.2 . . .		0 - 10	%
		Eosinophils	6.3 H . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	262000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	93 . . .		80 - 100	FL
		Blood Urea Nitrogen	11 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	79 . . .		44 - 280	U/L
		Aspartate	14 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5 . . .		0 - 48	U/L
		Total Bilirubin	1 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.5 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.1 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	NEG . . .			
		Urine Red Blood Cells/HPF	NEG . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00217

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/SCREENING (WEEK -1)	-7	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	30 (5)	Hemoglobin	13.1 . . .		12 - 15.6	G/DL
		Hematocrit	38.5 . . .		35 - 46	%
		Red Blood Cell Count	4.2 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.4 L . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	58.6 . . .		30 - 70	%
		Lymphocytes	26.2 . . .		21 - 51	%
		Monocytes	12.1 H . . .		0 - 10	%
		Eosinophils	2.8 . . .		0 - 5	%
		Basophils	0.4 . . .		0 - 2	%
		Platelets	233000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31 . . .		25 - 35	PG
		Mean Corpuscle Volume	91 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.6 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	65 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	5 . . .		0 - 48	U/L
		Total Bilirubin	1.2 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.2 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	98 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

140

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00217

S E AGE X	OBSERVATION	RELATIVE *		LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
		DAYS	()			1	2	3		
14	F VISIT 6/ACUTE PHASE-WEEK 4	30	(5)	Urine Blood - Dipstick	NEG	.	.	.		
				Urine Red Blood Cells/HPF	NEG	.	.	.		
				Urine White Blood Cells/HPF	NEG	.	.	.		
				Urine Bacteria		3	.	.		
				Urine Protein - Dipstick	NEG	.	.	.		
				Serum BHCG pregnancy test	NEGATIVE	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00218

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-12	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	40.6 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	4.9 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	64 . . .		30 - 70	%
		Lymphocytes	23 . . .		21 - 51	%
		Monocytes	6 . . .		0 - 10	%
		Eosinophils	7 H . . .		0 - 5	%
		Basophils	0 . . .		0 - 2	%
		Platelets	377000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.3 . . .		25 - 35	PG
		Mean Corpuscle Volume	99 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	3.3 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	79 . . .		22 - 130	U/L
		Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	7 . . .		0 - 48	U/L
		Total Bilirubin	1.3 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	73 . . .		70 - 115	MG/DL
		Globulin	3.2 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG . . .			
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .			
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG . . .			
		Urine Squamous Epithelial Cells	4 . . .			
		Serum BHCG pregnancy test	NEGATIVE . . .			

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00218

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 1/SCREENING (WEEK -1)	-12	Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 2/ELIGIBILITY	-2	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		
VISIT 10/ACUTE PHASE-WEEK 8	59	Hemoglobin	13.3	. . .	12 - 15.6	G/DL
		Hematocrit	39.8	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.3	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	50.5	. . .	30 - 70	%
		Lymphocytes	28.8	. . .	21 - 51	%
		Monocytes	7.2	. . .	0 - 10	%
		Eosinophils	12.6	H . +	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	345000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.8	. . .	25 - 35	PG
		Mean Corpuscle Volume	95	. . .	80 - 100	FL
		Blood Urea Nitrogen	9	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	3	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	82	. . .	22 - 130	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00218

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
17 F VISIT 10/ACUTE PHASE-WEEK 8	59	Aspartate	13 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	12 . . .		0 - 48	U/L
		Total Bilirubin	0.8 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.8 . . .		6.2 - 8.8	G/DL
		Albumin	4.4 . . .		3.1 - 5.3	G/DL
		Glucose - Random	86 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	6 . . .			
		Urine Red Blood Cells/HPF	5 . . .	+		
		Urine White Blood Cells/HPF	3 . . .			
		Urine Bacteria	4 . . .			
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4 . . .			
VISIT 11/CONTINUATION-WEEK 12	95	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38.6 . . .		35 - 46	%
		Red Blood Cell Count	4.1 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.1 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	40 . . .		30 - 70	%
		Lymphocytes	43 . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	11 H . . .	+	0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	366000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	32.2 . . .		25 - 35	PG
		Mean Corpuscle Volume	94 . . .		80 - 100	FL
		Blood Urea Nitrogen	10 . . .		7 - 25	MG/DL
		Creatinine	0.9 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.8 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	85 . . .		22 - 130	U/L

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

144

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00218

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F			INVESTIGATOR REFERENCE RANGE	LAB UNITS
					1	2	3		
17	F VISIT 11/CONTINUATION-WEEK 12	95	Aspartate Aminotransferase	15 . . .			0 - 41	U/L	
			Alanine Aminotransferase	13 . . .			0 - 48	U/L	
			Total Bilirubin	0.8 . . .			0.3 - 1.3	MG/DL	
			Total Protein	7.5 . . .			6.2 - 8.8	G/DL	
			Albumin	4.3 . . .			3.1 - 5.3	G/DL	
			Glucose - Random	91 . . .			70 - 115	MG/DL	
			Globulin	3.2 . . .			2.3 - 4.1	G/DL	
			Serum BHCG pregnancy test	NEGATIVE . . .					

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00224

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F 1000.PRE	-19	Hemoglobin	13.2 . . .		12 - 15.6	G/DL
		Hematocrit	38.7 . . .		35 - 46	%
		Red Blood Cell Count	4.3 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.6 . . .		4.5 - 13	THOU/MCL
		Neutrophil Bands	0 L . . .		4 - 12	%
		Segmented Neutrophils	51 . . .		30 - 70	%
		Lymphocytes	29 . . .		21 - 51	%
		Monocytes	5 . . .		0 - 10	%
		Eosinophils	14 H . +		0 - 5	%
		Basophils	1 . . .		0 - 2	%
		Platelets	370000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	90 . . .		80 - 100	FL
		Blood Urea Nitrogen	7 . . .		7 - 25	MG/DL
		Creatinine	0.8 . . .		0.8 - 1.5	MG/DL
		Uric Acid	2.4 . . .		2.3 - 7	MG/DL
		Alkaline Phosphatase	248 . . .		44 - 280	U/L
		Aspartate	16 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10 . . .		0 - 48	U/L
		Total Bilirubin	0.7 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.6 . . .		6.2 - 8.8	G/DL
		Albumin	4.2 . . .		3.1 - 5.3	G/DL
		Glucose - Random	93 . . .		70 - 115	MG/DL
		Globulin	3.4 . . .		2.3 - 4.1	C/DL
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 1/SCREENING (WEEK -1)	-17	Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF		3 . . .		
		Urine Bacteria		3 . . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells		4 . . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

146

CONFIDENTIAL
 BRL-029060-329-
 individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00224

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 1/UNSCHEDULED LAB 1	-10	Hemoglobin	12.1	. . .	12 - 15.6	G/DL
		Hematocrit	35.5	. . .	35 - 46	%
		Red Blood Cell Count	3.9	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	7.2	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	62.9	. . .	30 - 70	%
		Lymphocytes	22	. . .	21 - 51	%
		Monocytes	5.1	. . .	0 - 10	%
		Eosinophils	9.2	H . .	0 - 5	%
		Basophils	0.8	. . .	0 - 2	%
		Platelets	309000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	31.3	. . .	25 - 35	PG
		Mean Corpuscle Volume	92	. . .	80 - 100	FL
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		
		Urine Methadone	NEG	. . .		
		Urine Methaqualone	NEG	. . .		
		Urine Opiates	NEG	. . .		
		Urine Phencyclidine	NEG	. . .		
		Urine Propoxyphene	NEG	. . .		
VISIT 6/ACUTE PHASE-WEEK 4	32	Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 10/ACUTE PHASE-WEEK 8	66	Hemoglobin	12.9	. . .	12 - 15.6	G/DL
		Hematocrit	38.1	. . .	35 - 46	%
		Red Blood Cell Count	4.2	. . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6	. . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	53.1	. . .	30 - 70	%
		Lymphocytes	27.2	. . .	21 - 51	%
		Monocytes	5.8	. . .	0 - 10	%
		Eosinophils	12.9	H . . +	0 - 5	%
		Basophils	1	. . .	0 - 2	%
		Platelets	367000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00224

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F VISIT 10/ACUTE PHASE-WEEK 8	66	Mean Corpuscle Volume	90	. . .	80 - 100	FL
		Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
		Creatinine	0.9	. . .	0.8 - 1.5	MG/DL
		Uric Acid	2.6	. . .	2.3 - 7	MG/DL
		Alkaline Phosphatase	205	. . .	44 - 280	U/L
		Aspartate	15	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.7	. . .	6.2 - 8.8	G/DL
		Albumin	4.2	. . .	3.1 - 5.3	G/DL
		Glucose - Random	113	. . .	70 - 115	MG/DL
		Globulin	3.5	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	3	. . .		
		Urine Bacteria	3	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Squamous Epithelial Cells	4	. . .		
		Serum BHCG pregnancy test	NEGATIVE	. . .		
VISIT 13/CONTINUATION-WEEK 20	156	Hemoglobin	12.2	. . .	12 - 15.6	G/DL
		Hematocrit	36.5	. . .	35 - 46	%
		Red Blood Cell Count	4	L . .	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	6.4	. . .	4.5 - 13	THOU/MCL
		Neutrophil Bands	0	L . .	4 - 12	%
		Segmented Neutrophils	63	. . .	30 - 70	%
		Lymphocytes	15	L . .	21 - 51	%
		Monocytes	10	. . .	0 - 10	%
		Eosinophils	12	H . +	0 - 5	%
		Basophils	0	. . .	0 - 2	%

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

148

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00224

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 F	VISIT 13/CONTINUATION-WEEK 20	156	Platelets	309000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	30.7	. . .	25 - 35	PG
			Mean Corpuscle Volume	92	. . .	80 - 100	FL
			Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
			Creatinine	0.8	. . .	0.8 - 1.5	MG/DL
			Uric Acid	2.1	L . .	2.3 - 7	MG/DL
			Alkaline Phosphatase	167	. . .	44 - 280	U/L
			Aspartate	14	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	8	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.7	. . .	6.2 - 8.8	G/DL
			Albumin	4.2	. . .	3.1 - 5.3	G/DL
			Glucose - Random	93	. . .	70 - 115	MG/DL
			Globulin	3.5	. . .	2.3 - 4.1	G/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)
 F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable
 F2 (BASELINE FLAG) :
 F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00225

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Hemoglobin	13.9 . . .		13.8 - 17.2	G/DL
		Hematocrit	41.1 . . .		41 - 50	%
		Red Blood Cell Count	4.7 . . .		4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.7 . . .		4.5 - 13	THOU/MCL
		Segmented Neutrophils	54.7 . . .		30 - 70	%
		Lymphocytes	37.4 . . .		21 - 51	%
		Monocytes	4.7 . . .		0 - 10	%
		Eosinophils	2.1 . . .		0 - 5	%
		Basophils	1.1 . . .		0 - 2	%
		Platelets	191000 . . .		130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.7 . . .		25 - 35	PG
		Mean Corpuscle Volume	88 . . .		80 - 100	FL
		Blood Urea Nitrogen	12 . . .		7 - 25	MG/DL
		Creatinine	1 . . .		0.8 - 1.5	MG/DL
		Uric Acid	5.5 . . .		4 - 8	MG/DL
		Alkaline Phosphatase	157 . . .		44 - 400	U/L
		Aspartate	17 . . .		0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	9 . . .		0 - 48	U/L
		Total Bilirubin	0.6 . . .		0.3 - 1.3	MG/DL
		Total Protein	7.1 . . .		6.2 - 8.8	G/DL
		Albumin	4.3 . . .		3.1 - 5.3	G/DL
		Glucose - Random	71 . . .		70 - 115	MG/DL
		Globulin	2.8 . . .		2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		
		Urine Amphetamines	NEG	. . .		
		Urine Barbiturates	NEG	. . .		
		Urine Benzodiazepines	NEG	. . .		
		Urine Cannabinoids	NEG	. . .		
		Urine Cocaine	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

150

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00225

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F 1	F 2	F 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 1/SCREENING (WEEK -1)	-7	Urine Methadone	NEG	.	.	.		
		Urine Methaqualone	NEG	.	.	.		
		Urine Opiates	NEG	.	.	.		
		Urine Phencyclidine	NEG	.	.	.		
		Urine Propoxyphene	NEG	.	.	.		
VISIT 10/ACUTE PHASE-WEEK 8	65	Hemoglobin	13.9	.	.	.	13.8 - 17.2	G/DL
		Hematocrit	41	.	.	.	41 - 50	%
		Red Blood Cell Count	4.7	.	.	.	4.1 - 5.3	MILL/MCL
		White Blood Cell Count	5.2	.	.	.	4.5 - 13	THOU/MCL
		Segmented Neutrophils	52	.	.	.	30 - 70	%
		Lymphocytes	36	.	.	.	21 - 51	%
		Monocytes	7	.	.	.	0 - 10	%
		Eosinophils	5	.	.	.	0 - 5	%
		Basophils	0	.	.	.	0 - 2	%
		Platelets	194000	.	.	.	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	29.4	.	.	.	25 - 35	PG
		Mean Corpuscle Volume	85	.	.	.	80 - 100	FL
		Blood Urea Nitrogen	11	.	.	.	7 - 25	MG/DL
		Creatinine	1	.	.	.	0.8 - 1.5	MG/DL
		Uric Acid	5	.	.	.	4 - 8	MG/DL
		Alkaline Phosphatase	138	.	.	.	44 - 400	U/L
		Aspartate	14	.	.	.	0 - 41	U/L
		Aminotransferase		.	.	.		
		Alanine Aminotransferase	10	.	.	.	0 - 48	U/L
		Total Bilirubin	0.6	.	.	.	0.3 - 1.3	MG/DL
		Total Protein	7.2	.	.	.	6.2 - 8.8	G/DL
		Albumin	4.6	.	.	.	3.1 - 5.3	G/DL
		Glucose - Random	74	.	.	.	70 - 115	MG/DL
		Globulin	2.6	.	.	.	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	.	.	.		
		Urine Blood - Dipstick	NEG	.	.	.		
		Urine Red Blood Cells/HPF	NEG	.	.	.		
		Urine White Blood Cells/HPF	NEG	.	.	.		
		Urine Protein - Dipstick	NEG	.	.	.		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

151

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00225

S E AGE X	OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M	VISIT 13/CONTINUATION-WEEK 20	147	Hemoglobin	14.3	. . .	13.8 - 17.2	G/DL
			Hematocrit	42.7	. . .	41 - 50	%
			Red Blood Cell Count	4.9	. . .	4.1 - 5.3	MILL/MCL
			White Blood Cell Count	9.3	. . .	4.5 - 13	THOU/MCL
			Segmented Neutrophils	75	H . .	30 - 70	%
			Lymphocytes	20.8	L . .	21 - 51	%
			Monocytes	3.1	. . .	0 - 10	%
			Eosinophils	1.1	. . .	0 - 5	%
			Basophils	0	. . .	0 - 2	%
			Platelets	188000	. . .	130000 - 400000	PER CUMM
			Mean Corpuscle Hemoglobin	29.3	. . .	25 - 35	PG
			Mean Corpuscle Volume	87	. . .	80 - 100	FL
			Blood Urea Nitrogen	8	. . .	7 - 25	MG/DL
			Creatinine	1.2	. . .	0.8 - 1.5	MG/DL
			Uric Acid	5.4	. . .	4 - 8	MG/DL
			Alkaline Phosphatase	117	. . .	44 - 400	U/L
			Aspartate	15	. . .	0 - 41	U/L
			Aminotransferase				
			Alanine Aminotransferase	10	. . .	0 - 48	U/L
			Total Bilirubin	0.6	. . .	0.3 - 1.3	MG/DL
			Total Protein	7.6	. . .	6.2 - 8.8	G/DL
			Albumin	4.5	. . .	3.1 - 5.3	G/DL
			Glucose - Random	96	. . .	70 - 115	MG/DL
			Globulin	3.1	. . .	2.3 - 4.1	C/DL
			Urine Glucose - Dipstick	NEG	. . .		
			Urine Blood - Dipstick	NEG	. . .		
			Urine Red Blood Cells/HPF	NEG	. . .		
			Urine White Blood Cells/HPF	NEG	. . .		
			Urine Protein - Dipstick	NEG	. . .		
	VISIT 16/CONTINUATION-WEEK 32	247	Hemoglobin	14.4	. . .	13.8 - 17.2	G/DL
			Hematocrit	43.1	. . .	41 - 50	%
			Red Blood Cell Count	4.8	. . .	4.1 - 5.3	MILL/MCL

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

152

CONFIDENTIAL

BRL-029060-329-
individual-data

Appendix F.1

Listing of Laboratory Values by Treatment Group and Patient
 Intent-to-Treat Population

TREATMENT GROUP: PLACEBO PID: 329.012.00225

S E AGE X OBSERVATION	RELATIVE * DAYS	LAB TEST	LAB VALUE	F F F 1 2 3	INVESTIGATOR REFERENCE RANGE	LAB UNITS
14 M VISIT 16/CONTINUATION-WEEK 32	247	White Blood Cell Count	4.3	L . .	4.5 - 13	THOU/MCL
		Segmented Neutrophils	64.1	. . .	30 - 70	%
		Lymphocytes	29.9	. . .	21 - 51	%
		Monocytes	3.2	. . .	0 - 10	%
		Eosinophils	2	. . .	0 - 5	%
		Basophils	0.9	. . .	0 - 2	%
		Platelets	190000	. . .	130000 - 400000	PER CUMM
		Mean Corpuscle Hemoglobin	30.2	. . .	25 - 35	PG
		Mean Corpuscle Volume	91	. . .	80 - 100	FL
		Blood Urea Nitrogen	13	. . .	7 - 25	MG/DL
		Creatinine	1.1	. . .	0.8 - 1.5	MG/DL
		Uric Acid	5.4	. . .	4 - 8	MG/DL
		Alkaline Phosphatase	113	. . .	44 - 400	U/L
		Aspartate	12	. . .	0 - 41	U/L
		Aminotransferase				
		Alanine Aminotransferase	10	. . .	0 - 48	U/L
		Total Bilirubin	0.7	. . .	0.3 - 1.3	MG/DL
		Total Protein	7.5	. . .	6.2 - 8.8	G/DL
		Albumin	4.6	. . .	3.1 - 5.3	G/DL
		Glucose - Random	93	. . .	70 - 115	MG/DL
		Globulin	2.9	. . .	2.3 - 4.1	G/DL
		Urine Glucose - Dipstick	NEG	. . .		
		Urine Blood - Dipstick	NEG	. . .		
		Urine Red Blood Cells/HPF	NEG	. . .		
		Urine White Blood Cells/HPF	NEG	. . .		
		Urine Protein - Dipstick	NEG	. . .		

* DAYS RELATIVE TO START OF STUDY MEDICATION (DAYS RELATIVE TO STOP OF STUDY MEDICATION)

F1 (REFERENCE RANGE FLAG) : H/L = VALUE ABOVE/BELOW REFERENCE RANGE U = Unflaggable

F2 (BASELINE FLAG) :

F3 (CLINICAL CONCERN FLAG) : +/- = VALUE ABOVE/BELOW LEVELS OF CLINICAL CONCERN U = Unflaggable

Appendix F.2

Listing of Clinically Significant Abnormal Laboratory Values by Patient and Treatment Group
 Acute Phase
 Intent-to-Treat Population

Treatment	Parameter	Flag	Patient ID	Relative Days *	Value	Baseline Value	Comments
PAROXETINE	Hematocrit	L	329.001.00121	57	36.2	40.2	
			329.007.00140	56	36.7	37.5	
	Platelets	L	329.005.00011	57	51000.0	235000.0	
			329.005.00112	56	10000.0	245000.0	THE PLATELET COUNT IS LOW DUE TO IN VITRO CLUMPING OF PLATELETS.
			329.005.00116	59	71000.0	284000.0	THE PLATELET COUNT IS LOW DUE TO IN VITRO CLUMPING OF PLATELETS.
			329.005.00257	29	17000.0	136000.0	PLATELET HISTOGRAM APPEARS CLUMPED; PLATELET COUNT RESULT MAY BE IN QUESTION.
	Urine Red Blood Cells/HPF	H	329.003.00292	70	5-10		5-10
			329.004.00015	28	INNUMERABLE		INNUMERABLE
			329.005.00258	57	15-25	5-10	15-25
			329.008.00160	66	10-15	25-50	10-15
329.009.00196			57	10-15	1-3	10-15	
Urine White Blood Cells/HPF	H	329.002.00058	59	15-25		15-25	
White Blood Cell Count	H	329.005.00257	29	19.1	7.0		
		329.009.00196	57	16.7	10.3		
IMIPRAMINE	Hematocrit	L	329.003.00289	57	30.4	35.3	
			329.009.00137	57	35.7	38.6	
			329.009.00194	57	35.9	36.0	

* Days Relative to Start of Acute Phase
 Lab Abnormality Criteria: Blood Chemistry: AlkPhos: H = >=390; BUN: H = >=30.0; Creatinine: H = >=2.0; AST/SGOT: H = >=150;
 ALT/SGPT: H = >=165; T.Bilirubin: H = >=2.0;
 Hematology: HGB: (M) L = <=11.5 (F) L = <=9.5; HCT: (M) L = <=37.0 (F) L = <=32.0; WBC: L = <=2.8 H = >=16.0; Neut(Segs): L = <=15;
 Neut(Bands): H = >10; Lymph: H = >=75; Monos: H = >=15; Eosins: H = >=10; Basos: H = >=10; Platelets: L = <=75000 H = >=700000.
 Urinalysis: Protein: H = 4+; Glucose: H = 4+; RBC: (M) H = >8 (F) H = >10; WBC: H = >10.

154

CONFIDENTIAL

BRL-029060-329-
 individual-data

Appendix F.2

Listing of Clinically Significant Abnormal Laboratory Values by Patient and Treatment Group
 Acute Phase
 Intent-to-Treat Population

Treatment	Parameter	Flag	Patient ID	Relative Days *	Value	Baseline Value	Comments
IMIPRAMINE	Platelets	L	329.005.00007	64	44000.0	307000.0	THE PLATELET COUNT IS LOW DUE TO IN VITRO CLUMPING OF PLATELETS. PLATELET HISTOGRAM APPEARS CLUMPED; PLATELET COUNT RESULT MAY BE IN QUESTION.
			329.005.00009	58	54000.0	211000.0	
			329.009.00134	55	50-100		
PLACEBO	Urine White Blood Cells/HPF	H	329.008.00159	63	25-50	10-15	25-50
	Alkaline Phosphatase	H	329.003.00074	57	406.0	344.0	
	Eosinophils	H	329.007.00311	61	11.0	9.7	
			329.012.00218	59	12.6	7.0	
			329.012.00224	66	12.9	9.2	
	Platelets	H	329.003.00316	57	771000.0	606000.0	
	Segmented Neutrophils	L	329.012.00027	28	14.0	41.1	
	Urine Red Blood Cells/HPF	H	329.009.00327	36	10-15		10-15
329.012.00218			59	50-100	5-10	50-100	

* Days Relative to Start of Acute Phase
 Lab Abnormality Criteria: Blood Chemistry: AlkPhos: H = >=390; BUN: H = >=30.0; Creatinine: H = >=2.0; AST/SGOT: H = >=150;
 ALT/SGPT: H = >=165; T.Bilirubin: H = >=2.0;
 Hematology: HGB: (M) L = <=11.5 (F) L = <=9.5; HCT: (M) L = <=37.0 (F) L = <=32.0; WBC: L = <=2.8 H = >=16.0; Neut(Segs): L = <=15;
 Neut(Bands): H = >10; Lymph: H = >=75; Monos: H = >=15; Eosins: H = >=10; Basos: H = >=10; Platelets: L = <=75000 H = >=700000.
 Urinalysis: Protein: H = 4+; Glucose: H = 4+; RBC: (M) H = >8 (F) H = >10; WBC: H = >10.

155

CONFIDENTIAL

BRL-029060-329-
 individual-data