

To: Charles M Beasley Jr/AM/LLY@Lilly  
cc: Anna Thornton/AM/LLY@Lilly  
Subject: Re: Resending of revised file on hyperglycemia

Charles,

Thank you for the kind words!

One thing that I am very much interested in is the time of onset of hyperglycemia relative to the initiation of olanzapine. I wonder if Mary Joe had captured that (it appeared that she did). It would be interesting to know what % of cases reported this event occurred within the first 2-3 months and what % after the first 2 or 3 months. I suspect that hyperglycemia occurred long after the initiation of olanzapine are less likely be drug-related (i.e. chance event) and therefore less likely be reversible upon discontinuation of the suspected drugs.

Anna,

You have sent me the hyperglycemia response document sent to Canada. It appears that Mary Joe had captured information on time of onset from spontaneous reports though she did not elaborate the findings in the response document. A plot of #reports by the time of onset of hyperglycemia would be informatiive.

Please provide me the information that Charles referred to below.

Charles M Beasley Jr on 09/09/99 07:40:49 PM  
Charles M Beasley Jr on 09/09/99 07:40:49 PM



To: Kenneth C Kwong/AM/LLY@Lilly  
cc:  
Subject: Re: Resending of revised file on hyperglycemia

This an EXCELLENT piece of work. I believe that Anna will be giving you a copy of the summary results from the database developed by Mary Joe Brandt. Although we included more COSTART terms (glycosuria, glucose tolerance test abnormal, etc.), you have captured most of the cases. MJB also broke patients down into 3 groups, depending on the nature of the presentation -- more Type I like or Type II like. You might just quickly look at this and make sure that I'm right that everything is basically in agreement.

Thanks for the hard work,  
Charles

ZY 1971 1474